

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015565.16-R1
DATE: 10/25/2022
CERTIFICATION PROGRAM: Structural
COMPANY: Masonite
CODE: 1823-1
REVISION DATE: 11/29/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Masonite International 1955 Powis Road West Chicago, IL 60185	Series “ Powered & Connected” Inswing Impact Flush-Glazed Fiberglass Side-Hinged Door Assembly w/Glazed Sidelites Configuration: OXO Glazing: IG-1/8" Tempered Glass/1/8" Heat Strengthened Glass/0.090" PVB Interlayer/1/8" Heat Strengthened Glass Frame: W-2819mm(111") H-2076mm(81.75") Panel: W-908mm(35.75") H-2013mm(79.25") DLO: W-635mm(25") H-1600mm(63")

SPECIFICATION	PRODUCT RATING
ASTM E1886-13a/19 ASTM E1996-14a/20 TAS 202-94 (Structural Only)	Design Pressure: ±2394 Pa (±50 psf) Wind Zone 4 - Missile Level D

Product Tested By: American Test Lab, Inc. (ATLNC)
Report No: ATLNC 0907.01-22/ATLNC 0315.01-21/W-2055

Expiration Date: **September 30, 2026**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com