

Notice of Product Certification

CERTIFICATION NO.: 2864-003
INITIAL CERTIFICATION DATE: November 1, 2022
REVISION DATE: N/A
REPORT NUMBER: VWD22107594-cR
SPECIFICATION: CSA A440.2-19

COMPANY: Rhino Windows, Inc.
CODE: 2864-1
EXPIRATION DATE: July 26, 2027
PRODUCT SIMULATED BY: WSP
AIR LEAKAGE REPORT NO.: L19-925-5637fx

PRODUCT/SERIES NAME: 450 Fixed

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2864-003-0001-01	272-arg95-SDCI 3-3 (7/8" OT), ss	0.042(#2)	1.47	0.32	0.56	0.2	26
2864-003-0001-02	272-arg95-SDCI 3-3 (7/8" OT), ss, Grids<1"	0.042(#2)	1.47	0.29	0.50	0.2	24
2864-003-0002-01	272-arg95-SDCI 3-3 (7/8" OT), ss, Foam	0.042(#2)	1.41	0.32	0.56	0.2	27
2864-003-0002-02	272-arg95-SDCI 3-3 (7/8" OT), ss, Foam, Grids<1"	0.042(#2)	1.41	0.29	0.50	0.2	25
2864-003-0003-01	SDCI-arg95-PTLUX 3-3 (7/8" OT), ss	0.082(#3)	1.54	0.59	0.62	0.2	40
2864-003-0003-02	SDCI-arg95-PTLUX 3-3 (7/8" OT), ss, Grids<1"	0.082(#3)	1.54	0.53	0.55	0.2	36
2864-003-0004-01	272-arg95-SDCI-air-SDCI 3-3-3 (1 3/8" OT), ss	0.042(#2)	1.17	0.30	0.51	0.2	31
2864-003-0004-02	272-arg95-SDCI-air-SDCI 3-3-3 (1 3/8" OT), ss, Grids<1"	0.042(#2)	1.17	0.27	0.46	0.2	30
2864-003-0005-01	272-arg95-272-arg95-SDCI 3-3-3 (1 3/8" OT), ss	0.042(#2, #4)	0.88	0.25	0.44	0.2	35
2864-003-0005-02	272-arg95-272-arg95-SDCI 3-3-3 (1 3/8" OT), ss, Grids<1"	0.042(#2, #4)	0.88	0.23	0.40	0.2	34
2864-003-0006-01	SDCI-air-SDCI-arg95-PTLUX 3-3-3 (1 3/8" OT), ss	0.082(#5)	1.18	0.54	0.57	0.2	45
2864-003-0006-02	SDCI-air-SDCI-arg95-PTLUX 3-3-3 (1 3/8" OT), ss, Grids<1"	0.082(#5)	1.18	0.49	0.51	0.2	42
2864-003-0007-01	SDCI-arg95-PTLUX-arg95-PTLUX 3-3-3 (1 3/8" OT), ss	0.082(#3, #5)	0.93	0.51	0.54	0.2	49
2864-003-0007-02	SDCI-arg95-PTLUX-arg95-PTLUX 3-3-3 (1 3/8" OT), ss, Grids<1"	0.082(#3, #5)	0.93	0.46	0.48	0.2	46
2864-003-0008-01	VCI-arg95-PTLUX 4-3 (7/8" OT), ss	0.082(#3)	1.52	0.53	0.60	0.2	37
2864-003-0008-02	VCI-arg95-PTLUX 4-3 (7/8" OT), ss, Grids<1"	0.082(#3)	1.52	0.48	0.54	0.2	34
2864-003-0009-01	VCI-arg95-PTLUX 4-4 (7/8" OT), ss	0.081(#3)	1.52	0.53	0.60	0.2	37
2864-003-0009-02	VCI-arg95-PTLUX 4-4 (7/8" OT), ss, Grids<1"	0.081(#3)	1.52	0.48	0.53	0.2	34
2864-003-0010-01	VCI-arg95-PTLUX 6-3 (1 1/8" OT), ss	0.082(#3)	1.55	0.51	0.60	0.2	35
2864-003-0010-02	VCI-arg95-PTLUX 6-3 (1 1/8" OT), ss, Grids<1"	0.082(#3)	1.55	0.46	0.53	0.2	32
2864-003-0011-01	VCI-arg95-PTLUX 6-4 (1 3/8" OT), ss	0.081(#3)	1.57	0.51	0.59	0.2	35
2864-003-0011-02	VCI-arg95-PTLUX 6-4 (1 3/8" OT), ss, Grids<1"	0.081(#3)	1.57	0.46	0.53	0.2	32
2864-003-0012-01	VCI-arg95-PTLUX 6-3 (1 3/8" OT), ss	0.082(#3)	1.57	0.51	0.60	0.2	35
2864-003-0012-02	VCI-arg95-PTLUX 6-3 (1 3/8" OT), ss, Grids<1"	0.082(#3)	1.57	0.46	0.53	0.2	32
2864-003-0013-01	CLLam-arg95-PTLUX 6-4 (1 3/8" OT), ss	0.081(#3)	1.55	0.51	0.59	0.2	35

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2864-003-0013-02	CLLam-arg95-PTLUX 6-4 (1 3/8" OT), ss, Grids<1"	0.081(#3)	1.55	0.46	0.53	0.2	32
2864-003-0014-01	CLLam-arg95-PTLUX 6-6 (1 3/8" OT), ss	0.081(#3)	1.54	0.51	0.58	0.2	35
2864-003-0014-02	CLLam-arg95-PTLUX 6-6 (1 3/8" OT), ss, Grids<1"	0.081(#3)	1.54	0.46	0.52	0.2	32
2864-003-0015-01	CLLam-arg95-PTLUXLam 6-6 (1 3/8" OT), ss	0.087(#3)	1.54	0.50	0.60	0.2	35
2864-003-0015-02	CLLam-arg95-PTLUXLam 6-6 (1 3/8" OT), ss, Grids<1"	0.087(#3)	1.54	0.45	0.53	0.2	32
2864-003-0016-01	CLLam-arg95-PTLUX 9-6 (1 3/8" OT), ss	0.081(#3)	1.54	0.50	0.58	0.2	35
2864-003-0016-02	CLLam-arg95-PTLUX 9-6 (1 3/8" OT), ss, Grids<1"	0.081(#3)	1.54	0.45	0.52	0.2	32

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com