NOTICE OF PRODUCT CERTIFICATION •



CERTIFICATION NO: NI014667.02

DATE: 11/08/2022

CERTIFICATION PROGRAM: Structural

COMPANY: A Window

CODE: 412-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS		PRODUCT DESC	CRIPTION
A Window, Inc.	Series "PD12 OXO"		
6201-C Dowdell Road	Vinyl Sliding Glass Door		
Fort Worth, TX 76119			
		Configuration: Glazing: Insulating Gla	
	Frame:	W-2769mm(109")	H-2457mm(96.75")
	Panel:	W-953mm(37.50")	H-2381mm(93.75")
	DLO:	W-838mm(33")	H-2261mm(89")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG40 2769 x 2457 (109 x 97)-SD Design Pressure: ±1920 Pa (±40 psf) Water Penetration Resistance Pressure: 330 Pa (6.90 psf)

Product Tested By: Molimo, LLC
Report No: 2067.02-109-12
Expiration Date: November 30, 2026

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072

Tel: (804) 684-5124 Email: nami@namiinc.com