

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI014667.04
DATE: 11/08/2022
CERTIFICATION PROGRAM: Structural
COMPANY: A Window
CODE: 412-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
A Window, Inc. 6201-C Dowdell Road Fort Worth, TX 76119	Series "PD12 XO" Vinyl Sliding Glass Door Configuration: XO Glazing: Insulating Glass (Tempered) Frame: W-1816mm(71.50") H-2019mm(79.50") Panel: W-921mm(36.25") H-1940mm(76.38") DLO: W-800mm(31.50") H-1819mm(71.63")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class R-PG50 1816 x 2019 (72 x 80)-SD Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Pressure: 360 Pa (7.52 psf)

Product Tested By: Molimo, LLC
Report No: 3198.04-109-12
Expiration Date: November 30, 2026

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Molimo", written over a horizontal line.

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com