

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015690-R1
DATE: 11/09/2022
CERTIFICATION PROGRAM: Fire
COMPANY: Caldera
CODE: 2830-1
REVISION DATE: 08/01/2024
EXPIRATION DATE: 11/30/2026

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	
Boise Cascade Millwork Products 2980 South Wise Way Boise, ID 83716	Therma Tru 20 Minute Fiberglass Door w/Proprietary Foam Core (Simulated, Flush or Shaker Panel Type) Manufacture Specific Fire Door Frames for Single Swing Installation in 20 Minute Locations Single Door Maximum Size: 36" x 96" Shaker Single Door Maximum Size: 36" x 80" Minimum Thickness: 1-3/4"

SPECIFICATION	PRODUCT RATING
UL 10C (2016) NFPA 252 (2012)	20 Minute-without Hose Stream Positive Pressure Category B- Additional Edge Sealing Required

TEST REPORT
Intertek Test Report No: 103875182MID-007

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com