

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015707.01
DATE: 03/05/2013
CERTIFICATION PROGRAM: Structural
COMPANY: Therma-Tru
CODE: 052-1
REVISION DATE: 12/14/2022

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Therma-Tru Corporation 1750 Indian Wood Circle Maumee, OH 43537	Series "V-3 Standard and Lite Rail" In-Fold and Out-Fold Aluminum Folding Glass Wall Configuration: XXX/XXX Glazing: IG-3/16" Tempered Glass/Laminate-3/16" Annealed Glass/0.090" DuPont Sentry Glass Plus Interlayer/3/16" Annealed Glass Frame: W-6622mm (260.69") H-3010mm (118.50") Panel: W-1067mm (42.00") H-2896mm (114.00") DLO: W-997mm (39.25") H-2725mm (107.25")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(12)/ASTM E330-02(10)/ ASTM E331-00(09)	Design Pressure: 3352 Pa (70.0 psf) Negative Design Pressure: 3352 Pa (70.0 psf) Water Penetration Resistance Test Pressure: 431 Pa (9.0 psf)

Product Tested By: National Certified Testing Laboratories, Inc.
Report No: NCTL-110-15327-2
Expiration Date: September 30, 2026

Administrator's Signature: _____ 

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com