

Notice of Product Certification

CERTIFICATION NO.: 1270-001

INITIAL CERTIFICATION DATE: January 23, 2023

REVISION DATE: N/A

REPORT NUMBER: SPL21004-36-C_CSSV-P

SPECIFICATION: CSA A440.2-19

COMPANY: Rusco Manufacturing

CODE: 1270-1

EXPIRATION DATE: October 25, 2026

PRODUCT SIMULATED BY: Veridis Solutions

AIR LEAKAGE REPORT NO.: AI-03794-F1 Rev.3

PRODUCT/SERIES NAME: PVC Casement

OPERATOR TYPE: CSSV

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1270-001-0001-01	3mm_7/8_PCl-arg95-8071 im	0.082(#3)	1.52	0.48	0.53	0.1	34
1270-001-0002-01	3mm_7/8_PCl-arg95-8071 im Grids<1"	0.082(#3)	1.52	0.44	0.48	0.1	32
1270-001-0003-01	3mm_7/8_PCl-arg95-8071 im Grids>1"	0.082(#3)	1.52	0.39	0.43	0.1	29
1270-001-0004-01	3mm_1 1/4_PCl-arg95-PCI-arg95-8071 im	0.082(#5)	1.21	0.44	0.48	0.1	39
1270-001-0005-01	3mm_1 1/4_PCl-arg95-PCI-arg95-8071 im Grids<1"	0.082(#5)	1.22	0.40	0.44	0.1	36
1270-001-0006-01	3mm_1 1/4_PCl-arg95-PCI-arg95-8071 im Grids>1"	0.082(#5)	1.24	0.36	0.39	0.1	33

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.

4794 George Washington Memorial Hwy.

Hayes, VA 23072

Tel.: (804) 684-5124

nami@namiinc.com

namicertification.com

