

Notice of Product Certification

CERTIFICATION NO.: 1270-006
INITIAL CERTIFICATION DATE: January 23, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL22001-9-C_VSSH-P
SPECIFICATION: CSA A440.2-19

COMPANY: Rusco Manufacturing
CODE: 1270-1
EXPIRATION DATE: August 31, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04110-A1 Rev.1

PRODUCT/SERIES NAME: PVC Single Hung | 9620I-9820I OPERATOR TYPE: VSSH

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1270-006-0001-01	3mm_7/8_8071-arg95-IS20, im	0.082(#2) 0.198(#4)	1.41	0.47	0.57	0.4	35
1270-006-0002-01	3mm_7/8_8071-arg95-IS20, im, Grids<1"	0.082(#2) 0.198(#4)	1.41	0.42	0.51	0.4	33
1270-006-0003-01	3mm_7/8_8071-arg95-IS20, im, Grids>1"	0.082(#2) 0.198(#4)	1.41	0.38	0.45	0.4	30
1270-006-0004-01	GL,3mm_7/8_PCl-arg95-8071, im	0.082(#3)	1.62	0.53	0.59	0.4	34
1270-006-0005-01	GL,3mm_7/8_PCl-arg95-8071, im, Grids<1"	0.082(#3)	1.62	0.48	0.52	0.4	31
1270-006-0006-01	GL,3mm_7/8_PCl-arg95-8071, im, Grids>1"	0.082(#3)	1.62	0.42	0.46	0.4	28

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com