

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO:	NI014908-R1
DATE:	07/20/2020
CERTIFICATION PROGRAM:	Structural
COMPANY:	ViWinTech
CODE:	583-1
REVISION DATE:	01/09/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ViWinTech 2400 Irvin Cobb Drive Paducah, KY 42003	Series "Grand Vista Sliding Door" Vinyl Multi-Slide/Pocket Sliding Door (P-Hook Jamb/Non-Impact) Configuration: XXXX Glazing: Insulating Glass (Tempered) Frame: W-4909mm(193.25") H-2438mm(96") Panel: W-1276mm(50.25") H-2357mm(92.81") DLO: W-1099mm(43.25") H-2180mm(85.81")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-11 AAMA/WDMA/CSA 101/I.S.2/A440-08	Class LC-PG55 4909 x 2438 (193 x 96)-SD Design Pressure: ±2640 Pa (±55 psf) Water Penetration Resistance Test Pressure: 0.522" Sill Riser w/weep covers: 432Pa (9.0 psf) 1.44" Sill Riser w/weep covers: 576 Pa (12.0 psf) 1.94" Sill riser w/o weep covers: 720 Pa (15.0 psf)

Product Tested By: National Certified Testing Laboratories
Report No: NCTL-210-4164-01-VWT Spec 1
Expiration Date: **November 30, 2026**

Administrator's Signature: _____

**NATIONAL ACCREDITATION AND
MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com