

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015712  
DATE: 01/04/2023  
CERTIFICATION PROGRAM: Structural  
COMPANY: Crystal Pacific  
CODE: 2018-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Crystal Pacific Windows Corporation</b> <b>1850 Atlantic Avenue</b> <b>Riverside, CA 92507</b>	<b>Series "Vista"</b> <b>Vinyl Horizontal Sliding Window</b>  Configuration: XO Glazing: Insulating Glass (Annealed) Frame: W-1829mm(72") H-1524mm(60") Panel: W-895mm(35.25") H-1473mm(58") DLO: W-846mm(33.31") H-1453mm(57.19")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class R-PG20 1829 x 1524 (72 x 60)-HS</b> <b>Design Pressure: ±960 Pa (±20 psf)</b> Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf)

Product Tested By: Intertek, PLC  
Report No: L9749.01-303-44  
Expiration Date: **October 31, 2026**

Administrator's Signature: \_\_\_\_\_  


**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)