NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: DATE: CERTIFICATION PROGRAM: COMPANY: CODE:

NI015720	
01/17/2023	
Structural	
Quaker	
031-1	

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <u>www.namicertification.com</u>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION	
Quaker Window Products	Series "V260"	
504 Highway 63 South	Vinyl Horizontal Sliding Window	
Freeburg, MO 65035		
	Configuration: XO Glazing: Insulating Glass (Annealed)	
	Frame: W-1803mm(71") H-1524mm(60")	
	Sash: W-870mm(34.25") H-1435mm(56.50")	
	DLO: W-833mm(32.81") H-1413mm(55.63")	

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17	Class LC-PG50 1803 x 1524 (71 x 60)-HS
AAMA/WDMA/CSA 101/I.S.2/A440-11	Design Pressure: ±2400 Pa (±50 psf) Water Penetration Resistance Test Pressure: 360 Pa (7.52 psf)

Product Tested By: Report No: Expiration Date: Intertek, PLC N7278.01-201-44 **November 30, 2026**

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

Email: <u>nami@namiinc.com</u>