NOTICE OF PRODUCT CERTIFICATION

CERTIFICATION NO: NI015724.01
DATE: 01/25/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Exeter
CODE: 2898-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Exeter Architectural Products **47052 Conrad E. Anderson Street** **Hammond, Louisiana 70401**	**Series "Storm Shield"** **Aluminum Frame Hurricane Shutter** **(w/Stainless Steel Screen)** Configuration: XX Frame: W-3245mm(127.75") H-2134mm(84") Panel: W-1524mm(60") H-2134mm(84")

SPECIFICATION	PRODUCT RATING
TAS 201-94 **TAS 202-94** **TAS 203-94**	**Design Pressure: +60/-60 psf** **Large Missile Impact Rated**

Product Tested By: Architectural Testing Incorporated
Report No: A0200.01-109-18
Expiration Date: **August 31, 2027**

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.
4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com