

# Notice of Product Certification

CERTIFICATION NO.: 1090-001  
 INITIAL CERTIFICATION DATE: February 27, 2023  
 REVISION DATE: N/A  
 REPORT NUMBER: SPL22001-101-C\_FIXD-P  
 SPECIFICATION: CSA A440.2-19

COMPANY: Dimensions Portes et Fenetres, Inc.  
 CODE: 1090-1  
 EXPIRATION DATE: November 29, 2027  
 PRODUCT SIMULATED BY: Veridis Solutions  
 AIR LEAKAGE REPORT NO.: AI-05015-A1

PRODUCT/SERIES NAME: Coulissant simple Fixe PVC | 9620-9820 OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-001-0001-01	3mm_7/8_PCI-arg95-SG400, iu	0.113(#3)	1.64	0.56	0.61	0.1	36
1090-001-0002-01	3mm_7/8_PCI-arg95-SG400, iu, Grids<1"	0.113(#3)	1.64	0.50	0.55	0.1	33
1090-001-0003-01	3mm_7/8_PCI-arg95-SG400, iu, Grids>1"	0.113(#3)	1.64	0.44	0.48	0.1	29
1090-001-0004-01	3mm_7/8_PCI-arg95-8071, iu	0.082(#3)	1.60	0.56	0.62	0.1	37
1090-001-0005-01	3mm_7/8_PCI-arg95-8071, iu, Grids<1"	0.082(#3)	1.60	0.51	0.56	0.1	34
1090-001-0006-01	3mm_7/8_PCI-arg95-8071, iu, Grids>1"	0.082(#3)	1.60	0.45	0.49	0.1	31
1090-001-0007-01	3mm_7/8_STCI-arg95-SG400, iu	0.113(#3)	1.64	0.57	0.62	0.1	37
1090-001-0008-01	3mm_7/8_STCI-arg95-SG400, iu, Grids<1"	0.113(#3)	1.64	0.51	0.55	0.1	33
1090-001-0009-01	3mm_7/8_STCI-arg95-SG400, iu, Grids>1"	0.113(#3)	1.64	0.46	0.49	0.1	30
1090-001-0010-01	3mm_7/8_PCI-arg95-SG400, su	0.113(#3)	1.61	0.56	0.61	0.1	37
1090-001-0011-01	3mm_7/8_PCI-arg95-SG400, su, Grids<1"	0.113(#3)	1.61	0.50	0.55	0.1	33
1090-001-0012-01	3mm_7/8_PCI-arg95-SG400, su, Grids>1"	0.113(#3)	1.61	0.44	0.48	0.1	30
1090-001-0013-01	3mm_7/8_PCI-arg95-8071, su	0.082(#3)	1.56	0.56	0.62	0.1	38
1090-001-0014-01	3mm_7/8_PCI-arg95-8071, su, Grids<1"	0.082(#3)	1.56	0.51	0.56	0.1	35
1090-001-0015-01	3mm_7/8_PCI-arg95-8071, su, Grids>1"	0.082(#3)	1.56	0.45	0.49	0.1	32
1090-001-0016-01	3mm_7/8_STCI-arg95-SG400, su	0.113(#3)	1.61	0.57	0.62	0.1	37
1090-001-0017-01	3mm_7/8_STCI-arg95-SG400, su, Grids<1"	0.113(#3)	1.61	0.51	0.55	0.1	34
1090-001-0018-01	3mm_7/8_STCI-arg95-SG400, su, Grids>1"	0.113(#3)	1.61	0.46	0.49	0.1	31
1090-001-0019-01	3mm_7/8_PCI-arg95-PTLX, iu	0.082(#3)	1.60	0.58	0.62	0.1	38
1090-001-0020-01	3mm_7/8_PCI-arg95-PTLX, iu, Grids<1"	0.082(#3)	1.60	0.52	0.55	0.1	35
1090-001-0021-01	3mm_7/8_PCI-arg95-PTLX, iu, Grids>1"	0.082(#3)	1.60	0.46	0.49	0.1	31
1090-001-0022-01	3mm_7/8_SDCl-arg95-PTLX, iu	0.082(#3)	1.60	0.59	0.62	0.1	39
1090-001-0023-01	3mm_7/8_SDCl-arg95-PTLX, iu, Grids<1"	0.082(#3)	1.60	0.53	0.55	0.1	35
1090-001-0024-01	3mm_7/8_SDCl-arg95-PTLX, iu, Grids>1"	0.082(#3)	1.60	0.47	0.49	0.1	32
1090-001-0025-01	3mm_7/8_PCI-arg95-PTLX, ms	0.082(#3)	1.60	0.58	0.62	0.1	38

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-001-0026-01	3mm_7/8_PCl-arg95-PTLX, ms, Grids<1"	0.082(#3)	1.60	0.52	0.55	0.1	35
1090-001-0027-01	3mm_7/8_PCl-arg95-PTLX, ms, Grids>1"	0.082(#3)	1.60	0.46	0.49	0.1	31
1090-001-0028-01	3mm_7/8_SDCl-arg95-PTLX, ms	0.082(#3)	1.60	0.59	0.62	0.1	39
1090-001-0029-01	3mm_7/8_SDCl-arg95-PTLX, ms, Grids<1"	0.082(#3)	1.60	0.53	0.55	0.1	35
1090-001-0030-01	3mm_7/8_SDCl-arg95-PTLX, ms, Grids>1"	0.082(#3)	1.60	0.47	0.49	0.1	32
1090-001-0031-01	3mm_7/8_PCl-arg95-8071, iu	0.082(#3)	1.60	0.56	0.62	0.1	37
1090-001-0032-01	3mm_7/8_PCl-arg95-8071, iu, Grids<1"	0.082(#3)	1.60	0.51	0.56	0.1	34
1090-001-0033-01	3mm_7/8_PCl-arg95-8071, iu, Grids>1"	0.082(#3)	1.60	0.45	0.49	0.1	31
1090-001-0034-01	3mm_7/8_PCl-arg95-8071, ms	0.082(#3)	1.60	0.56	0.62	0.1	37
1090-001-0035-01	3mm_7/8_PCl-arg95-8071, ms, Grids<1"	0.082(#3)	1.60	0.51	0.56	0.1	34
1090-001-0036-01	3mm_7/8_PCl-arg95-8071, ms, Grids>1"	0.082(#3)	1.60	0.45	0.49	0.1	31

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.  
 4794 George Washington Memorial Hwy.  
 Hayes, VA 23072  
 Tel.: (804) 684-5124  
 nami@namiinc.com  
 namicertification.com