

Notice of Product Certification

CERTIFICATION NO.: 1146-001

COMPANY: Portes Metalliques Jacob, Inc.

INITIAL CERTIFICATION DATE: February 28, 2023

CODE: 1146-1

REVISION DATE: N/A

EXPIRATION DATE: November 18, 2027

REPORT NUMBER: SPL22001-13-C_HSOX-H

PRODUCT SIMULATED BY: Veridis Solutions

SPECIFICATION: CSA A440.2-19

AIR LEAKAGE REPORT NO.: AI-04137-E1 Rev.1

PRODUCT/SERIES NAME: Couissant Simple Hybride - 9020D OPERATOR TYPE: HSOX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1146-001-0001-01	GL_3mm_7/8_PCl-arg95-8071, iu	0.082(#2)	1.66	0.53	0.59	0.5	33
1146-001-0002-01	GL_3mm_7/8_PCl-arg95-8071, iu, Grids<1"	0.082(#2)	1.66	0.47	0.52	0.5	30
1146-001-0003-01	GL_3mm_7/8_PCl-arg95-8071, iu, Grids>1"	0.082(#2)	1.66	0.42	0.46	0.5	27
1146-001-0004-01	GL_3mm_7/8_STCl-arg95-SG400, iu	0.113(#3)	1.71	0.54	0.58	0.5	33
1146-001-0005-01	GL_3mm_7/8_STCl-arg95-SG400, iu, Grids<1"	0.113(#3)	1.71	0.48	0.51	0.5	29
1146-001-0006-01	GL_3mm_7/8_STCl-arg95-SG400, iu, Grids>1"	0.113(#3)	1.71	0.42	0.45	0.5	26
1146-001-0007-01	GL_3mm_7/8_PCl-arg95-LOF, su	0.164(#3)	1.74	0.55	0.56	0.5	33
1146-001-0008-01	GL_3mm_7/8_PCl-arg95-LOF, su, Grids<1"	0.164(#3)	1.74	0.50	0.50	0.5	30
1146-001-0009-01	GL_3mm_7/8_PCl-arg95-LOF, su, Grids>1"	0.164(#3)	1.74	0.44	0.44	0.5	26
1146-001-0010-01	GL_3mm_7/8_PCl-arg95-8071, su	0.082(#2)	1.62	0.53	0.59	0.5	34
1146-001-0011-01	GL_3mm_7/8_PCl-arg95-8071, su, Grids<1"	0.082(#2)	1.62	0.47	0.52	0.5	31
1146-001-0012-01	GL_3mm_7/8_PCl-arg95-8071, su, Grids>1"	0.082(#2)	1.62	0.42	0.46	0.5	28
1146-001-0013-01	GL_3mm_7/8_STCl-arg95-SG400, su	0.113(#3)	1.66	0.53	0.58	0.5	33
1146-001-0014-01	GL_3mm_7/8_STCl-arg95-SG400, su, Grids<1"	0.113(#3)	1.66	0.48	0.51	0.5	30
1146-001-0015-01	GL_3mm_7/8_STCl-arg95-SG400, su, Grids>1"	0.113(#3)	1.66	0.42	0.45	0.5	27

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com