

# Notice of Product Certification

**CERTIFICATION NO.:** 1146-005  
**INITIAL CERTIFICATION DATE:** February 28, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** SPL22001-13-C\_HSXX-P  
**SPECIFICATION:** CSA A440.2-19

**COMPANY:** Portes Metalliques Jacob, Inc.  
**CODE:** 1146-1  
**EXPIRATION DATE:** November 18, 2027  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-04110-G1 Rev.1

**PRODUCT/SERIES NAME:** Coulissant Double PVC 9640-9840      **OPERATOR TYPE:** HSXX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1146-005-0001-01	GL_3mm_7/8_PCl-arg95-8071, iu	0.082(#3)	1.62	0.51	0.57	0.4	33
1146-005-0002-01	GL_3mm_7/8_PCl-arg95-8071, iu, Grids<1"	0.082(#3)	1.62	0.46	0.50	0.4	30
1146-005-0003-01	GL_3mm_7/8_PCl-arg95-8071, iu, Grids>1"	0.082(#3)	1.62	0.40	0.44	0.4	27
1146-005-0004-01	GL_3mm_7/8_STCl-arg95-SG400, iu	0.113(#3)	1.67	0.52	0.56	0.4	33
1146-005-0005-01	GL_3mm_7/8_STCl-arg95-SG400, iu, Grids<1"	0.113(#3)	1.67	0.46	0.50	0.4	29
1146-005-0006-01	GL_3mm_7/8_STCl-arg95-SG400, iu, Grids>1"	0.113(#3)	1.67	0.41	0.44	0.4	26
1146-005-0007-01	GL_3mm_7/8_PCl-arg95-LOF, su	0.164(#3)	1.69	0.53	0.54	0.4	33
1146-005-0008-01	GL_3mm_7/8_PCl-arg95-LOF, su, Grids<1"	0.164(#3)	1.69	0.48	0.48	0.4	30
1146-005-0009-01	GL_3mm_7/8_PCl-arg95-LOF, su, Grids>1"	0.164(#3)	1.69	0.42	0.42	0.4	26
1146-005-0010-01	GL_3mm_7/8_PCl-arg95-8071, su	0.082(#3)	1.58	0.51	0.57	0.4	34
1146-005-0011-01	GL_3mm_7/8_PCl-arg95-8071, su, Grids<1"	0.082(#3)	1.58	0.46	0.50	0.4	31
1146-005-0012-01	GL_3mm_7/8_PCl-arg95-8071, su, Grids>1"	0.082(#3)	1.58	0.40	0.44	0.4	28
1146-005-0013-01	GL_3mm_7/8_STCl-arg95-SG400, su	0.113(#3)	1.62	0.52	0.56	0.4	34
1146-005-0014-01	GL_3mm_7/8_STCl-arg95-SG400, su, Grids<1"	0.113(#3)	1.62	0.46	0.50	0.4	30
1146-005-0015-01	GL_3mm_7/8_STCl-arg95-SG400, su, Grids>1"	0.113(#3)	1.62	0.41	0.44	0.4	27

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com