

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015734.01
DATE: 02/14/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Loewen
CODE: 1862-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Loewen 77 Highway 52 West Steinbach, Manitoba R5G 1B2	“Metal Clad Inswing 60T Combo Mullion” Combination Aluminum/Wood Glazed Inswing Side-Hinged Door Assembly (w/Fixed Panel & Transom) Configuration: O/OX Glazing: Insulating Glass (Tempered) Frame: W-2538mm(99") H-4331mm(170") Panel: W-1219mm(48") H-3048mm(120") DLO: W-1065mm(41.93") H-2859mm(112.56") Transom: W-2448mm(96") H-1169mm(46")

SPECIFICATION	PRODUCT RATING
AAMA 450-10 ASTM E283-04 ASTM E547-00 ASTM E330-02	Design Pressure: ±1440 Pa(±30 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.59 psf) Canadian Air Infiltration/Exfiltration Level: A3

Product Tested By: UL Laboratory Canada, Inc.
Report No: AI-05646-E2
Expiration Date: November 30, 2026

Administrator's Signature: _____

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
nami@namiinc.com