

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015730.01  
**DATE:** 02/13/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Shwinco  
**CODE:** 1972-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Shwinco Architectural Products, LLC</b> <b>171 Jet Services Way</b> <b>Dothan, AL 36303</b>	<b>Series "9750 Vinyl"</b> <b>Vinyl Sliding Glass Pocket Doors</b> <b>(Impact Rated)</b> Configuration: XXX Glazing: IG-3/16" Tempered Glass/3/16" Heat Strengthened Glass/0.075" Saflex Storm Interlayer/3/16" Heat Strengthened Glass Frame: W-3683mm(145") H-2426mm(95.5") Panel: W-1308mm(51.50") H-2356mm(92.75") DLO: W-1032mm(40.63") H-2083mm(81.88")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b> <b>ASTM E283-04/12</b> <b>ASTM E330-14</b> <b>ASTM E331-00/16</b> <b>ASTM E547-00/16</b>	<b>Design Pressure: ±2400 (±50 psf)</b> <b>Water Penetration Resistance Test: 360 Pa (7.50 psf)</b> <b>Large Missile Impact Rated</b>

Product Tested By: Intertek, PLC  
Report No: N7413.01-550-18/W-2062  
Expiration Date: November 30, 2026

Administrator's Signature: 

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)