
NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: DATE: **CERTIFICATION PROGRAM: COMPANY:** CODE:

| NI015741.01 | |
|-------------|--|
| 03/13/2023 | |
| Structural | |
| WARREN | |
| 2890-1 | |

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION | |
|---|--|--|
| Warren Windows & Doors (Guangdong) | Series "Engineer Series Fixed Window" | |
| Co., Ltd. | Aluminum Fixed Window | |
| 7 East Industrial Road, Songxia Ind. Park | | |
| Shishan, Nahai District Foshan | | |
| Guangdong, China 528200 | Configuration: O Glazing: Insulating Glass (Tempered) | |
| | Frame: W-1524mm(60") H-1524mm(60") | |
| | DLO: W-1442mm(56.77") H-1442mm(56.77") | |

| SPECIFICATION | PRODUCT RATING |
|---------------------------------|--|
| AAMA/WDMA/CSA 101/I.S.2/A440-17 | Class CW-PG30 1524 x 1524 (60 x 60)-FW Design Pressure: ±1440 Pa (±30 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.59 psf) |

Product Tested By: Intertek, PLC Report No: Expiration Date:

221110001SHF-001 January 31, 2027

Administrator's Signature:

NATIONAL ACCREDITATION AND **MANAGEMENT INSTITUTE, INC.**

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124 Email: nami@namiinc.com