

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015746  
**DATE:** 03/14/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Polaris  
**CODE:** 213-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Polaris Windows and Doors</b> <b>500 Victoria Road</b> <b>Austintown, Ohio 44515</b>	<b>Series "7560/8660"</b> <b>Vinyl Awning Window</b> <b>(w/Standard Hollow Rubber Bulb)</b>  Configuration: X Glazing: Insulating Glass (Annealed)  Frame: W-1524mm(60") H-1067mm(42") Vent: W-1486mm(58.50") H-1029mm(40.50") DLO: W-1397mm(55") H-940mm(37")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b>	<b>Class R-PG20 1524 x 1067 (60 x 42)-C</b> <b>Design Pressure: ±960 Pa (±20 psf)</b> <b>Water Penetration Resistance Test Pressure: 290 Pa (6.06 psf)</b>

Product Tested By: Molimo, LLC  
Report No: 12181.01-109-12  
Expiration Date: **February 28, 2027**

Administrator's Signature:  \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)