

# Notice of Product Certification

**CERTIFICATION NO.:** 1090-003  
**INITIAL CERTIFICATION DATE:** April 11, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** SPL21004-12-C\_SFIXD-H  
**SPECIFICATION:** CSA A440.2-19

**COMPANY:** Dimensions Portes et Fenetres, Inc.  
**CODE:** 1090-1  
**EXPIRATION DATE:** November 18, 2027  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-03741-Q1

**PRODUCT/SERIES NAME:** Petit Fixe Hybride 9000

**OPERATOR TYPE:** FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-003-0001-01	GL_3mm_7/8_PCI-arg95-SG400   iu	0.113(#3)	1.63	0.60	0.66	0.0	39
1090-003-0002-01	GL_3mm_7/8_PCI-arg95-8071   iu	0.082(#3)	1.57	0.61	0.68	0.0	41
1090-003-0003-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400   iu	0.113(#5)	1.24	0.55	0.61	0.0	45
1090-003-0004-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071   iu	0.082(#5)	1.21	0.55	0.62	0.0	45
1090-003-0005-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400   iu	0.113(#2, #5)	1.02	0.47	0.58	0.0	45
1090-003-0006-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071   iu	0.082(#2, #5)	0.98	0.50	0.60	0.0	47
1090-003-0007-01	GL_3mm_7/8_PCI-arg95-SG400   su	0.113(#3)	1.60	0.60	0.66	0.0	40
1090-003-0008-01	GL_3mm_7/8_PCI-arg95-8071   su	0.082(#3)	1.54	0.61	0.68	0.0	42
1090-003-0009-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400   su	0.113(#5)	1.20	0.55	0.61	0.0	45
1090-003-0010-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071   su	0.082(#5)	1.16	0.55	0.62	0.0	46
1090-003-0011-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400   su	0.113(#2, #5)	0.97	0.47	0.58	0.0	46
1090-003-0012-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071   su	0.082(#2, #5)	0.93	0.50	0.60	0.0	49
1090-003-0013-01	GL_3mm_7/8_PCI-arg95-SG400   iu   Grids<1"	0.113(#3)	1.63	0.54	0.59	0.0	35
1090-003-0014-01	GL_3mm_7/8_PCI-arg95-SG400   iu   Grids>1"	0.113(#3)	1.63	0.48	0.53	0.0	32
1090-003-0015-01	GL_3mm_7/8_PCI-arg95-8071   iu   Grids<1"	0.082(#3)	1.57	0.55	0.60	0.0	37
1090-003-0016-01	GL_3mm_7/8_PCI-arg95-8071   iu   Grids>1"	0.082(#3)	1.57	0.49	0.54	0.0	34
1090-003-0017-01	_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400   iu   Grids<	0.113(#5)	1.24	0.49	0.55	0.0	41
1090-003-0018-01	_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400   iu   Grids>	0.113(#5)	1.24	0.44	0.49	0.0	38
1090-003-0019-01	iL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071   iu   Grids<1"	0.082(#5)	1.21	0.50	0.55	0.0	42
1090-003-0020-01	iL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071   iu   Grids>1"	0.082(#5)	1.21	0.45	0.49	0.0	39
1090-003-0021-01	3mm_1 1/4_SG400-arg95-PCI-arg95-SG400   iu   Grids	0.113(#2, #5)	1.02	0.42	0.52	0.0	42
1090-003-0022-01	3mm_1 1/4_SG400-arg95-PCI-arg95-SG400   iu   Grids	0.113(#2, #5)	1.02	0.38	0.46	0.0	40
1090-003-0023-01	_3mm_1 1/4_8071-arg95-PCI-arg95-8071   iu   Grids<	0.082(#2, #5)	0.98	0.45	0.54	0.0	45
1090-003-0024-01	_3mm_1 1/4_8071-arg95-PCI-arg95-8071   iu   Grids>	0.082(#2, #5)	0.98	0.40	0.48	0.0	42
1090-003-0025-01	GL_3mm_7/8_PCI-arg95-SG400   su   Grids<1"	0.113(#3)	1.60	0.54	0.59	0.0	36

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-003-0026-01	GL_3mm_7/8_PCI-arg95-SG400   su   Grids>1"	0.113(#3)	1.60	0.48	0.53	0.0	33
1090-003-0027-01	GL_3mm_7/8_PCI-arg95-8071   su   Grids<1"	0.082(#3)	1.54	0.55	0.60	0.0	38
1090-003-0028-01	GL_3mm_7/8_PCI-arg95-8071   su   Grids>1"	0.082(#3)	1.54	0.49	0.54	0.0	35
1090-003-0029-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400   su   Grids<1"	0.113(#5)	1.20	0.49	0.55	0.0	42
1090-003-0030-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400   su   Grids>1"	0.113(#5)	1.20	0.44	0.49	0.0	39
1090-003-0031-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071   su   Grids<1"	0.082(#5)	1.16	0.50	0.55	0.0	43
1090-003-0032-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071   su   Grids>1"	0.082(#5)	1.16	0.45	0.49	0.0	41
1090-003-0033-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400   su   Grids<1"	0.113(#2, #5)	0.97	0.42	0.52	0.0	43
1090-003-0034-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400   su   Grids>1"	0.113(#2, #5)	0.97	0.38	0.46	0.0	41
1090-003-0035-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071   su   Grids<1"	0.082(#2, #5)	0.93	0.45	0.54	0.0	46
1090-003-0036-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071   su   Grids>1"	0.082(#2, #5)	0.93	0.40	0.48	0.0	43
1090-003-0037-01	GL  3mm_7/8_PCI-arg95-PTLX   iu	0.082(#3)	1.59	0.62	0.67	0.0	41
1090-003-0038-01	GL  3mm_7/8_PCI-arg95-PTLX   iu   Grids<1"	0.082(#3)	1.59	0.56	0.60	0.0	38
1090-003-0039-01	GL  3mm_7/8_PCI-arg95-PTLX   iu   Grids>1"	0.082(#3)	1.59	0.50	0.53	0.0	34
1090-003-0040-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX   iu	0.082(#5)	1.20	0.56	0.61	0.0	46
1090-003-0041-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX   iu   Grids<1"	0.082(#5)	1.20	0.51	0.55	0.0	43
1090-003-0042-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX   iu   Grids>1"	0.082(#5)	1.20	0.46	0.49	0.0	40
1090-003-0043-01	GL  3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX   iu	0.082(#2, #5)	0.97	0.50	0.59	0.0	48
1090-003-0044-01	GL  3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX   iu   Grids<1"	0.082(#2, #5)	0.97	0.45	0.53	0.0	45
1090-003-0045-01	GL  3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX   iu   Grids>1"	0.082(#2, #5)	0.97	0.41	0.47	0.0	42
1090-003-0046-01	GL  3mm_7/8_PCI-arg95-PTLX   im	0.082(#3)	1.58	0.62	0.67	0.0	41
1090-003-0047-01	GL  3mm_7/8_PCI-arg95-PTLX   im   Grids<1"	0.082(#3)	1.58	0.56	0.60	0.0	38
1090-003-0048-01	GL  3mm_7/8_PCI-arg95-PTLX   im   Grids>1"	0.082(#3)	1.58	0.50	0.53	0.0	34
1090-003-0049-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX   im	0.082(#5)	1.19	0.56	0.61	0.0	46
1090-003-0050-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX   im   Grids<1"	0.082(#5)	1.19	0.51	0.55	0.0	43
1090-003-0051-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX   im   Grids>1"	0.082(#5)	1.19	0.46	0.49	0.0	41
1090-003-0052-01	GL  3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX   im	0.082(#2, #5)	0.96	0.50	0.59	0.0	48
1090-003-0053-01	GL  3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX   im   Grids<1"	0.082(#2, #5)	0.96	0.45	0.53	0.0	45
1090-003-0054-01	GL  3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX   im   Grids>1"	0.082(#2, #5)	0.96	0.41	0.47	0.0	43
1090-003-0055-01	GL  3mm_7/8_PCI-arg95-8071   iu	0.082(#3)	1.58	0.61	0.68	0.0	41
1090-003-0056-01	GL  3mm_7/8_PCI-arg95-8071   iu   Grids<1"	0.082(#3)	1.58	0.55	0.60	0.0	37
1090-003-0057-01	GL  3mm_7/8_PCI-arg95-8071   iu   Grids>1"	0.082(#3)	1.58	0.49	0.54	0.0	34
1090-003-0058-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-8071   iu	0.082(#5)	1.20	0.55	0.62	0.0	45
1090-003-0059-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-8071   iu   Grids<1"	0.082(#5)	1.20	0.50	0.55	0.0	43
1090-003-0060-01	GL  3mm_1 1/4_PCI-arg95-PCI-arg95-8071   iu   Grids>1"	0.082(#5)	1.20	0.45	0.49	0.0	40

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-003-0061-01	GL  3mm_1 1/4_8071-arg95-PCI-arg95-8071   iu	0.082(#2, #5)	0.97	0.50	0.60	0.0	48
1090-003-0062-01	GL  3mm_1 1/4_8071-arg95-PCI-arg95-8071   iu   Grids<1"	0.082(#2, #5)	0.97	0.45	0.54	0.0	45
1090-003-0063-01	GL  3mm_1 1/4_8071-arg95-PCI-arg95-8071   iu   Grids>1"	0.082(#2, #5)	0.97	0.40	0.48	0.0	42
1090-003-0064-01	GL  3mm_7/8_PCl-arg95-8071   im	0.082(#3)	1.58	0.61	0.68	0.0	41
1090-003-0065-01	GL  3mm_7/8_PCl-arg95-8071   im   Grids<1"	0.082(#3)	1.58	0.55	0.60	0.0	37
1090-003-0066-01	GL  3mm_7/8_PCl-arg95-8071   im   Grids>1"	0.082(#3)	1.58	0.49	0.54	0.0	34
1090-003-0067-01	GL  3mm_1 1/4_PCl-arg95-PCI-arg95-8071   im	0.082(#5)	1.19	0.55	0.62	0.0	46
1090-003-0068-01	GL  3mm_1 1/4_PCl-arg95-PCI-arg95-8071   im   Grids<1"	0.082(#5)	1.19	0.50	0.55	0.0	43
1090-003-0069-01	GL  3mm_1 1/4_PCl-arg95-PCI-arg95-8071   im   Grids>1"	0.082(#5)	1.19	0.45	0.49	0.0	40
1090-003-0070-01	GL  3mm_1 1/4_8071-arg95-PCI-arg95-8071   im	0.082(#2, #5)	0.96	0.50	0.60	0.0	48
1090-003-0071-01	GL  3mm_1 1/4_8071-arg95-PCI-arg95-8071   im   Grids<1"	0.082(#2, #5)	0.96	0.45	0.54	0.0	45
1090-003-0072-01	GL  3mm_1 1/4_8071-arg95-PCI-arg95-8071   im   Grids>1"	0.082(#2, #5)	0.96	0.40	0.48	0.0	42

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

National Accreditation & Management Institute, Inc.  
 4794 George Washington Memorial Hwy.  
 Hayes, VA 23072  
 Tel.: (804) 684-5124  
 nami@namiinc.com  
 namicertification.com