

Notice of Product Certification

CERTIFICATION NO.: 1090-004
INITIAL CERTIFICATION DATE: April 11, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL21004-12-C_LFIXD-P
SPECIFICATION: CSA A440.2-19

COMPANY: Dimensions Portes et Fenetres, Inc.
CODE: 1090-1
EXPIRATION DATE: November 11, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-B1 Rev. 3

PRODUCT/SERIES NAME: Grand fixe PVC

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-004-0001-01	GL_3mm_7/8_PCI-arg95-SG400, iu	0.113(#3)	1.60	0.56	0.61	0.0	37
1090-004-0002-01	GL_3mm_7/8_PCI-arg95-8071, iu	0.082(#3)	1.55	0.56	0.62	0.0	38
1090-004-0003-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, iu	0.113(#5)	1.25	0.51	0.56	0.0	42
1090-004-0004-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu	0.082(#5)	1.22	0.51	0.57	0.0	43
1090-004-0005-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, iu	0.113(#2, #5)	1.04	0.44	0.54	0.0	43
1090-004-0006-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu	0.082(#2, #5)	1.00	0.46	0.56	0.0	45
1090-004-0007-01	GL_3mm_7/8_PCI-arg95-SG400, su	0.113(#3)	1.58	0.55	0.61	0.0	37
1090-004-0008-01	GL_3mm_7/8_PCI-arg95-8071, su	0.082(#3)	1.53	0.56	0.62	0.0	39
1090-004-0009-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, su	0.113(#5)	1.21	0.51	0.56	0.0	43
1090-004-0010-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, su	0.082(#5)	1.18	0.51	0.57	0.0	44
1090-004-0011-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, su	0.113(#2, #5)	1.00	0.44	0.54	0.0	44
1090-004-0012-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, su	0.082(#2, #5)	0.96	0.46	0.56	0.0	46
1090-004-0013-01	GL_3mm_7/8_PCI-arg95-SG400, iu, Grids<1"	0.113(#3)	1.60	0.50	0.55	0.0	34
1090-004-0014-01	GL_3mm_7/8_PCI-arg95-SG400, iu, Grids>1"	0.113(#3)	1.60	0.44	0.48	0.0	30
1090-004-0015-01	GL_3mm_7/8_PCI-arg95-8071, iu, Grids<1"	0.082(#3)	1.55	0.50	0.56	0.0	35
1090-004-0016-01	GL_3mm_7/8_PCI-arg95-8071, iu, Grids>1"	0.082(#3)	1.55	0.45	0.49	0.0	32
1090-004-0017-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, iu, Grids<1"	0.113(#5)	1.25	0.45	0.50	0.0	39
1090-004-0018-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, iu, Grids>1"	0.113(#5)	1.25	0.41	0.44	0.0	36
1090-004-0019-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids<1"	0.082(#5)	1.22	0.46	0.51	0.0	40
1090-004-0020-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids>1"	0.082(#5)	1.22	0.41	0.45	0.0	37
1090-004-0021-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, iu, Grids<1"	0.113(#2, #5)	1.04	0.39	0.48	0.0	40
1090-004-0022-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, iu, Grids>1"	0.113(#2, #5)	1.04	0.35	0.42	0.0	37
1090-004-0023-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids<1"	0.082(#2, #5)	1.00	0.41	0.50	0.0	42
1090-004-0024-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids>1"	0.082(#2, #5)	1.00	0.37	0.44	0.0	39
1090-004-0025-01	GL_3mm_7/8_PCI-arg95-SG400, su, Grids<1"	0.113(#3)	1.58	0.50	0.55	0.0	34

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-004-0026-01	GL_3mm_7/8_PCI-arg95-SG400, su, Grids>1"	0.113(#3)	1.58	0.44	0.48	0.0	31
1090-004-0027-01	GL_3mm_7/8_PCI-arg95-8071, su, Grids<1"	0.082(#3)	1.53	0.50	0.56	0.0	35
1090-004-0028-01	GL_3mm_7/8_PCI-arg95-8071, su, Grids>1"	0.082(#3)	1.53	0.45	0.49	0.0	32
1090-004-0029-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, su, Grids<1"	0.113(#5)	1.21	0.45	0.50	0.0	39
1090-004-0030-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, su, Grids>1"	0.113(#5)	1.21	0.41	0.44	0.0	37
1090-004-0031-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, su, Grids<1"	0.082(#5)	1.18	0.46	0.51	0.0	41
1090-004-0032-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, su, Grids>1"	0.082(#5)	1.18	0.41	0.45	0.0	38
1090-004-0033-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, su, Grids<1"	0.113(#2, #5)	1.00	0.39	0.48	0.0	41
1090-004-0034-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, su, Grids>1"	0.113(#2, #5)	1.00	0.35	0.42	0.0	38
1090-004-0035-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, su, Grids<1"	0.082(#2, #5)	0.96	0.41	0.50	0.0	43
1090-004-0036-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, su, Grids>1"	0.082(#2, #5)	0.96	0.37	0.44	0.0	40
1090-004-0037-01	GL,3mm_7/8_PCI-arg95-PTLX, iu	0.082(#3)	1.57	0.58	0.62	0.0	39
1090-004-0038-01	GL,3mm_7/8_PCI-arg95-PTLX, iu, Grids<1"	0.082(#3)	1.57	0.52	0.55	0.0	36
1090-004-0039-01	GL,3mm_7/8_PCI-arg95-PTLX, iu, Grids>1"	0.082(#3)	1.57	0.46	0.49	0.0	32
1090-004-0040-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, iu	0.082(#5)	1.21	0.52	0.57	0.0	44
1090-004-0041-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, iu, Grids<1"	0.082(#5)	1.21	0.47	0.50	0.0	41
1090-004-0042-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, iu, Grids>1"	0.082(#5)	1.21	0.42	0.45	0.0	38
1090-004-0043-01	GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, iu	0.082(#2, #5)	1.00	0.47	0.54	0.0	45
1090-004-0044-01	GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, iu, Grids<1"	0.082(#2, #5)	1.00	0.42	0.48	0.0	42
1090-004-0045-01	GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, iu, Grids>1"	0.082(#2, #5)	1.00	0.37	0.43	0.0	39
1090-004-0046-01	GL,3mm_7/8_PCI-arg95-PTLX, im	0.082(#3)	1.56	0.58	0.62	0.0	39
1090-004-0047-01	GL,3mm_7/8_PCI-arg95-PTLX, im, Grids<1"	0.082(#3)	1.56	0.52	0.55	0.0	36
1090-004-0048-01	GL,3mm_7/8_PCI-arg95-PTLX, im, Grids>1"	0.082(#3)	1.56	0.46	0.49	0.0	32
1090-004-0049-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, im	0.082(#5)	1.20	0.52	0.57	0.0	44
1090-004-0050-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, im, Grids<1"	0.082(#5)	1.20	0.47	0.50	0.0	41
1090-004-0051-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, im, Grids>1"	0.082(#5)	1.20	0.42	0.45	0.0	38
1090-004-0052-01	GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, im	0.082(#2, #5)	0.98	0.47	0.54	0.0	46
1090-004-0053-01	GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, im, Grids<1"	0.082(#2, #5)	0.98	0.42	0.48	0.0	43
1090-004-0054-01	GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, im, Grids>1"	0.082(#2, #5)	0.98	0.37	0.43	0.0	40
1090-004-0055-01	GL,3mm_7/8_PCI-arg95-8071, iu	0.082(#3)	1.56	0.56	0.62	0.0	38
1090-004-0056-01	GL,3mm_7/8_PCI-arg95-8071, iu, Grids<1"	0.082(#3)	1.56	0.50	0.56	0.0	35
1090-004-0057-01	GL,3mm_7/8_PCI-arg95-8071, iu, Grids>1"	0.082(#3)	1.56	0.45	0.49	0.0	32
1090-004-0058-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu	0.082(#5)	1.21	0.51	0.57	0.0	43
1090-004-0059-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids<1"	0.082(#5)	1.21	0.46	0.51	0.0	40
1090-004-0060-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids>1"	0.082(#5)	1.21	0.41	0.45	0.0	37

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-004-0061-01	GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu	0.082(#2, #5)	1.00	0.46	0.56	0.0	45
1090-004-0062-01	GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids<1"	0.082(#2, #5)	1.00	0.41	0.50	0.0	42
1090-004-0063-01	GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids>1"	0.082(#2, #5)	1.00	0.37	0.44	0.0	39
1090-004-0064-01	GL,3mm_7/8_PCI-arg95-8071, im	0.082(#3)	1.56	0.56	0.62	0.0	38
1090-004-0065-01	GL,3mm_7/8_PCI-arg95-8071, im, Grids<1"	0.082(#3)	1.56	0.50	0.56	0.0	35
1090-004-0066-01	GL,3mm_7/8_PCI-arg95-8071, im, Grids>1"	0.082(#3)	1.56	0.45	0.49	0.0	32
1090-004-0067-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, im	0.082(#5)	1.20	0.51	0.57	0.0	43
1090-004-0068-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, im, Grids<1"	0.082(#5)	1.20	0.46	0.51	0.0	40
1090-004-0069-01	GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, im, Grids>1"	0.082(#5)	1.20	0.41	0.45	0.0	37
1090-004-0070-01	GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, im	0.082(#2, #5)	0.98	0.46	0.56	0.0	45
1090-004-0071-01	GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, im, Grids<1"	0.082(#2, #5)	0.98	0.41	0.50	0.0	42
1090-004-0072-01	GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, im, Grids>1"	0.082(#2, #5)	0.98	0.37	0.44	0.0	40

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com