

Notice of Product Certification

CERTIFICATION NO.: 1090-005
INITIAL CERTIFICATION DATE: April 11, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL21004-12-C_SFIXD-P CSA
SPECIFICATION: CSA A440.2-19

COMPANY: Dimensions Portes et Fenetres, Inc.
CODE: 1090-1
EXPIRATION DATE: November 15, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-C Rev.1

PRODUCT/SERIES NAME: Petit fixe PVC

OPERATOR TYPE: FIXD

| Product Number | Manufacturer Product Code | Emissivity (Surface #) | U-Factor (Metric) | SHGC(w) | Visible Transmittance (VT) | Air Leakage Average (L75) | Energy Rating |
|------------------|--|------------------------|-------------------|---------|----------------------------|---------------------------|---------------|
| 1090-005-0001-01 | GL_3mm_7/8_PCI-arg95-SG400, iu | 0.113(#3) | 1.61 | 0.60 | 0.66 | 0.0 | 39 |
| 1090-005-0002-01 | GL_3mm_7/8_PCI-arg95-8071, iu | 0.082(#3) | 1.56 | 0.61 | 0.68 | 0.0 | 41 |
| 1090-005-0003-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, iu | 0.113(#5) | 1.23 | 0.55 | 0.61 | 0.0 | 45 |
| 1090-005-0004-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu | 0.082(#5) | 1.20 | 0.55 | 0.62 | 0.0 | 45 |
| 1090-005-0005-01 | GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, iu | 0.113(#2, #5) | 1.01 | 0.47 | 0.58 | 0.0 | 45 |
| 1090-005-0006-01 | GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu | 0.082(#2, #5) | 0.97 | 0.50 | 0.60 | 0.0 | 48 |
| 1090-005-0007-01 | GL_3mm_7/8_PCI-arg95-SG400, su | 0.113(#3) | 1.59 | 0.60 | 0.66 | 0.0 | 40 |
| 1090-005-0008-01 | GL_3mm_7/8_PCI-arg95-8071, su | 0.082(#3) | 1.53 | 0.61 | 0.68 | 0.0 | 42 |
| 1090-005-0009-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, su | 0.113(#5) | 1.19 | 0.55 | 0.61 | 0.0 | 46 |
| 1090-005-0010-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, su | 0.082(#5) | 1.16 | 0.55 | 0.62 | 0.0 | 46 |
| 1090-005-0011-01 | GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, su | 0.113(#2, #5) | 0.96 | 0.47 | 0.58 | 0.0 | 46 |
| 1090-005-0012-01 | GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, su | 0.082(#2, #5) | 0.92 | 0.50 | 0.60 | 0.0 | 49 |
| 1090-005-0013-01 | GL_3mm_7/8_PCI-arg95-SG400, iu, Grids<1" | 0.113(#3) | 1.61 | 0.54 | 0.59 | 0.0 | 36 |
| 1090-005-0014-01 | GL_3mm_7/8_PCI-arg95-SG400, iu, Grids>1" | 0.113(#3) | 1.61 | 0.48 | 0.53 | 0.0 | 32 |
| 1090-005-0015-01 | GL_3mm_7/8_PCI-arg95-8071, iu, Grids<1" | 0.082(#3) | 1.56 | 0.55 | 0.60 | 0.0 | 38 |
| 1090-005-0016-01 | GL_3mm_7/8_PCI-arg95-8071, iu, Grids>1" | 0.082(#3) | 1.56 | 0.49 | 0.54 | 0.0 | 34 |
| 1090-005-0017-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, iu, Grids<1" | 0.113(#5) | 1.23 | 0.49 | 0.55 | 0.0 | 41 |
| 1090-005-0018-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, iu, Grids>1" | 0.113(#5) | 1.23 | 0.44 | 0.49 | 0.0 | 38 |
| 1090-005-0019-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids<1" | 0.082(#5) | 1.20 | 0.50 | 0.55 | 0.0 | 43 |
| 1090-005-0020-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids>1" | 0.082(#5) | 1.20 | 0.45 | 0.49 | 0.0 | 40 |
| 1090-005-0021-01 | GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, iu, Grids<1" | 0.113(#2, #5) | 1.01 | 0.42 | 0.52 | 0.0 | 42 |
| 1090-005-0022-01 | GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, iu, Grids>1" | 0.113(#2, #5) | 1.01 | 0.38 | 0.46 | 0.0 | 40 |
| 1090-005-0023-01 | GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids<1" | 0.082(#2, #5) | 0.97 | 0.45 | 0.54 | 0.0 | 45 |
| 1090-005-0024-01 | GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids>1" | 0.082(#2, #5) | 0.97 | 0.40 | 0.48 | 0.0 | 42 |
| 1090-005-0025-01 | GL_3mm_7/8_PCI-arg95-SG400, su, Grids<1" | 0.113(#3) | 1.59 | 0.54 | 0.59 | 0.0 | 36 |

| Product Number | Manufacturer Product Code | Emissivity (Surface #) | U-Factor (Metric) | SHGC(w) | Visible Transmittance (VT) | Air Leakage Average (L75) | Energy Rating |
|------------------|--|------------------------|-------------------|---------|----------------------------|---------------------------|---------------|
| 1090-005-0026-01 | GL_3mm_7/8_PCI-arg95-SG400, su, Grids>1" | 0.113(#3) | 1.59 | 0.48 | 0.53 | 0.0 | 33 |
| 1090-005-0027-01 | GL_3mm_7/8_PCI-arg95-8071, su, Grids<1" | 0.082(#3) | 1.53 | 0.55 | 0.60 | 0.0 | 38 |
| 1090-005-0028-01 | GL_3mm_7/8_PCI-arg95-8071, su, Grids>1" | 0.082(#3) | 1.53 | 0.49 | 0.54 | 0.0 | 35 |
| 1090-005-0029-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, su, Grids<1" | 0.113(#5) | 1.19 | 0.49 | 0.55 | 0.0 | 42 |
| 1090-005-0030-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400, su, Grids>1" | 0.113(#5) | 1.19 | 0.44 | 0.49 | 0.0 | 39 |
| 1090-005-0031-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, su, Grids<1" | 0.082(#5) | 1.16 | 0.50 | 0.55 | 0.0 | 43 |
| 1090-005-0032-01 | GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071, su, Grids>1" | 0.082(#5) | 1.16 | 0.45 | 0.49 | 0.0 | 41 |
| 1090-005-0033-01 | GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, su, Grids<1" | 0.113(#2, #5) | 0.96 | 0.42 | 0.52 | 0.0 | 43 |
| 1090-005-0034-01 | GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400, su, Grids>1" | 0.113(#2, #5) | 0.96 | 0.38 | 0.46 | 0.0 | 41 |
| 1090-005-0035-01 | GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, su, Grids<1" | 0.082(#2, #5) | 0.92 | 0.45 | 0.54 | 0.0 | 46 |
| 1090-005-0036-01 | GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071, su, Grids>1" | 0.082(#2, #5) | 0.92 | 0.40 | 0.48 | 0.0 | 43 |
| 1090-005-0037-01 | GL,3mm_7/8_PCI-arg95-PTLX, iu | 0.082(#3) | 1.57 | 0.62 | 0.67 | 0.0 | 41 |
| 1090-005-0038-01 | GL,3mm_7/8_PCI-arg95-PTLX, iu, Grids<1" | 0.082(#3) | 1.57 | 0.56 | 0.60 | 0.0 | 38 |
| 1090-005-0039-01 | GL,3mm_7/8_PCI-arg95-PTLX, iu, Grids>1" | 0.082(#3) | 1.57 | 0.50 | 0.53 | 0.0 | 34 |
| 1090-005-0040-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, iu | 0.082(#5) | 1.19 | 0.56 | 0.61 | 0.0 | 46 |
| 1090-005-0041-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, iu, Grids<1" | 0.082(#5) | 1.19 | 0.51 | 0.55 | 0.0 | 43 |
| 1090-005-0042-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, iu, Grids>1" | 0.082(#5) | 1.19 | 0.46 | 0.49 | 0.0 | 41 |
| 1090-005-0043-01 | GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, iu | 0.082(#2, #5) | 0.96 | 0.50 | 0.59 | 0.0 | 48 |
| 1090-005-0044-01 | GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, iu, Grids<1" | 0.082(#2, #5) | 0.96 | 0.45 | 0.53 | 0.0 | 45 |
| 1090-005-0045-01 | GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, iu, Grids>1" | 0.082(#2, #5) | 0.96 | 0.41 | 0.47 | 0.0 | 43 |
| 1090-005-0046-01 | GL,3mm_7/8_PCI-arg95-PTLX, im | 0.082(#3) | 1.57 | 0.62 | 0.67 | 0.0 | 41 |
| 1090-005-0047-01 | GL,3mm_7/8_PCI-arg95-PTLX, im, Grids<1" | 0.082(#3) | 1.57 | 0.56 | 0.60 | 0.0 | 38 |
| 1090-005-0048-01 | GL,3mm_7/8_PCI-arg95-PTLX, im, Grids>1" | 0.082(#3) | 1.57 | 0.50 | 0.53 | 0.0 | 34 |
| 1090-005-0049-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, im | 0.082(#5) | 1.18 | 0.56 | 0.61 | 0.0 | 47 |
| 1090-005-0050-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, im, Grids<1" | 0.082(#5) | 1.18 | 0.51 | 0.55 | 0.0 | 44 |
| 1090-005-0051-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-PTLX, im, Grids>1" | 0.082(#5) | 1.18 | 0.46 | 0.49 | 0.0 | 41 |
| 1090-005-0052-01 | GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, im | 0.082(#2, #5) | 0.94 | 0.50 | 0.59 | 0.0 | 48 |
| 1090-005-0053-01 | GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, im, Grids<1" | 0.082(#2, #5) | 0.94 | 0.45 | 0.53 | 0.0 | 45 |
| 1090-005-0054-01 | GL,3mm_1 1/4_PTLX-arg95-PCI-arg95-PTLX, im, Grids>1" | 0.082(#2, #5) | 0.94 | 0.41 | 0.47 | 0.0 | 43 |
| 1090-005-0055-01 | GL,3mm_7/8_PCI-arg95-8071, iu | 0.082(#3) | 1.57 | 0.61 | 0.68 | 0.0 | 41 |
| 1090-005-0056-01 | GL,3mm_7/8_PCI-arg95-8071, iu, Grids<1" | 0.082(#3) | 1.57 | 0.55 | 0.60 | 0.0 | 37 |
| 1090-005-0057-01 | GL,3mm_7/8_PCI-arg95-8071, iu, Grids>1" | 0.082(#3) | 1.57 | 0.49 | 0.54 | 0.0 | 34 |
| 1090-005-0058-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu | 0.082(#5) | 1.19 | 0.55 | 0.62 | 0.0 | 46 |
| 1090-005-0059-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids<1" | 0.082(#5) | 1.19 | 0.50 | 0.55 | 0.0 | 43 |
| 1090-005-0060-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, iu, Grids>1" | 0.082(#5) | 1.19 | 0.45 | 0.49 | 0.0 | 40 |

| Product Number | Manufacturer Product Code | Emissivity (Surface #) | U-Factor (Metric) | SHGC(w) | Visible Transmittance (VT) | Air Leakage Average (L75) | Energy Rating |
|------------------|--|------------------------|-------------------|---------|----------------------------|---------------------------|---------------|
| 1090-005-0061-01 | GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu | 0.082(#2, #5) | 0.96 | 0.50 | 0.60 | 0.0 | 48 |
| 1090-005-0062-01 | GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids<1" | 0.082(#2, #5) | 0.96 | 0.45 | 0.54 | 0.0 | 45 |
| 1090-005-0063-01 | GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, iu, Grids>1" | 0.082(#2, #5) | 0.96 | 0.40 | 0.48 | 0.0 | 42 |
| 1090-005-0064-01 | GL,3mm_7/8_PCI-arg95-8071, im | 0.082(#3) | 1.57 | 0.61 | 0.68 | 0.0 | 41 |
| 1090-005-0065-01 | GL,3mm_7/8_PCI-arg95-8071, im, Grids<1" | 0.082(#3) | 1.57 | 0.55 | 0.60 | 0.0 | 37 |
| 1090-005-0066-01 | GL,3mm_7/8_PCI-arg95-8071, im, Grids>1" | 0.082(#3) | 1.57 | 0.49 | 0.54 | 0.0 | 34 |
| 1090-005-0067-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, im | 0.082(#5) | 1.18 | 0.55 | 0.62 | 0.0 | 46 |
| 1090-005-0068-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, im, Grids<1" | 0.082(#5) | 1.18 | 0.50 | 0.55 | 0.0 | 43 |
| 1090-005-0069-01 | GL,3mm_1 1/4_PCI-arg95-PCI-arg95-8071, im, Grids>1" | 0.082(#5) | 1.18 | 0.45 | 0.49 | 0.0 | 40 |
| 1090-005-0070-01 | GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, im | 0.082(#2, #5) | 0.94 | 0.50 | 0.60 | 0.0 | 48 |
| 1090-005-0071-01 | GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, im, Grids<1" | 0.082(#2, #5) | 0.94 | 0.45 | 0.54 | 0.0 | 45 |
| 1090-005-0072-01 | GL,3mm_1 1/4_8071-arg95-PCI-arg95-8071, im, Grids>1" | 0.082(#2, #5) | 0.94 | 0.40 | 0.48 | 0.0 | 43 |

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com