

Notice of Product Certification

CERTIFICATION NO.: 1279-002
INITIAL CERTIFICATION DATE: April 5, 2023
REVISION DATE: N/A
REPORT NUMBER: TPE23001-1-C_FIXD-a
SPECIFICATION: CSA A440.2-19

COMPANY: Fenetres Nordist Engr.
CODE: 1279-1
EXPIRATION DATE: February 9, 2028
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03626-A2

PRODUCT/SERIES NAME: S-3110 Large Fixed

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1279-002-0001-01	3mm_7_8_CLR_arg95_8071#3, ss	0.082(#3)	1.55	0.56	0.63	0.0	38
1279-002-0002-01	3mm_7_8_CLR_arg95_8071#3, ss, Grids <1"	0.082(#3)	1.55	0.50	0.56	0.0	35
1279-002-0003-01	3mm_1_1_4_CLR_arg95_CLR_arg95_8071#5, ss	0.082(#5)	1.18	0.50	0.57	0.0	43
1279-002-0004-01	3mm_1_1_4_CLR_arg95_CLR_arg95_8071#5, ss, Grids <1"	0.082(#5)	1.18	0.45	0.51	0.0	40
1279-002-0005-01	3mm_1_1_4_8071#2_arg95_CLR_arg95_8071#5, ss	0.082(#2, #5)	0.97	0.46	0.56	0.0	45
1279-002-0006-01	3mm_1_1_4_8071#2_arg95_CLR_arg95_8071#5, ss, Grids <1"	0.082(#2, #5)	0.97	0.41	0.50	0.0	42

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

