

# Notice of Product Certification

CERTIFICATION NO.: 2908-001  
INITIAL CERTIFICATION DATE: April 18, 2023  
REVISION DATE: N/A  
REPORT NUMBER: AMR23001-1\_C\_HSXX\_r03  
SPECIFICATION: CSA A440.2-19

COMPANY: AMRO Aluminium, Inc.  
CODE: 2908-1  
EXPIRATION DATE: February 9, 2028  
PRODUCT SIMULATED BY: Veridis Solutions Inc.  
AIR LEAKAGE REPORT NO.: AI-05761-A1

PRODUCT/SERIES NAME: Horizontal Slider XX C250

OPERATOR TYPE: HSXX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2908-001-0001-01	3mm_SDCI-arg97-8071-air-SDCI, sw	0.082(#3)	1.91	0.51	0.56	0.4	27
2908-001-0002-01	3mm_SDCI-arg97-8071-air-SDCI, tps	0.082(#3)	1.84	0.51	0.56	0.4	28
2908-001-0003-01	3mm_3mm_SDCI-arg97-8071-air-SDCI-arg97-8071, tps	0.082(#3)	1.48	0.46	0.50	0.4	33
2908-001-0004-01	Foam_3mm_3mm_SDCI-arg97-8071-air-SDCI-arg97-8071, tps	0.082(#3)	1.44	0.46	0.50	0.4	34

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.' or similar, written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com