

Notice of Product Certification

CERTIFICATION NO.: 2915-002
INITIAL CERTIFICATION DATE: April 27, 2023
REVISION DATE: N/A
REPORT NUMBER: SKR21001-5-C_HFIXD-a
SPECIFICATION: CSA A440.2-19

COMPANY: Globaltek Home Improvements, Ltd.
CODE: 2915-1
EXPIRATION DATE: June 25, 2026
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: L13-651-3361

PRODUCT/SERIES NAME: SGI016 (1600 Series) High Fixed OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2915-002-0001-01	3mm_1 3_8_Clr-arg95-Clr-arg95-180#5 en	0.068(#5)	1.17	0.47	0.56	0.1	41
2915-002-0002-01	4mm_1 3_8_Clr-arg95-Clr-arg95-180#5 en	0.068(#5)	1.18	0.46	0.55	0.1	41
2915-002-0003-01	3mm_1 3_8_180#2-arg95-Clr-arg95-180#5 en	0.068(#2, #5)	0.94	0.43	0.53	0.1	44
2915-002-0004-01	4mm_1 3_8_180#2-arg95-Clr-arg95-180#5 en	0.068(#2, #5)	0.97	0.42	0.53	0.1	43
2915-002-0005-01	3mm_1 3_8_Clr-arg95-Clr-arg95-272#5 en	0.042(#5)	1.14	0.36	0.50	0.1	36
2915-002-0006-01	3mm_1 3_8_272#2-arg95-Clr-arg95-272#5 en	0.042(#2, #5)	0.91	0.27	0.44	0.1	35
2915-002-0007-01	3mm_1 3_8_Clr-arg90-Clr-arg90-8071#5 im	0.082(#5)	1.18	0.49	0.56	0.1	42
2915-002-0008-01	3mm_1 3_8_8071#2-arg90-Clr-arg90-8071#5 im	0.082(#2, #5)	0.97	0.45	0.55	0.1	45

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com

