

# Notice of Product Certification

CERTIFICATION NO.: 2915-003  
INITIAL CERTIFICATION DATE: April 27, 2023  
REVISION DATE: N/A  
REPORT NUMBER: SKR21001-5-C\_PRAW-a  
SPECIFICATION: CSA A440.2-19

COMPANY: Globaltek Home Improvements, Ltd.  
CODE: 2915-1  
EXPIRATION DATE: June 25, 2026  
PRODUCT SIMULATED BY: Veridis Solutions  
AIR LEAKAGE REPORT NO.: L13-651-3360

PRODUCT/SERIES NAME: SGI016 (1600 Series) Awning      OPERATOR TYPE: PRAW

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2915-003-0001-01	3mm_1 3_8_Clr-arg95-Clr-arg95-180#5   en	0.068(#5)	1.22	0.40	0.47	0.3	36
2915-003-0002-01	4mm_1 3_8_Clr-arg95-Clr-arg95-180#5   en	0.068(#5)	1.24	0.38	0.46	0.3	34
2915-003-0003-01	3mm_1 3_8_180#2-arg95-Clr-arg95-180#5   en	0.068(#2, #5)	1.03	0.37	0.45	0.3	38
2915-003-0004-01	4mm_1 3_8_180#2-arg95-Clr-arg95-180#5   en	0.068(#2, #5)	1.05	0.35	0.44	0.3	37
2915-003-0005-01	3mm_1 3_8_Clr-arg95-Clr-arg95-272#5   en	0.042(#5)	1.20	0.31	0.42	0.3	31
2915-003-0006-01	3mm_1 3_8_272#2-arg95-Clr-arg95-272#5   en	0.042(#2, #5)	1.00	0.23	0.37	0.3	31

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S.M.D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com