

# Notice of Product Certification

**CERTIFICATION NO.:** 833-013

**COMPANY:** Entreprises Doco, Inc.

**INITIAL CERTIFICATION DATE:** April 12, 2023

**CODE:** 833-1

**REVISION DATE:** N/A

**EXPIRATION DATE:** January 26, 2028

**REPORT NUMBER:** SPL22002-11\_C\_HSOX\_

**PRODUCT SIMULATED BY:** Veridis Solutions

**SPECIFICATION:** CSA A440.2-19

**AIR LEAKAGE REPORT NO.:** AI-04336-C1

**PRODUCT/SERIES NAME:** Coulissant simple PVC | 9920 **OPERATOR TYPE:** HSOX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
833-013-0001-01	3mm_7/8_PCl-arg95-LOF, iu	0.164(#3)	1.73	0.56	0.56	0.5	33
833-013-0002-01	3mm_7/8_PCl-arg95-SG400, iu	0.113(#3)	1.66	0.52	0.58	0.5	33
833-013-0003-01	3mm_7/8_PCl-arg95-8071, iu	0.082(#3)	1.61	0.53	0.59	0.5	34
833-013-0004-01	3mm_7/8_STCl-arg95-SG400, iu	0.113(#3)	1.66	0.54	0.58	0.5	34
833-013-0005-01	3mm_7/8_STCl-arg95-8071, iu	0.082(#3)	1.61	0.55	0.59	0.5	36
833-013-0006-01	3mm_1 1/4_PCl-arg95-PCl-arg95-LOF, iu	0.164(#5)	1.36	0.51	0.52	0.5	39
833-013-0007-01	3mm_1 1/4_PCl-arg95-PCl-arg95-SG400, iu	0.113(#5)	1.31	0.48	0.53	0.5	38
833-013-0008-01	3mm_1 1/4_PCl-arg95-PCl-arg95-8071, iu	0.082(#5)	1.28	0.48	0.54	0.5	39
833-013-0009-01	3mm_1 1/4_SG400-arg95-PCl-arg95-SG400, iu	0.113(#2, #5)	1.11	0.41	0.51	0.5	38
833-013-0010-01	3mm_1 1/4_8071-arg95-PCl-arg95-8071, iu	0.082(#2, #5)	1.08	0.43	0.52	0.5	40
833-013-0011-01	3mm_1 1/4_SB60-arg95-PCl-arg95-SB60, iu	0.035(#2, #5)	1.02	0.25	0.43	0.5	31
833-013-0012-01	3mm_1 1/4_LOF-arg95-PCl-arg95-LOF, iu	0.164(#2, #5)	1.17	0.45	0.48	0.5	39
833-013-0013-01	3mm_7/8_PCl-arg95-LOF, su	0.164(#3)	1.69	0.56	0.56	0.5	34
833-013-0014-01	3mm_7/8_PCl-arg95-SG400, su	0.113(#3)	1.62	0.52	0.58	0.5	34
833-013-0015-01	3mm_7/8_PCl-arg95-8071, su	0.082(#3)	1.58	0.53	0.59	0.5	35
833-013-0016-01	3mm_7/8_STCl-arg95-SG400, su	0.113(#3)	1.62	0.54	0.58	0.5	35
833-013-0017-01	3mm_7/8_STCl-arg95-8071, su	0.082(#3)	1.58	0.54	0.59	0.5	36
833-013-0018-01	3mm_1 1/4_PCl-arg95-PCl-arg95-LOF, su	0.164(#5)	1.31	0.51	0.52	0.5	40
833-013-0019-01	3mm_1 1/4_PCl-arg95-PCl-arg95-SG400, su	0.113(#5)	1.26	0.48	0.53	0.5	39
833-013-0020-01	3mm_1 1/4_PCl-arg95-PCl-arg95-8071, su	0.082(#5)	1.23	0.48	0.54	0.5	40
833-013-0021-01	3mm_1 1/4_SG400-arg95-PCl-arg95-SG400, su	0.113(#2, #5)	1.06	0.41	0.51	0.5	39
833-013-0022-01	3mm_1 1/4_8071-arg95-PCl-arg95-8071, su	0.082(#2, #5)	1.02	0.43	0.52	0.5	42
833-013-0023-01	3mm_1 1/4_SB60-arg95-PCl-arg95-SB60, su	0.035(#2, #5)	0.97	0.25	0.43	0.5	32
833-013-0024-01	3mm_1 1/4_LOF-arg95-PCl-arg95-LOF, su	0.164(#2, #5)	1.11	0.45	0.48	0.5	41

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "Shirley".

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com