

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI012470.04-R1
DATE: 09/14/2018
CERTIFICATION PROGRAM: Structural
COMPANY: ViWinTech
CODE: 583-1
REVISION DATE: 04/04/2023

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
ViWinTech Windows & Doors 2400 Irvin Cobb Drive Paducah, KY 42003	Series "SL 1150" Vinyl Single Hung Window (w/Reinforced Meeting Rails) Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1219mm(48") H-1829mm(72") Sash: W-1149mm(45.25") H-889mm(35") DLO: W-1103mm(43.43") H-823mm(32.37")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-08 AAMA/WDMA/CSA 101/I.S.2/A440-05	Class R-PG20 1219 x 1829 (48 x 72)-H H-R20 1219 x 1829 (48 x 72) Design Pressure: ± 1200 Pa (20 psf) Water Penetration Resistance Test Pressure: 220 Pa (4.60 psf)

Product Tested By: Architectural Testing, Inc.
Report No: C0885.02-501-47-R1 (Specimen 3)
Expiration Date: September 30, 2025

Administrator's Signature: _____

A handwritten signature in black ink, appearing to be "Shirley".

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com