

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015753  
DATE: 03/27/2023  
CERTIFICATION PROGRAM: Structural  
COMPANY: Heartland  
CODE: 1018-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Heartland Window Manufacturing</b> <b>18517 Highway 57</b> <b>Aplington, Iowa 50604</b>	<b>Series "714"</b> <b>Vinyl Tilt Double Hung Window</b>  Configuration: X/X Glazing: Insulating Glass (Annealed) Frame: W-1014mm(39.94") H-1600mm(63") Sash: W-948mm(37.31") H-776mm(30.56") DLO: W-860mm(33.88") H-687mm(27.06")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class R-PG40 1014 x 1600 (40 x 63)-H</b> <b>Design Pressure: ±1920 Pa (±40 psf)</b> <b>Water Penetration Resistance Test Pressure: 330 Pa (6.89 psf)</b>

Product Tested By: Intertek PLC  
Report No: K3039.02-901-44  
Expiration Date: March 31, 2027

Administrator's Signature:  \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)