

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015778  
**DATE:** 04/12/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** American  
**CODE:** 2897-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>American Window Manufacturing, LLC</b> <b>12820 Industrial Road, Suite A</b> <b>Houston, Texas 77015</b>	<b>Series "9220-PW-T000"</b> <b>Vinyl Fixed Window</b>  Configuration: O Glazing: Insulating Glass (Annealed) Frame: W-1829mm(72") H-1524mm(60") DLO: W-1711mm(67.38") H-1403mm(55.25")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-11</b> <b>AAMA/WDMA/CSA 101/I.S.2/A440-08</b> <b>CSA A440S1-09</b>	<b>Class LC-PG65 1829 x 1524 (72 x 60)-FW</b> <b>Design Pressure: ±3120 Pa (±65 psf)</b> <b>Water Penetration Resistance Test Pressure: 580 Pa (12.12 psf)</b> <b>Canadian Infiltration/Exfiltration Level: Fixed</b>

Product Tested By: Intertek, LLC  
Report No: E0250.04-501-44  
Expiration Date: April 30, 2027

Administrator's Signature: \_\_\_\_\_  


## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)