

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015785  
**DATE:** 04/17/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Artistic Doors  
**CODE:** 1992-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Artistic Doors &amp; Windows Manufacturing</b> <b>10 South Inman Avenue</b> <b>Avenel, New Jersey 07001</b>	<b>Series "6200" Mahogany</b> <b>Wood Double Hung Window</b>  Configuration: X/X Glazing: IG-Ext-3/16" Annealed Glass/0.090" Solutia PVB Interlayer/3/16" Annealed Glass/Int-3/16" Annealed Glass  Frame: W-1689mm(66.50") H-2438mm(96") Sash: W-1461mm(57.50") H-1207mm(47.50") DLO: W-1321mm(52") H-1054mm(41.50")

SPECIFICATION	PRODUCT RATING
<b>TAS 201/202/203-94</b>	<b>Design Pressure: +75/-75</b> Water Penetration Resistance Test Pressure: 540 Pa (11.28 psf) <b>Large Missile Impact Rated</b>

Product Tested By: Molimo, LLC  
Report No: 1996.12-106-11  
Expiration Date: April 30, 2027

Administrator's Signature: \_\_\_\_\_

**NATIONAL ACCREDITATION AND  
MANAGEMENT INSTITUTE, INC.**  
4794 George Washington Memorial Highway  
Hayes, VA 23072  
Tel: (804) 684-5124  
Email: [nami@namiinc.com](mailto:nami@namiinc.com)