## **NOTICE OF PRODUCT CERTIFICATION** •



**CERTIFICATION NO:** NI015787

**DATE:** 04/18/2023

**CERTIFICATION PROGRAM:** Structural

**COMPANY:** Artistic Doors

CODE: <u>1992-1</u>

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit <a href="www.namicertification.com">www.namicertification.com</a>. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Artistic Doors & Windows Manufacturing	Series "2100" Mahogany
10 South Inman Avenue	<b>Wood Outswing Casement Window</b>
Avenel, New Jersey 07001	
	Configuration: X Glazing: IG-Ext-3/16" Annealed Glass/0.090" Solutia PVB Interlayer/3/16" Annealed Glass/Int-3/16" Tempered Glass
	Frame: W-984mm(38.75") H-2353mm(92.63")
	Vent: W-914mm(36") H-2286mm(90")
	DLO: W-749mm(29.50") H-2115mm(83.25")

SPECIFICATION	PRODUCT RATING
TAS 201/202/203-94	Design Pressure: +75/-75 Water Penetration Resistance Test Pressure: 540 Pa (11.28 psf) Large Missile Impact Rated

Product Tested By: Molimo, LLC
Report No: 1996.15-106-11
Expiration Date: April 30, 2027

Administrator's Signature:

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072 Tel: (804) 684-5124

Email: nami@namiinc.com