

Notice of Product Certification

CERTIFICATION NO.: 1590-019
INITIAL CERTIFICATION DATE: June 15, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL22001-15-C_HSXX-P
SPECIFICATION: CSA A440.2-22

COMPANY: Portes et Fenêtres Vallée
CODE: 1590-1
EXPIRATION DATE: August 31, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04110-G1 Rev.1

PRODUCT/SERIES NAME: Coulissant Double PVC 9640-9840 **OPERATOR TYPE:** HSXX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1590-019-0001-01	GL_3mm_7/8_PCI-arg95-8071 iu	0.082(#3)	1.62	0.51	0.57	0.4	33
1590-019-0002-01	GL_3mm_7/8_PCI-arg95-8071 iu Grids<1"	0.082(#3)	1.62	0.46	0.50	0.4	30
1590-019-0003-01	GL_3mm_7/8_PCI-arg95-8071 iu Grids>1"	0.082(#3)	1.62	0.40	0.44	0.4	27
1590-019-0004-01	GL_3mm_7/8_STCI-arg95-SG400 iu	0.113(#3)	1.67	0.52	0.56	0.4	33
1590-019-0005-01	GL_3mm_7/8_STCI-arg95-SG400 iu Grids<1"	0.113(#3)	1.67	0.46	0.50	0.4	29
1590-019-0006-01	GL_3mm_7/8_STCI-arg95-SG400 iu Grids>1"	0.113(#3)	1.67	0.41	0.44	0.4	26
1590-019-0007-01	GL_3mm_7/8_PCI-arg95-LOF su	0.164(#3)	1.69	0.53	0.54	0.4	33
1590-019-0008-01	GL_3mm_7/8_PCI-arg95-LOF su Grids<1"	0.164(#3)	1.69	0.48	0.48	0.4	30
1590-019-0009-01	GL_3mm_7/8_PCI-arg95-LOF su Grids>1"	0.164(#3)	1.69	0.42	0.42	0.4	26
1590-019-0010-01	GL_3mm_7/8_PCI-arg95-8071 su	0.082(#3)	1.58	0.51	0.57	0.4	34
1590-019-0011-01	GL_3mm_7/8_PCI-arg95-8071 su Grids<1"	0.082(#3)	1.58	0.46	0.50	0.4	31
1590-019-0012-01	GL_3mm_7/8_PCI-arg95-8071 su Grids>1"	0.082(#3)	1.58	0.40	0.44	0.4	28
1590-019-0013-01	GL_3mm_7/8_STCI-arg95-SG400 su	0.113(#3)	1.62	0.52	0.56	0.4	34
1590-019-0014-01	GL_3mm_7/8_STCI-arg95-SG400 su Grids<1"	0.113(#3)	1.62	0.46	0.50	0.4	30
1590-019-0015-01	GL_3mm_7/8_STCI-arg95-SG400 su Grids>1"	0.113(#3)	1.62	0.41	0.44	0.4	27
1590-019-0016-01	BF_3mm_7/8_PCI-arg95-8071 iu	0.082(#3)	1.62	0.51	0.57	0.4	33
1590-019-0017-01	BF_3mm_7/8_PCI-arg95-8071 iu Grids<1"	0.082(#3)	1.62	0.46	0.50	0.4	30
1590-019-0018-01	BF_3mm_7/8_PCI-arg95-8071 iu Grids>1"	0.082(#3)	1.62	0.40	0.44	0.4	27
1590-019-0019-01	BF_3mm_7/8_STCI-arg95-SG400 iu	0.113(#3)	1.66	0.52	0.56	0.4	33
1590-019-0020-01	BF_3mm_7/8_STCI-arg95-SG400 iu Grids<1"	0.113(#3)	1.66	0.46	0.50	0.4	29
1590-019-0021-01	BF_3mm_7/8_STCI-arg95-SG400 iu Grids>1"	0.113(#3)	1.66	0.41	0.44	0.4	27
1590-019-0022-01	BF_3mm_7/8_PCI-arg95-LOF su	0.164(#3)	1.69	0.53	0.54	0.4	33
1590-019-0023-01	BF_3mm_7/8_PCI-arg95-LOF su Grids<1"	0.164(#3)	1.69	0.48	0.48	0.4	30
1590-019-0024-01	BF_3mm_7/8_PCI-arg95-LOF su Grids>1"	0.164(#3)	1.69	0.42	0.42	0.4	26

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1590-019-0025-01	BF_3mm_7/8_PCl-arg95-8071 su	0.082(#3)	1.58	0.51	0.57	0.4	34
1590-019-0026-01	BF_3mm_7/8_PCl-arg95-8071 su Grids<1"	0.082(#3)	1.58	0.46	0.50	0.4	31
1590-019-0027-01	BF_3mm_7/8_PCl-arg95-8071 su Grids>1"	0.082(#3)	1.58	0.40	0.44	0.4	28
1590-019-0028-01	BF_3mm_7/8_STCl-arg95-SG400 su	0.113(#3)	1.62	0.52	0.56	0.4	34
1590-019-0029-01	BF_3mm_7/8_STCl-arg95-SG400 su Grids<1"	0.113(#3)	1.62	0.46	0.50	0.4	30
1590-019-0030-01	BF_3mm_7/8_STCl-arg95-SG400 su Grids>1"	0.113(#3)	1.62	0.41	0.44	0.4	27

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
 4794 George Washington Memorial Hwy.
 Hayes, VA 23072
 Tel.: (804) 684-5124
 nami@namiinc.com
 namicertification.com