

Notice of Product Certification

CERTIFICATION NO.: 1590-021
INITIAL CERTIFICATION DATE: June 15, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL21004-25-C_LFIXD-P
SPECIFICATION: CSA A440.2-19

COMPANY: Portes et Fenêtres Vallée
CODE: 1590-1
EXPIRATION DATE: November 11, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-03741-B1 Rev. 3

PRODUCT/SERIES NAME: Grand fixe PVC

OPERATOR TYPE: FIXD

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1590-021-0001-01	GL_3mm_7/8_PCI-arg95-LOF iu	0.164(#3)	1.68	0.59	0.60	0.0	37
1590-021-0002-01	GL_3mm_7/8_PCI-arg95-SG400 iu	0.113(#3)	1.60	0.56	0.61	0.0	37
1590-021-0003-01	GL_3mm_7/8_PCI-arg95-8071 iu	0.082(#3)	1.55	0.56	0.62	0.0	38
1590-021-0004-01	GL_3mm_7/8_STCI-arg95-SG400 iu	0.113(#3)	1.60	0.57	0.62	0.0	38
1590-021-0005-01	GL_3mm_7/8_STCI-arg95-8071 iu	0.082(#3)	1.55	0.58	0.63	0.0	40
1590-021-0006-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-LOF iu	0.164(#5)	1.30	0.54	0.55	0.0	43
1590-021-0007-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400 iu	0.113(#5)	1.25	0.51	0.56	0.0	42
1590-021-0008-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071 iu	0.082(#5)	1.22	0.51	0.57	0.0	43
1590-021-0009-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400 iu	0.113(#2, #5)	1.04	0.44	0.54	0.0	43
1590-021-0010-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071 iu	0.082(#2, #5)	1.00	0.46	0.56	0.0	45
1590-021-0011-01	GL_3mm_1 1/4_SB60-arg95-PCI-arg95-SB60 iu	0.035(#2, #5)	0.95	0.27	0.48	0.0	35
1590-021-0012-01	GL_3mm_1 1/4_LOF-arg95-PCI-arg95-LOF iu	0.164(#2, #5)	1.10	0.48	0.51	0.0	44
1590-021-0013-01	GL_3mm_7/8_PCI-arg95-LOF sw	0.164(#3)	1.65	0.59	0.60	0.0	38
1590-021-0014-01	GL_3mm_7/8_PCI-arg95-SG400 sw	0.113(#3)	1.58	0.55	0.61	0.0	37
1590-021-0015-01	GL_3mm_7/8_PCI-arg95-8071 sw	0.082(#3)	1.53	0.56	0.62	0.0	39
1590-021-0016-01	GL_3mm_7/8_STCI-arg95-SG400 sw	0.113(#3)	1.58	0.57	0.62	0.0	38
1590-021-0017-01	GL_3mm_7/8_STCI-arg95-8071 sw	0.082(#3)	1.53	0.58	0.63	0.0	40
1590-021-0018-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-LOF sw	0.164(#5)	1.26	0.54	0.55	0.0	44
1590-021-0019-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-SG400 sw	0.113(#5)	1.21	0.51	0.56	0.0	43
1590-021-0020-01	GL_3mm_1 1/4_PCI-arg95-PCI-arg95-8071 sw	0.082(#5)	1.18	0.51	0.57	0.0	44
1590-021-0021-01	GL_3mm_1 1/4_SG400-arg95-PCI-arg95-SG400 sv	0.113(#2, #5)	1.00	0.44	0.54	0.0	44
1590-021-0022-01	GL_3mm_1 1/4_8071-arg95-PCI-arg95-8071 sw	0.082(#2, #5)	0.96	0.46	0.56	0.0	46
1590-021-0023-01	GL_3mm_1 1/4_SB60-arg95-PCI-arg95-SB60 sw	0.035(#2, #5)	0.91	0.27	0.46	0.0	36
1590-021-0024-01	GL_3mm_1 1/4_LOF-arg95-PCI-arg95-LOF sw	0.164(#2, #5)	1.06	0.48	0.51	0.0	45

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com