

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015810.01
DATE: 06/26/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Quaker
CODE: 031-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
Quaker Window Products 504 Highway 63 South Freeburg, MO 65035	Series "H650/H655" Aluminum Fixed Window Configuration: O Glazing: Insulating Glass (Tempered) Frame: W-1892mm(74.50") H-3124mm(123") DLO: W-1791mm(70.50") H-3023mm(119")

SPECIFICATION	PRODUCT RATING
AAMA/WDMA/CSA 101/I.S.2/A440-17 CSA A440S1-09	Class AW-PG80 1892 x 3124 (75 x 123)-FW Design Pressure: ±3840 Pa (±80 psf) Water Penetration Resistance Test Pressure: 720 Pa (15.04 psf) Canadian Infiltration/Exfiltration Level: Fixed

Product Tested By: Intertek, LLC
Report No: P5667.01-801-44
Expiration Date: **February 28, 2027**

Administrator's Signature: _____ 

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com