

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015815
DATE: 06/01/2023
CERTIFICATION PROGRAM: Structural
COMPANY: CMAT
CODE: 2930-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
CMAT Supply, LLC 2112 South Shary Road, Suite 36 Mission, TX 78572	Series "Single Hung" Aluminum Single Hung Window Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-914mm(36") H-1524mm(60") Sash: W-845mm(33.25") H-711mm(28") DLO: W-819mm(32.25") H-721mm(28.38")

SPECIFICATION	PRODUCT RATING
ASTM E283-04(2012) ASTM E330/E330M-14 ASTM E547-00(2016)	Design Pressure: ±1220 Pa (±25 psf) Water Penetration Resistance Test Pressure: 180 Pa (3.76 psf) Canadian Infiltration/Exfiltration Level: A3

Product Tested By: Intertek, LLC
Report No: P5799.01-801-44
Expiration Date: February 28, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072

Tel: (804) 684-5124

Email: nami@namiinc.com