

# NOTICE OF PRODUCT CERTIFICATION



**CERTIFICATION NO:** NI015817  
**DATE:** 06/08/2023  
**CERTIFICATION PROGRAM:** Structural  
**COMPANY:** Quaker  
**CODE:** 031-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Quaker Window Products</b> <b>504 Highway 63 South</b> <b>Freeburg, MO 65035</b>	<b>Series "H650/H655"</b> <b>Aluminum Single Hung Window</b>  Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1829mm(72") H-3353mm(132") Sash: W-1762mm(69.38") H-1705mm(67.13") DLO: W-1648mm(64.88") H-1575mm(62")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b> <b>CSA A440S1-19</b>	<b>Class AW-PG40 1829 x 3353 (72 x 132)-H</b> <b>Design Pressure: ±1920 Pa (±40 psf)</b> Water Penetration Resistance Test Pressure: 580 Pa (12.11 psf) <b>Canadian Infiltration/Exfiltration Level: A2</b>

Product Tested By: Intertek, LLC  
Report No: Q0481.01-801-44/P5663.01-801-44  
Expiration Date: April 30, 2027

Administrator's Signature:  \_\_\_\_\_

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway  
Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)