

NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015819
DATE: 06/08/2023
CERTIFICATION PROGRAM: Structural
COMPANY: Wilson
CODE: 2916-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--|---|
| Wilson Lumber Company 4818 Meridian Street, North Huntsville, Alabama 35811 | Series "2300" Vinyl Single Hung Window (Sloped Sill Tilt) Configuration: O/X Glazing: Insulating Glass (Annealed) Frame: W-1016mm(40") H-1600mm(63") Sash: W-962mm(37.88") H-775mm(30.50") DLO: W-895mm(35.25") H-705mm(27.75") |

| SPECIFICATION | PRODUCT RATING |
|--|---|
| AAMA/WDMA/CSA 101/I.S.2/A440-17 | Class R-PG35 1016 x 1600 (40 x 63)-H Design Pressure: ±1680 Pa (±35 psf) Water Penetration Resistance Test Pressure: 330 Pa (6.90 psf) Canadian Infiltration/Exfiltration Level: A2 |

Product Tested By: Intertek, LLC
Report No: L7760.04-901-44
Expiration Date: June, 30, 2027

Administrator's Signature: _____


NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway
Hayes, VA 23072
Tel: (804) 684-5124
Email: nami@namiinc.com