

# Notice of Product Certification

CERTIFICATION NO.: 1122-002  
INITIAL CERTIFICATION DATE: July 20, 2023  
REVISION DATE: N/A  
REPORT NUMBER: SPL20004-9-C\_CSSV-H  
SPECIFICATION: CSA A440.2-22

COMPANY: Fenetres St. Paul, Inc.  
CODE: 1122-1  
EXPIRATION DATE: May 7, 2026  
PRODUCT SIMULATED BY: Veridis Solutions  
AIR LEAKAGE REPORT NO.: AI-05459-A1

PRODUCT/SERIES NAME: Hybrid Casement - 9100

OPERATOR TYPE: CSSV

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1122-002-0001-01	GL   3mm_7/8_PCl-arg97-PTLX   ss	0.082(#3)	1.52	0.49	0.52	0.1	35
1122-002-0002-01	GL   3mm_7/8_PCl-arg97-PTLX   ss   Grids<1"	0.082(#3)	1.52	0.44	0.47	0.1	32
1122-002-0003-01	GL   3mm_7/8_PLUX-arg90-PTLX   su	0.082(#3)	1.56	0.48	0.52	0.1	33
1122-002-0004-01	GL   3mm_7/8_PLUX-arg90-PTLX   su   Grids<1"	0.082(#3)	1.56	0.44	0.47	0.1	31
1122-002-0005-01	GL   3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX   su	0.082(#5)	1.23	0.44	0.48	0.1	38
1122-002-0006-01	GL   3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX   su   Grids<1"	0.082(#5)	1.23	0.40	0.43	0.1	36
1122-002-0007-01	GL   3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX   su	0.082(#2, #5)	1.05	0.39	0.46	0.1	39
1122-002-0008-01	GL   3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX   su   Grids<1"	0.082(#2, #5)	1.06	0.36	0.41	0.1	37
1122-002-0009-01	GL   3mm_7/8_PLUX-arg91-PTLX   su	0.082(#3)	1.55	0.48	0.52	0.1	34

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)  
[namicertification.com](http://namicertification.com)

