

# Notice of Product Certification

**CERTIFICATION NO.:** 1122-004  
**INITIAL CERTIFICATION DATE:** July 20, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** SPL22001-25-C\_VSSH-P  
**SPECIFICATION:** CSA A440.2-22

**COMPANY:** Fenetres St. Paul, Inc.  
**CODE:** 1122-1  
**EXPIRATION DATE:** August 31, 2027  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-04110-A1 Rev.1

**PRODUCT/SERIES NAME:** Guillotine Simple PVC 9620-9820      **OPERATOR TYPE:** VSSH

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1122-004-0001-01	GL   3mm_7/8_PLUX-arg90-PTLX   su	0.082(#3)	1.60	0.54	0.58	0.4	35
1122-004-0002-01	GL   3mm_7/8_PLUX-arg90-PTLX   su   Grids<1"	0.082(#3)	1.60	0.48	0.52	0.4	32
1122-004-0003-01	GL   3mm_7/8_PLUX-arg90-PTLX   su   Grids>1"	0.082(#3)	1.60	0.43	0.45	0.4	29
1122-004-0004-01	BF_3mm_7/8_PLUX-arg90-PTLX   su	0.082(#3)	1.56	0.54	0.58	0.4	36
1122-004-0005-01	BF_3mm_7/8_PLUX-arg90-PTLX   su   Grids<1"	0.082(#3)	1.56	0.48	0.52	0.4	33
1122-004-0006-01	BF_3mm_7/8_PLUX-arg90-PTLX   su   Grids>1"	0.082(#3)	1.56	0.43	0.45	0.4	30

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)  
[namicertification.com](http://namicertification.com)

