

# Notice of Product Certification

**CERTIFICATION NO.:** 1122-006  
**INITIAL CERTIFICATION DATE:** July 20, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** SPL21004-9-C\_CSSV-P  
**SPECIFICATION:** CSA A440.2-22

**COMPANY:** Fenetres St. Paul, Inc.  
**CODE:** 1122-1  
**EXPIRATION DATE:** October 25, 2026  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-03741-F1 Rev.3

**PRODUCT/SERIES NAME:** Battant - PVC

**OPERATOR TYPE:** CSSV

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1122-006-0001-01	GL   3mm_7/8_PLUX-arg90-PTLX   su	0.082(#3)	1.50	0.48	0.52	0.1	35
1122-006-0002-01	GL   3mm_7/8_PLUX-arg90-PTLX   su   Grids<1"	0.082(#3)	1.50	0.44	0.47	0.1	32
1122-006-0003-01	GL   3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX   su	0.082(#5)	1.19	0.44	0.48	0.1	39
1122-006-0004-01	GL   3mm_1 1/4_PLUX-arg90-PLUX-arg90-PTLX   su   Grids<1"	0.082(#5)	1.19	0.40	0.43	0.1	37
1122-006-0005-01	GL   3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX   su	0.082(#2, #5)	1.00	0.39	0.46	0.1	40
1122-006-0006-01	GL   3mm_1 1/4_PTLX-arg90-PLUX-arg90-PTLX   su   Grids<1"	0.082(#2, #5)	1.02	0.36	0.41	0.1	38
1122-006-0007-01	GL   3mm_7/8_PCI-arg97-PTLX   ss	0.082(#3)	1.46	0.49	0.52	0.1	36

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)  
[namicertification.com](http://namicertification.com)

