

Notice of Product Certification

CERTIFICATION NO.: 874-002
INITIAL CERTIFICATION DATE: July 25, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL22001-26-C_HSOX-H
SPECIFICATION: CSA A440.2-22

COMPANY: Feneco Inc.
CODE: 874-1
EXPIRATION DATE: August 30, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04137-E1 Rev. 1

PRODUCT/SERIES NAME: Coulissant Simple Hybride - 9020D

OPERATOR TYPE: HSOX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
874-002-0001-01	GL 3mm_7/8_GCl-arg95-8071 ms	0.082(#3)	1.67	0.52	0.58	0.5	32
874-002-0002-01	GL 3mm_7/8_GCl-arg95-8071 ms Grids<1"	0.082(#3)	1.67	0.46	0.52	0.5	29
874-002-0003-01	GL 3mm_7/8_GCl-arg95-8071 ms Grids>1"	0.082(#3)	1.67	0.41	0.46	0.5	26
874-002-0004-01	GL 3mm_7/8_STCl-arg95-8071 ms	0.082(#3)	1.67	0.54	0.59	0.5	34
874-002-0005-01	GL 3mm_7/8_STCl-arg95-8071 ms Grids<1"	0.082(#3)	1.67	0.49	0.52	0.5	31
874-002-0006-01	GL 3mm_7/8_STCl-arg95-8071 ms Grids>1"	0.082(#3)	1.67	0.43	0.46	0.5	27
874-002-0007-01	GL 3mm_7/8_GCl-arg95-8071 sp	0.082(#3)	1.62	0.52	0.58	0.5	34
874-002-0008-01	GL 3mm_7/8_GCl-arg95-8071 sp Grids<1"	0.082(#3)	1.62	0.46	0.52	0.5	30
874-002-0009-01	GL 3mm_7/8_GCl-arg95-8071 sp Grids>1"	0.082(#3)	1.62	0.41	0.46	0.5	27
874-002-0010-01	GL 3mm_7/8_STCl-arg95-8071 sp	0.082(#3)	1.62	0.54	0.58	0.5	35
874-002-0011-01	GL 3mm_7/8_STCl-arg95-8071 sp Grids<1"	0.082(#3)	1.62	0.49	0.52	0.5	32
874-002-0012-01	GL 3mm_7/8_STCl-arg95-8071 sp Grids>1"	0.082(#3)	1.62	0.43	0.46	0.5	28
874-002-0013-01	BF 3mm_7/8_GCl-arg95-8071 ms	0.082(#3)	1.65	0.52	0.59	0.5	33
874-002-0014-01	BF 3mm_7/8_GCl-arg95-8071 ms Grids<1"	0.082(#3)	1.65	0.46	0.52	0.5	29
874-002-0015-01	BF 3mm_7/8_GCl-arg95-8071 ms Grids>1"	0.082(#3)	1.65	0.41	0.46	0.5	27
874-002-0016-01	BF 3mm_7/8_STCl-arg95-8071 ms	0.082(#3)	1.65	0.54	0.58	0.5	34
874-002-0017-01	BF 3mm_7/8_STCl-arg95-8071 ms Grids<1"	0.082(#3)	1.65	0.49	0.52	0.5	31
874-002-0018-01	BF 3mm_7/8_STCl-arg95-8071 ms Grids>1"	0.082(#3)	1.65	0.43	0.46	0.5	28
874-002-0019-01	BF 3mm_7/8_GCl-arg95-8071 sp	0.082(#3)	1.61	0.52	0.59	0.5	34
874-002-0020-01	BF 3mm_7/8_GCl-arg95-8071 sp Grids<1"	0.082(#3)	1.61	0.46	0.52	0.5	30
874-002-0021-01	BF 3mm_7/8_GCl-arg95-8071 sp Grids>1"	0.082(#3)	1.61	0.41	0.46	0.5	27
874-002-0022-01	BF 3mm_7/8_STCl-arg95-8071 sp	0.082(#3)	1.61	0.54	0.58	0.5	35
874-002-0023-01	BF 3mm_7/8_STCl-arg95-8071 sp Grids<1"	0.082(#3)	1.61	0.49	0.52	0.5	32
874-002-0024-01	BF 3mm_7/8_STCl-arg95-8071 sp Grids>1"	0.082(#3)	1.61	0.43	0.46	0.5	29

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. H. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com