

# Notice of Product Certification

**CERTIFICATION NO.:** 874-003  
**INITIAL CERTIFICATION DATE:** July 25, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** SPL22001-26-C\_VSSH-H  
**SPECIFICATION:** CSA A440.2-22

**COMPANY:** Feneco Inc.  
**CODE:** 874-1  
**EXPIRATION DATE:** August 30, 2027  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-04137-A1 Rev.1

**PRODUCT/SERIES NAME:** Guillotine Simple Hybride - 9020D    **OPERATOR TYPE:** VSSH

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
874-003-0001-01	GL   3mm_7/8_GCI-arg95-8071   ms	0.082(#3)	1.66	0.52	0.58	0.5	33
874-003-0002-01	GL   3mm_7/8_GCI-arg95-8071   ms   Grids<1"	0.082(#3)	1.66	0.47	0.52	0.5	30
874-003-0003-01	GL   3mm_7/8_GCI-arg95-8071   ms   Grids>1"	0.082(#3)	1.66	0.41	0.46	0.5	26
874-003-0004-01	GL   3mm_7/8_STCI-arg95-8071   ms	0.082(#3)	1.66	0.54	0.59	0.5	34
874-003-0005-01	GL   3mm_7/8_STCI-arg95-8071   ms   Grids<1"	0.082(#3)	1.66	0.49	0.53	0.5	31
874-003-0006-01	GL   3mm_7/8_STCI-arg95-8071   ms   Grids>1"	0.082(#3)	1.66	0.43	0.46	0.5	27
874-003-0007-01	GL   3mm_7/8_GCI-arg95-8071   sp	0.082(#3)	1.63	0.52	0.58	0.5	33
874-003-0008-01	GL   3mm_7/8_GCI-arg95-8071   sp   Grids<1"	0.082(#3)	1.63	0.47	0.52	0.5	30
874-003-0009-01	GL   3mm_7/8_GCI-arg95-8071   sp   Grids>1"	0.082(#3)	1.63	0.41	0.46	0.5	27
874-003-0010-01	GL   3mm_7/8_STCI-arg95-8071   sp	0.082(#3)	1.63	0.54	0.59	0.5	35
874-003-0011-01	GL   3mm_7/8_STCI-arg95-8071   sp   Grids<1"	0.082(#3)	1.63	0.49	0.53	0.5	32
874-003-0012-01	GL   3mm_7/8_STCI-arg95-8071   sp   Grids>1"	0.082(#3)	1.63	0.43	0.46	0.5	28
874-003-0013-01	BF   3mm_7/8_GCI-arg95-8071   ms	0.082(#3)	1.64	0.52	0.58	0.5	33
874-003-0014-01	BF   3mm_7/8_GCI-arg95-8071   ms   Grids<1"	0.082(#3)	1.64	0.47	0.52	0.5	30
874-003-0015-01	BF   3mm_7/8_GCI-arg95-8071   ms   Grids>1"	0.082(#3)	1.64	0.41	0.46	0.5	27
874-003-0016-01	BF   3mm_7/8_STCI-arg95-8071   ms	0.082(#3)	1.64	0.54	0.59	0.5	34
874-003-0017-01	BF   3mm_7/8_STCI-arg95-8071   ms   Grids<1"	0.082(#3)	1.64	0.49	0.53	0.5	31
874-003-0018-01	BF   3mm_7/8_STCI-arg95-8071   ms   Grids>1"	0.082(#3)	1.64	0.43	0.46	0.5	28
874-003-0019-01	BF   3mm_7/8_GCI-arg95-8071   sp	0.082(#3)	1.61	0.52	0.58	0.5	34
874-003-0020-01	BF   3mm_7/8_GCI-arg95-8071   sp   Grids<1"	0.082(#3)	1.61	0.47	0.52	0.5	31
874-003-0021-01	BF   3mm_7/8_GCI-arg95-8071   sp   Grids>1"	0.082(#3)	1.61	0.41	0.46	0.5	27
874-003-0022-01	BF   3mm_7/8_STCI-arg95-8071   sp	0.082(#3)	1.61	0.54	0.59	0.5	35
874-003-0023-01	BF   3mm_7/8_STCI-arg95-8071   sp   Grids<1"	0.082(#3)	1.61	0.49	0.53	0.5	32
874-003-0024-01	BF   3mm_7/8_STCI-arg95-8071   sp   Grids>1"	0.082(#3)	1.61	0.43	0.46	0.5	29

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
[nami@namiinc.com](mailto:nami@namiinc.com)  
[namicertification.com](http://namicertification.com)