

Notice of Product Certification

CERTIFICATION NO.: 874-004
INITIAL CERTIFICATION DATE: July 25, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL22001-26-C_HSOX-P
SPECIFICATION: CSA A440.2-22

COMPANY: Feneco Inc.
CODE: 874-1
EXPIRATION DATE: August 31, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04110-E1 Rev.1

PRODUCT/SERIES NAME: Coulissant Simple PVC 9620-9820 **OPERATOR TYPE:** HSOX

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
874-004-0001-01	GL 3mm_7/8_GCl-arg95-8071 im	0.082(#3)	1.62	0.52	0.59	0.4	34
874-004-0002-01	GL 3mm_7/8_GCl-arg95-8071 im Grids<1"	0.082(#3)	1.62	0.47	0.52	0.4	31
874-004-0003-01	GL 3mm_7/8_GCl-arg95-8071 im Grids>1"	0.082(#3)	1.62	0.41	0.46	0.4	27
874-004-0004-01	GL 3mm_7/8_STCl-arg95-8071 im	0.082(#3)	1.62	0.54	0.59	0.4	35
874-004-0005-01	GL 3mm_7/8_STCl-arg95-8071 im Grids<1"	0.082(#3)	1.62	0.49	0.53	0.4	32
874-004-0006-01	GL 3mm_7/8_STCl-arg95-8071 im Grids>1"	0.082(#3)	1.62	0.43	0.46	0.4	29
874-004-0007-01	GL 3mm_7/8_GCl-arg95-8071 sp	0.082(#3)	1.58	0.52	0.59	0.4	35
874-004-0008-01	GL 3mm_7/8_GCl-arg95-8071 sp Grids<1"	0.082(#3)	1.58	0.47	0.52	0.4	32
874-004-0009-01	GL 3mm_7/8_GCl-arg95-8071 sp Grids>1"	0.082(#3)	1.58	0.41	0.46	0.4	28
874-004-0010-01	GL 3mm_7/8_STCl-arg95-8071 sp	0.082(#3)	1.58	0.54	0.59	0.4	36
874-004-0011-01	GL 3mm_7/8_STCl-arg95-8071 sp Grids<1"	0.082(#3)	1.58	0.49	0.53	0.4	33
874-004-0012-01	GL 3mm_7/8_STCl-arg95-8071 sp Grids>1"	0.082(#3)	1.58	0.43	0.46	0.4	29
874-004-0013-01	BF_3mm_7/8_GCl-arg95-8071 im	0.082(#3)	1.62	0.52	0.59	0.4	34
874-004-0014-01	BF_3mm_7/8_GCl-arg95-8071 im Grids<1"	0.082(#3)	1.62	0.47	0.52	0.4	31
874-004-0015-01	BF_3mm_7/8_GCl-arg95-8071 im Grids>1"	0.082(#3)	1.62	0.41	0.46	0.4	27
874-004-0016-01	BF_3mm_7/8_STCl-arg95-8071 im	0.082(#3)	1.62	0.54	0.59	0.4	35
874-004-0017-01	BF_3mm_7/8_STCl-arg95-8071 im Grids<1"	0.082(#3)	1.62	0.49	0.53	0.4	32
874-004-0018-01	BF_3mm_7/8_STCl-arg95-8071 im Grids>1"	0.082(#3)	1.62	0.43	0.46	0.4	29
874-004-0019-01	BF_3mm_7/8_GCl-arg95-8071 sp	0.082(#3)	1.58	0.52	0.59	0.4	35
874-004-0020-01	BF_3mm_7/8_GCl-arg95-8071 sp Grids<1"	0.082(#3)	1.58	0.47	0.52	0.4	32
874-004-0021-01	BF_3mm_7/8_GCl-arg95-8071 sp Grids>1"	0.082(#3)	1.58	0.41	0.46	0.4	28
874-004-0022-01	BF_3mm_7/8_STCl-arg95-8071 sp	0.082(#3)	1.58	0.54	0.59	0.4	36
874-004-0023-01	BF_3mm_7/8_STCl-arg95-8071 sp Grids<1"	0.082(#3)	1.58	0.49	0.53	0.4	33
874-004-0024-01	BF_3mm_7/8_STCl-arg95-8071 sp Grids>1"	0.082(#3)	1.58	0.43	0.46	0.4	29

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "Shi".

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com