

# Notice of Product Certification

CERTIFICATION NO.: 874-006  
INITIAL CERTIFICATION DATE: July 25, 2023  
REVISION DATE: N/A  
REPORT NUMBER: SPL21004-15-C\_CSSV-P  
SPECIFICATION: CSA A440.2-22

COMPANY: Feneco Inc.  
CODE: 874-1  
EXPIRATION DATE: October 25, 2026  
PRODUCT SIMULATED BY: Veridis Solutions  
AIR LEAKAGE REPORT NO.: AI-03741-F1 Rev. 3

PRODUCT/SERIES NAME: PVC Casement      OPERATOR TYPE: CSSV

| Product Number  | Manufacturer Product Code               | Emissivity (Surface #) | U-Factor (Metric) | SHGC(w) | Visible Transmittance (VT) | Air Leakage Average (L75) | Energy Rating |
|-----------------|---|------------------------|-------------------|---------|----------------------------|---------------------------|---------------|
| 874-006-0001-01 | 3mm_7/8_GCl-arg95-8071   im             | 0.082(#3)              | 1.50              | 0.47    | 0.53                       | 0.1                       | 34            |
| 874-006-0002-01 | 3mm_1 1/4_GCl-arg95-GCl-arg95-8071   im | 0.082(#5)              | 1.19              | 0.42    | 0.48                       | 0.1                       | 38            |
| 874-006-0003-01 | 3mm_7/8_GCl-arg95-8071   sp             | 0.082(#3)              | 1.46              | 0.47    | 0.53                       | 0.1                       | 35            |
| 874-006-0004-01 | 3mm_7/8_STCl-arg95-8071   sp            | 0.082(#3)              | 1.46              | 0.49    | 0.53                       | 0.1                       | 36            |

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

Administrator's Signature:



National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com

