

# Notice of Product Certification

**CERTIFICATION NO.:** 1090-006  
**INITIAL CERTIFICATION DATE:** August 10, 2023  
**REVISION DATE:** N/A  
**REPORT NUMBER:** GNI22006-54-C\_EDSL-a-R1  
**SPECIFICATION:** CSA A440.2-22

**COMPANY:** Dimensions Portes et Fenetres, Inc.  
**CODE:** 1090-1  
**EXPIRATION DATE:** April 4, 2028  
**PRODUCT SIMULATED BY:** Veridis Solutions  
**AIR LEAKAGE REPORT NO.:** AI-04150-I1

**PRODUCT/SERIES NAME:** Steel Entry Door    **OPERATOR TYPE:** EDSL

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0001-01	NV1-367-OP-000-000-N-FIX-0000-00		0.75	0.01	0.00	0.4	23
1090-006-0002-01	NV1-367-LQ-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.02	0.10	0.09	0.4	23
1090-006-0003-01	NV1-367-LH-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.22	0.19	0.18	0.4	23
1090-006-0004-01	NV1-367-LT-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.36	0.25	0.24	0.4	24
1090-006-0005-01	NV1-367-LF-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.54	0.33	0.33	0.4	25
1090-006-0006-01	NV1-367-LQ-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.02	0.10	0.09	0.4	23
1090-006-0007-01	NV1-367-LH-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.22	0.18	0.17	0.4	23
1090-006-0008-01	NV1-367-LT-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.36	0.24	0.23	0.4	23
1090-006-0009-01	NV1-367-LF-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.54	0.31	0.31	0.4	23
1090-006-0010-01	NV1-367-LQ-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.02	0.09	0.09	0.4	22
1090-006-0011-01	NV1-367-LH-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.22	0.17	0.18	0.4	22
1090-006-0012-01	NV1-367-LT-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.36	0.23	0.24	0.4	23
1090-006-0013-01	NV1-367-LF-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.54	0.30	0.33	0.4	23
1090-006-0014-01	NV1-367-LQ-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.02	0.09	0.09	0.4	22
1090-006-0015-01	NV1-367-LH-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.22	0.16	0.17	0.4	22
1090-006-0016-01	NV1-367-LT-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.36	0.22	0.23	0.4	22
1090-006-0017-01	NV1-367-LF-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.54	0.28	0.31	0.4	22
1090-006-0018-01	NV1-367-LQ-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	0.95	0.06	0.07	0.4	22
1090-006-0019-01	NV1-367-LH-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.07	0.12	0.14	0.4	23
1090-006-0020-01	NV1-367-LT-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.16	0.15	0.19	0.4	22
1090-006-0021-01	NV1-367-LF-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.28	0.20	0.26	0.4	23
1090-006-0022-01	NV1-367-LQ-T84-005-C-FIX-ASAB-AL	0.12(#5)	0.97	0.08	0.08	0.4	23
1090-006-0023-01	NV1-367-LH-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.12	0.14	0.16	0.4	23
1090-006-0024-01	NV1-367-LT-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.22	0.18	0.21	0.4	23
1090-006-0025-01	NV1-367-LF-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.36	0.24	0.28	0.4	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0026-01	NV1-367-LQ-TLO-005-C-FIX-ASAB-AL	0.16(#5)	0.98	0.08	0.08	0.4	22
1090-006-0027-01	NV1-367-LH-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.14	0.15	0.16	0.4	23
1090-006-0028-01	NV1-367-LT-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.25	0.20	0.21	0.4	23
1090-006-0029-01	NV1-367-LF-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.39	0.27	0.28	0.4	24
1090-006-0030-01	NV1-367-LQ-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.4	23
1090-006-0031-01	NV1-367-LH-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.09	0.14	0.15	0.4	23
1090-006-0032-01	NV1-367-LT-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.19	0.18	0.20	0.4	24
1090-006-0033-01	NV1-367-LF-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.31	0.24	0.26	0.4	24
1090-006-0034-01	NV1-367-LQ-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	0.95	0.06	0.08	0.4	22
1090-006-0035-01	NV1-367-LH-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.07	0.12	0.15	0.4	23
1090-006-0036-01	NV1-367-LT-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.16	0.15	0.20	0.4	22
1090-006-0037-01	NV1-367-LF-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.28	0.20	0.26	0.4	23
1090-006-0038-01	NV1-367-LQ-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	0.98	0.10	0.09	0.4	24
1090-006-0039-01	NV1-367-LH-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.16	0.19	0.18	0.4	25
1090-006-0040-01	NV1-367-LT-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.28	0.25	0.24	0.4	26
1090-006-0041-01	NV1-367-LF-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.45	0.33	0.33	0.4	27
1090-006-0042-01	NV1-367-LQ-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	0.98	0.10	0.09	0.4	24
1090-006-0043-01	NV1-367-LH-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.16	0.18	0.17	0.4	24
1090-006-0044-01	NV1-367-LT-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.28	0.24	0.23	0.4	25
1090-006-0045-01	NV1-367-LF-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.45	0.31	0.31	0.4	25
1090-006-0046-01	NV1-367-LQ-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	0.98	0.09	0.09	0.4	23
1090-006-0047-01	NV1-367-LH-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.16	0.17	0.18	0.4	24
1090-006-0048-01	NV1-367-LT-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.28	0.23	0.24	0.4	24
1090-006-0049-01	NV1-367-LF-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.45	0.30	0.33	0.4	25
1090-006-0050-01	NV1-367-LQ-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	0.98	0.09	0.09	0.4	23
1090-006-0051-01	NV1-367-LH-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.16	0.16	0.17	0.4	23
1090-006-0052-01	NV1-367-LT-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.28	0.22	0.23	0.4	24
1090-006-0053-01	NV1-367-LF-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.45	0.28	0.31	0.4	24
1090-006-0054-01	NV1-367-LQ-DCL-0NA-N-FIX-ITIN-AL		1.11	0.11	0.10	0.4	21
1090-006-0055-01	NV1-367-LH-DCL-0NA-N-FIX-ITIN-AL		1.41	0.20	0.20	0.4	20
1090-006-0056-01	NV1-367-LT-DCL-0NA-N-FIX-ITIN-AL		1.62	0.26	0.26	0.4	19
1090-006-0057-01	NV1-367-LF-DCL-0NA-N-FIX-ITIN-AL		1.90	0.35	0.35	0.4	18
1090-006-0058-01	NV1-367-LQ-DCL-0NA-G-FIX-ITIN-AL		1.11	0.10	0.10	0.4	21
1090-006-0059-01	NV1-367-LH-DCL-0NA-G-FIX-ITIN-AL		1.41	0.19	0.19	0.4	19
1090-006-0060-01	NV1-367-LT-DCL-0NA-G-FIX-ITIN-AL		1.62	0.25	0.25	0.4	18
1090-006-0061-01	NV1-367-LF-DCL-0NA-G-FIX-ITIN-AL		1.90	0.33	0.33	0.4	17
1090-006-0062-01	NV1-367-LQ-DLO-0N3-N-FIX-ITIN-AL	0.16(#3)	1.00	0.10	0.09	0.4	23
1090-006-0063-01	NV1-367-LH-DLO-0N3-N-FIX-ITIN-AL	0.16(#3)	1.18	0.19	0.18	0.4	24
1090-006-0064-01	NV1-367-LT-DLO-0N3-N-FIX-ITIN-AL	0.16(#3)	1.31	0.25	0.24	0.4	25
1090-006-0065-01	NV1-367-LF-DLO-0N3-N-FIX-ITIN-AL	0.16(#3)	1.49	0.33	0.33	0.4	26

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0066-01	NV1-367-LQ-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.00	0.10	0.09	0.4	23
1090-006-0067-01	NV1-367-LH-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.18	0.18	0.17	0.4	24
1090-006-0068-01	NV1-367-LT-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.31	0.24	0.23	0.4	24
1090-006-0069-01	NV1-367-LF-DLO-0N3-G-FIX-ITIN-AL	0.16(#3)	1.49	0.31	0.31	0.4	24
1090-006-0070-01	NV1-367-LQ-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.00	0.09	0.09	0.4	23
1090-006-0071-01	NV1-367-LH-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.18	0.17	0.18	0.4	23
1090-006-0072-01	NV1-367-LT-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.31	0.23	0.24	0.4	24
1090-006-0073-01	NV1-367-LF-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.49	0.30	0.33	0.4	24
1090-006-0074-01	NV1-367-LQ-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.00	0.09	0.09	0.4	23
1090-006-0075-01	NV1-367-LH-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.18	0.16	0.17	0.4	23
1090-006-0076-01	NV1-367-LT-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.31	0.22	0.23	0.4	23
1090-006-0077-01	NV1-367-LF-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.49	0.28	0.31	0.4	23
1090-006-0078-01	NV1-367-LQ-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.4	24
1090-006-0079-01	NV1-367-LH-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.03	0.15	0.15	0.4	25
1090-006-0080-01	NV1-367-LT-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.11	0.19	0.20	0.4	26
1090-006-0081-01	NV1-367-LF-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.22	0.25	0.27	0.4	27
1090-006-0082-01	NV1-367-LQ-TLO-005-G-FIX-IUST-AL	0.16(#5)	0.95	0.09	0.08	0.4	24
1090-006-0083-01	NV1-367-LH-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.09	0.16	0.16	0.4	25
1090-006-0084-01	NV1-367-LT-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.19	0.22	0.21	0.4	26
1090-006-0085-01	NV1-367-LF-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.33	0.28	0.28	0.4	26
1090-006-0086-01	NV1-367-LQ-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.4	24
1090-006-0087-01	NV1-367-LH-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.04	0.15	0.15	0.4	25
1090-006-0088-01	NV1-367-LT-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.12	0.19	0.20	0.4	26
1090-006-0089-01	NV1-367-LF-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.23	0.25	0.27	0.4	27
1090-006-0090-01	NV1-367-LQ-TLO-005-G-FIX-ITIN-AL	0.16(#5)	0.95	0.09	0.08	0.4	24
1090-006-0091-01	NV1-367-LH-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.10	0.16	0.16	0.4	24
1090-006-0092-01	NV1-367-LT-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.20	0.22	0.21	0.4	26
1090-006-0093-01	NV1-367-LF-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.34	0.28	0.28	0.4	26
1090-006-0094-01	NV1-367-LQ-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.4	24
1090-006-0095-01	NV1-367-LH-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.01	0.15	0.16	0.4	26
1090-006-0096-01	NV1-367-LT-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.09	0.20	0.21	0.4	27
1090-006-0097-01	NV1-367-LF-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.19	0.27	0.28	0.4	29
1090-006-0098-01	NV1-367-LQ-TLO-005-N-FIX-IUST-AL	0.16(#5)	0.93	0.09	0.09	0.4	24
1090-006-0099-01	NV1-367-LH-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.07	0.17	0.17	0.4	26
1090-006-0100-01	NV1-367-LT-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.17	0.23	0.23	0.4	27
1090-006-0101-01	NV1-367-LF-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.29	0.30	0.30	0.4	28
1090-006-0102-01	NV1-367-LQ-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	0.91	0.08	0.08	0.4	24
1090-006-0103-01	NV1-367-LH-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.01	0.15	0.16	0.4	26
1090-006-0104-01	NV1-367-LT-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.09	0.20	0.21	0.4	27
1090-006-0105-01	NV1-367-LF-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.19	0.26	0.28	0.4	28

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0106-01	NV1-367-LQ-TLO-040-N-FIX-IUST-AL	0.16(#4)	0.93	0.09	0.09	0.4	24
1090-006-0107-01	NV1-367-LH-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.07	0.16	0.17	0.4	25
1090-006-0108-01	NV1-367-LT-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.17	0.21	0.23	0.4	26
1090-006-0109-01	NV1-367-LF-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.29	0.28	0.30	0.4	27
1090-006-0110-01	NV1-367-LQ-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.4	24
1090-006-0111-01	NV1-367-LH-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.03	0.15	0.16	0.4	25
1090-006-0112-01	NV1-367-LT-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.11	0.20	0.21	0.4	26
1090-006-0113-01	NV1-367-LF-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.22	0.27	0.28	0.4	28
1090-006-0114-01	NV1-367-LQ-TLO-005-N-FIX-ITIN-AL	0.16(#5)	0.95	0.09	0.09	0.4	24
1090-006-0115-01	NV1-367-LH-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.09	0.17	0.17	0.4	25
1090-006-0116-01	NV1-367-LT-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.19	0.23	0.23	0.4	26
1090-006-0117-01	NV1-367-LF-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.32	0.30	0.30	0.4	28
1090-006-0118-01	NV1-367-LQ-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	0.92	0.08	0.08	0.4	24
1090-006-0119-01	NV1-367-LH-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.03	0.15	0.16	0.4	25
1090-006-0120-01	NV1-367-LT-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.11	0.20	0.21	0.4	26
1090-006-0121-01	NV1-367-LF-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.22	0.26	0.28	0.4	28
1090-006-0122-01	NV1-367-LQ-TLO-040-N-FIX-ITIN-AL	0.16(#4)	0.95	0.09	0.09	0.4	24
1090-006-0123-01	NV1-367-LH-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.09	0.16	0.17	0.4	25
1090-006-0124-01	NV1-367-LT-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.19	0.21	0.23	0.4	25
1090-006-0125-01	NV1-367-LF-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.32	0.28	0.30	0.4	26
1090-006-0126-01	NV1-367-LQ-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	0.99	0.10	0.09	0.4	23
1090-006-0127-01	NV1-367-LH-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.17	0.19	0.18	0.4	25
1090-006-0128-01	NV1-367-LT-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.30	0.25	0.24	0.4	25
1090-006-0129-01	NV1-367-LF-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.47	0.33	0.33	0.4	26
1090-006-0130-01	NV1-367-LQ-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	0.99	0.10	0.09	0.4	23
1090-006-0131-01	NV1-367-LH-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.17	0.18	0.17	0.4	24
1090-006-0132-01	NV1-367-LT-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.30	0.24	0.23	0.4	25
1090-006-0133-01	NV1-367-LF-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.47	0.31	0.31	0.4	25
1090-006-0134-01	NV1-367-LQ-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	0.99	0.09	0.09	0.4	23
1090-006-0135-01	NV1-367-LH-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.17	0.17	0.18	0.4	23
1090-006-0136-01	NV1-367-LT-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.30	0.23	0.24	0.4	24
1090-006-0137-01	NV1-367-LF-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.47	0.30	0.33	0.4	24
1090-006-0138-01	NV1-367-LQ-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	0.99	0.09	0.09	0.4	23
1090-006-0139-01	NV1-367-LH-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.17	0.16	0.17	0.4	23
1090-006-0140-01	NV1-367-LT-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.30	0.22	0.23	0.4	23
1090-006-0141-01	NV1-367-LF-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.47	0.28	0.31	0.4	23
1090-006-0142-01	NV1-367-LQ-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	0.91	0.06	0.07	0.4	23
1090-006-0143-01	NV1-367-LH-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.02	0.12	0.14	0.4	24
1090-006-0144-01	NV1-367-LT-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.10	0.15	0.19	0.4	24
1090-006-0145-01	NV1-367-LF-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.20	0.20	0.26	0.4	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0146-01	NV1-367-LQ-T84-005-C-FIX-ASAB-CN	0.12(#5)	0.94	0.08	0.08	0.4	23
1090-006-0147-01	NV1-367-LH-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.07	0.14	0.16	0.4	24
1090-006-0148-01	NV1-367-LT-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.17	0.18	0.21	0.4	24
1090-006-0149-01	NV1-367-LF-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.29	0.24	0.28	0.4	25
1090-006-0150-01	NV1-367-LQ-TLO-005-C-FIX-ASAB-CN	0.16(#5)	0.95	0.08	0.08	0.4	23
1090-006-0151-01	NV1-367-LH-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.09	0.15	0.16	0.4	24
1090-006-0152-01	NV1-367-LT-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.19	0.20	0.21	0.4	25
1090-006-0153-01	NV1-367-LF-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.32	0.27	0.28	0.4	26
1090-006-0154-01	NV1-367-LQ-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.4	24
1090-006-0155-01	NV1-367-LH-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.04	0.14	0.15	0.4	25
1090-006-0156-01	NV1-367-LT-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.12	0.18	0.20	0.4	25
1090-006-0157-01	NV1-367-LF-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.23	0.24	0.26	0.4	26
1090-006-0158-01	NV1-367-LQ-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	0.91	0.06	0.08	0.4	23
1090-006-0159-01	NV1-367-LH-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.02	0.12	0.15	0.4	24
1090-006-0160-01	NV1-367-LT-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.10	0.15	0.20	0.4	24
1090-006-0161-01	NV1-367-LF-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.20	0.20	0.26	0.4	24
1090-006-0162-01	NV1-367-LQ-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	0.95	0.10	0.09	0.4	24
1090-006-0163-01	NV1-367-LH-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.12	0.19	0.18	0.4	26
1090-006-0164-01	NV1-367-LT-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.24	0.25	0.24	0.4	26
1090-006-0165-01	NV1-367-LF-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.39	0.33	0.33	0.4	28
1090-006-0166-01	NV1-367-LQ-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	0.95	0.10	0.09	0.4	24
1090-006-0167-01	NV1-367-LH-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.12	0.18	0.17	0.4	25
1090-006-0168-01	NV1-367-LT-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.24	0.24	0.23	0.4	26
1090-006-0169-01	NV1-367-LF-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.39	0.31	0.31	0.4	27
1090-006-0170-01	NV1-367-LQ-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	0.95	0.09	0.09	0.4	24
1090-006-0171-01	NV1-367-LH-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.12	0.17	0.18	0.4	25
1090-006-0172-01	NV1-367-LT-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.24	0.23	0.24	0.4	25
1090-006-0173-01	NV1-367-LF-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.39	0.30	0.33	0.4	26
1090-006-0174-01	NV1-367-LQ-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	0.95	0.09	0.09	0.4	24
1090-006-0175-01	NV1-367-LH-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.12	0.16	0.17	0.4	24
1090-006-0176-01	NV1-367-LT-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.24	0.22	0.23	0.4	25
1090-006-0177-01	NV1-367-LF-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.39	0.28	0.31	0.4	25
1090-006-0178-01	NV1-367-LQ-DCL-0NA-N-FIX-ITIN-CN		1.08	0.11	0.10	0.4	22
1090-006-0179-01	NV1-367-LH-DCL-0NA-N-FIX-ITIN-CN		1.37	0.20	0.20	0.4	21
1090-006-0180-01	NV1-367-LT-DCL-0NA-N-FIX-ITIN-CN		1.57	0.26	0.26	0.4	20
1090-006-0181-01	NV1-367-LF-DCL-0NA-N-FIX-ITIN-CN		1.84	0.35	0.35	0.4	19
1090-006-0182-01	NV1-367-LQ-DCL-0NA-G-FIX-ITIN-CN		1.08	0.10	0.10	0.4	21
1090-006-0183-01	NV1-367-LH-DCL-0NA-G-FIX-ITIN-CN		1.37	0.19	0.19	0.4	20
1090-006-0184-01	NV1-367-LT-DCL-0NA-G-FIX-ITIN-CN		1.57	0.25	0.25	0.4	19
1090-006-0185-01	NV1-367-LF-DCL-0NA-G-FIX-ITIN-CN		1.84	0.33	0.33	0.4	18

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0186-01	NV1-367-LQ-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	0.97	0.10	0.09	0.4	24
1090-006-0187-01	NV1-367-LH-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.14	0.19	0.18	0.4	25
1090-006-0188-01	NV1-367-LT-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.26	0.25	0.24	0.4	26
1090-006-0189-01	NV1-367-LF-DLO-0N3-N-FIX-ITIN-CN	0.16(#3)	1.42	0.33	0.33	0.4	27
1090-006-0190-01	NV1-367-LQ-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	0.97	0.10	0.09	0.4	24
1090-006-0191-01	NV1-367-LH-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.14	0.18	0.17	0.4	25
1090-006-0192-01	NV1-367-LT-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.26	0.24	0.23	0.4	25
1090-006-0193-01	NV1-367-LF-DLO-0N3-G-FIX-ITIN-CN	0.16(#3)	1.42	0.31	0.31	0.4	26
1090-006-0194-01	NV1-367-LQ-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	0.97	0.09	0.09	0.4	23
1090-006-0195-01	NV1-367-LH-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.14	0.17	0.18	0.4	24
1090-006-0196-01	NV1-367-LT-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.26	0.23	0.24	0.4	25
1090-006-0197-01	NV1-367-LF-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.42	0.30	0.33	0.4	25
1090-006-0198-01	NV1-367-LQ-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	0.97	0.09	0.09	0.4	23
1090-006-0199-01	NV1-367-LH-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.14	0.16	0.17	0.4	23
1090-006-0200-01	NV1-367-LT-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.26	0.22	0.23	0.4	24
1090-006-0201-01	NV1-367-LF-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.42	0.28	0.31	0.4	24
1090-006-0202-01	NV1-367-LQ-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.88	0.08	0.08	0.4	25
1090-006-0203-01	NV1-367-LH-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.98	0.15	0.15	0.4	26
1090-006-0204-01	NV1-367-LT-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.05	0.19	0.20	0.4	27
1090-006-0205-01	NV1-367-LF-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.15	0.25	0.27	0.4	28
1090-006-0206-01	NV1-367-LQ-TLO-005-G-FIX-IUST-CN	0.16(#5)	0.92	0.09	0.08	0.4	24
1090-006-0207-01	NV1-367-LH-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.05	0.16	0.16	0.4	25
1090-006-0208-01	NV1-367-LT-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.14	0.22	0.21	0.4	27
1090-006-0209-01	NV1-367-LF-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.27	0.28	0.28	0.4	28
1090-006-0210-01	NV1-367-LQ-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.89	0.08	0.08	0.4	24
1090-006-0211-01	NV1-367-LH-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.99	0.15	0.15	0.4	26
1090-006-0212-01	NV1-367-LT-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.06	0.19	0.20	0.4	27
1090-006-0213-01	NV1-367-LF-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.16	0.25	0.27	0.4	28
1090-006-0214-01	NV1-367-LQ-TLO-005-G-FIX-ITIN-CN	0.16(#5)	0.92	0.09	0.08	0.4	24
1090-006-0215-01	NV1-367-LH-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.06	0.16	0.16	0.4	25
1090-006-0216-01	NV1-367-LT-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.15	0.22	0.21	0.4	27
1090-006-0217-01	NV1-367-LF-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.28	0.28	0.28	0.4	27
1090-006-0218-01	NV1-367-LQ-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.88	0.08	0.08	0.4	25
1090-006-0219-01	NV1-367-LH-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.97	0.15	0.16	0.4	27
1090-006-0220-01	NV1-367-LT-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.04	0.20	0.21	0.4	28
1090-006-0221-01	NV1-367-LF-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.12	0.27	0.28	0.4	30
1090-006-0222-01	NV1-367-LQ-TLO-005-N-FIX-IUST-CN	0.16(#5)	0.91	0.09	0.09	0.4	24
1090-006-0223-01	NV1-367-LH-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.03	0.17	0.17	0.4	26
1090-006-0224-01	NV1-367-LT-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.12	0.23	0.23	0.4	28
1090-006-0225-01	NV1-367-LF-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.23	0.30	0.30	0.4	30

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0226-01	NV1-367-LQ-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.88	0.08	0.08	0.4	25
1090-006-0227-01	NV1-367-LH-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.97	0.15	0.16	0.4	27
1090-006-0228-01	NV1-367-LT-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.04	0.20	0.21	0.4	28
1090-006-0229-01	NV1-367-LF-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.12	0.26	0.28	0.4	30
1090-006-0230-01	NV1-367-LQ-TLO-040-N-FIX-IUST-CN	0.16(#4)	0.91	0.09	0.09	0.4	24
1090-006-0231-01	NV1-367-LH-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.03	0.16	0.17	0.4	26
1090-006-0232-01	NV1-367-LT-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.12	0.21	0.23	0.4	27
1090-006-0233-01	NV1-367-LF-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.23	0.28	0.30	0.4	28
1090-006-0234-01	NV1-367-LQ-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.89	0.08	0.08	0.4	24
1090-006-0235-01	NV1-367-LH-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.99	0.15	0.16	0.4	26
1090-006-0236-01	NV1-367-LT-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.06	0.20	0.21	0.4	28
1090-006-0237-01	NV1-367-LF-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.15	0.27	0.28	0.4	30
1090-006-0238-01	NV1-367-LQ-TLO-005-N-FIX-ITIN-CN	0.16(#5)	0.92	0.09	0.09	0.4	24
1090-006-0239-01	NV1-367-LH-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.05	0.17	0.17	0.4	26
1090-006-0240-01	NV1-367-LT-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.14	0.23	0.23	0.4	28
1090-006-0241-01	NV1-367-LF-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.25	0.30	0.30	0.4	29
1090-006-0242-01	NV1-367-LQ-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.89	0.08	0.08	0.4	24
1090-006-0243-01	NV1-367-LH-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.99	0.15	0.16	0.4	26
1090-006-0244-01	NV1-367-LT-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.06	0.20	0.21	0.4	28
1090-006-0245-01	NV1-367-LF-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.15	0.26	0.28	0.4	29
1090-006-0246-01	NV1-367-LQ-TLO-040-N-FIX-ITIN-CN	0.16(#4)	0.92	0.09	0.09	0.4	24
1090-006-0247-01	NV1-367-LH-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.05	0.16	0.17	0.4	25
1090-006-0248-01	NV1-367-LT-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.14	0.21	0.23	0.4	26
1090-006-0249-01	NV1-367-LF-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.25	0.28	0.30	0.4	28
1090-006-0250-01	NV1-367-LQ-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.02	0.10	0.09	0.4	23
1090-006-0251-01	NV1-367-LH-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.21	0.19	0.18	0.4	24
1090-006-0252-01	NV1-367-LT-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.35	0.25	0.24	0.4	24
1090-006-0253-01	NV1-367-LF-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.53	0.33	0.33	0.4	25
1090-006-0254-01	NV1-367-LQ-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.02	0.10	0.09	0.4	23
1090-006-0255-01	NV1-367-LH-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.21	0.18	0.17	0.4	23
1090-006-0256-01	NV1-367-LT-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.35	0.24	0.23	0.4	24
1090-006-0257-01	NV1-367-LF-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.53	0.31	0.31	0.4	24
1090-006-0258-01	NV1-367-LQ-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.02	0.09	0.09	0.4	22
1090-006-0259-01	NV1-367-LH-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.21	0.17	0.18	0.4	23
1090-006-0260-01	NV1-367-LT-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.35	0.23	0.24	0.4	23
1090-006-0261-01	NV1-367-LF-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.53	0.30	0.33	0.4	23
1090-006-0262-01	NV1-367-LQ-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.02	0.09	0.09	0.4	22
1090-006-0263-01	NV1-367-LH-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.21	0.16	0.17	0.4	22
1090-006-0264-01	NV1-367-LT-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.35	0.22	0.23	0.4	22
1090-006-0265-01	NV1-367-LF-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.53	0.28	0.31	0.4	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0266-01	NV1-367-LQ-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	0.94	0.06	0.07	0.4	22
1090-006-0267-01	NV1-367-LH-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.06	0.12	0.14	0.4	23
1090-006-0268-01	NV1-367-LT-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.15	0.15	0.19	0.4	23
1090-006-0269-01	NV1-367-LF-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.26	0.20	0.26	0.4	23
1090-006-0270-01	NV1-367-LQ-T84-005-C-FIX-ASAB-SY	0.12(#5)	0.96	0.08	0.08	0.4	23
1090-006-0271-01	NV1-367-LH-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.11	0.14	0.16	0.4	23
1090-006-0272-01	NV1-367-LT-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.22	0.18	0.21	0.4	23
1090-006-0273-01	NV1-367-LF-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.35	0.24	0.28	0.4	24
1090-006-0274-01	NV1-367-LQ-TLO-005-C-FIX-ASAB-SY	0.16(#5)	0.98	0.08	0.08	0.4	22
1090-006-0275-01	NV1-367-LH-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.13	0.15	0.16	0.4	23
1090-006-0276-01	NV1-367-LT-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.24	0.20	0.21	0.4	24
1090-006-0277-01	NV1-367-LF-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.38	0.27	0.28	0.4	25
1090-006-0278-01	NV1-367-LQ-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.4	23
1090-006-0279-01	NV1-367-LH-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.08	0.14	0.15	0.4	24
1090-006-0280-01	NV1-367-LT-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.17	0.18	0.20	0.4	24
1090-006-0281-01	NV1-367-LF-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.29	0.24	0.26	0.4	25
1090-006-0282-01	NV1-367-LQ-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	0.94	0.06	0.08	0.4	22
1090-006-0283-01	NV1-367-LH-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.06	0.12	0.15	0.4	23
1090-006-0284-01	NV1-367-LT-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.15	0.15	0.20	0.4	23
1090-006-0285-01	NV1-367-LF-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.26	0.20	0.26	0.4	23
1090-006-0286-01	NV1-367-LQ-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	0.97	0.10	0.09	0.4	24
1090-006-0287-01	NV1-367-LH-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.15	0.19	0.18	0.4	25
1090-006-0288-01	NV1-367-LT-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.27	0.25	0.24	0.4	26
1090-006-0289-01	NV1-367-LF-DLO-ON3-N-FIX-IUST-SY	0.16(#3)	1.43	0.33	0.33	0.4	27
1090-006-0290-01	NV1-367-LQ-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	0.97	0.10	0.09	0.4	24
1090-006-0291-01	NV1-367-LH-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.15	0.18	0.17	0.4	24
1090-006-0292-01	NV1-367-LT-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.27	0.24	0.23	0.4	25
1090-006-0293-01	NV1-367-LF-DLO-ON3-G-FIX-IUST-SY	0.16(#3)	1.43	0.31	0.31	0.4	26
1090-006-0294-01	NV1-367-LQ-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	0.97	0.09	0.09	0.4	23
1090-006-0295-01	NV1-367-LH-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.15	0.17	0.18	0.4	24
1090-006-0296-01	NV1-367-LT-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.27	0.23	0.24	0.4	25
1090-006-0297-01	NV1-367-LF-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.43	0.30	0.33	0.4	25
1090-006-0298-01	NV1-367-LQ-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	0.97	0.09	0.09	0.4	23
1090-006-0299-01	NV1-367-LH-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.15	0.16	0.17	0.4	23
1090-006-0300-01	NV1-367-LT-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.27	0.22	0.23	0.4	24
1090-006-0301-01	NV1-367-LF-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.43	0.28	0.31	0.4	24
1090-006-0302-01	NV1-367-LQ-DCL-ONA-N-FIX-ITIN-SY		1.11	0.11	0.10	0.4	21
1090-006-0303-01	NV1-367-LH-DCL-ONA-N-FIX-ITIN-SY		1.40	0.20	0.20	0.4	20
1090-006-0304-01	NV1-367-LT-DCL-ONA-N-FIX-ITIN-SY		1.61	0.26	0.26	0.4	19
1090-006-0305-01	NV1-367-LF-DCL-ONA-N-FIX-ITIN-SY		1.89	0.35	0.35	0.4	18



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0306-01	NV1-367-LQ-DCL-ONA-G-FIX-ITIN-SY		1.11	0.10	0.10	0.4	21
1090-006-0307-01	NV1-367-LH-DCL-ONA-G-FIX-ITIN-SY		1.40	0.19	0.19	0.4	20
1090-006-0308-01	NV1-367-LT-DCL-ONA-G-FIX-ITIN-SY		1.61	0.25	0.25	0.4	18
1090-006-0309-01	NV1-367-LF-DCL-ONA-G-FIX-ITIN-SY		1.89	0.33	0.33	0.4	17
1090-006-0310-01	NV1-367-LQ-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	0.99	0.10	0.09	0.4	23
1090-006-0311-01	NV1-367-LH-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	1.17	0.19	0.18	0.4	25
1090-006-0312-01	NV1-367-LT-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	1.30	0.25	0.24	0.4	25
1090-006-0313-01	NV1-367-LF-DLO-ON3-N-FIX-ITIN-SY	0.16(#3)	1.47	0.33	0.33	0.4	26
1090-006-0314-01	NV1-367-LQ-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	0.99	0.10	0.09	0.4	23
1090-006-0315-01	NV1-367-LH-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	1.17	0.18	0.17	0.4	24
1090-006-0316-01	NV1-367-LT-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	1.30	0.24	0.23	0.4	25
1090-006-0317-01	NV1-367-LF-DLO-ON3-G-FIX-ITIN-SY	0.16(#3)	1.47	0.31	0.31	0.4	25
1090-006-0318-01	NV1-367-LQ-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	0.99	0.09	0.09	0.4	23
1090-006-0319-01	NV1-367-LH-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.17	0.17	0.18	0.4	23
1090-006-0320-01	NV1-367-LT-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.30	0.23	0.24	0.4	24
1090-006-0321-01	NV1-367-LF-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.47	0.30	0.33	0.4	24
1090-006-0322-01	NV1-367-LQ-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	0.99	0.09	0.09	0.4	23
1090-006-0323-01	NV1-367-LH-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.17	0.16	0.17	0.4	23
1090-006-0324-01	NV1-367-LT-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.30	0.22	0.23	0.4	23
1090-006-0325-01	NV1-367-LF-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.47	0.28	0.31	0.4	23
1090-006-0326-01	NV1-367-LQ-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.90	0.08	0.08	0.4	24
1090-006-0327-01	NV1-367-LH-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.01	0.15	0.15	0.4	26
1090-006-0328-01	NV1-367-LT-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.09	0.19	0.20	0.4	26
1090-006-0329-01	NV1-367-LF-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.19	0.25	0.27	0.4	28
1090-006-0330-01	NV1-367-LQ-TLO-005-G-FIX-IUST-SY	0.16(#5)	0.94	0.09	0.08	0.4	24
1090-006-0331-01	NV1-367-LH-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.08	0.16	0.16	0.4	25
1090-006-0332-01	NV1-367-LT-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.18	0.22	0.21	0.4	26
1090-006-0333-01	NV1-367-LF-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.31	0.28	0.28	0.4	27
1090-006-0334-01	NV1-367-LQ-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.4	24
1090-006-0335-01	NV1-367-LH-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.02	0.15	0.15	0.4	26
1090-006-0336-01	NV1-367-LT-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.10	0.19	0.20	0.4	26
1090-006-0337-01	NV1-367-LF-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.21	0.25	0.27	0.4	27
1090-006-0338-01	NV1-367-LQ-TLO-005-G-FIX-ITIN-SY	0.16(#5)	0.94	0.09	0.08	0.4	24
1090-006-0339-01	NV1-367-LH-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.09	0.16	0.16	0.4	25
1090-006-0340-01	NV1-367-LT-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.19	0.22	0.21	0.4	26
1090-006-0341-01	NV1-367-LF-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.32	0.28	0.28	0.4	26
1090-006-0342-01	NV1-367-LQ-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.90	0.08	0.08	0.4	24
1090-006-0343-01	NV1-367-LH-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.00	0.15	0.16	0.4	26
1090-006-0344-01	NV1-367-LT-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.07	0.20	0.21	0.4	27
1090-006-0345-01	NV1-367-LF-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.16	0.27	0.28	0.4	29

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0346-01	NV1-367-LQ-TLO-005-N-FIX-IUST-SY	0.16(#5)	0.93	0.09	0.09	0.4	24
1090-006-0347-01	NV1-367-LH-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.06	0.17	0.17	0.4	26
1090-006-0348-01	NV1-367-LT-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.15	0.23	0.23	0.4	27
1090-006-0349-01	NV1-367-LF-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.27	0.30	0.30	0.4	29
1090-006-0350-01	NV1-367-LQ-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	0.90	0.08	0.08	0.4	24
1090-006-0351-01	NV1-367-LH-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.00	0.15	0.16	0.4	26
1090-006-0352-01	NV1-367-LT-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.07	0.20	0.21	0.4	27
1090-006-0353-01	NV1-367-LF-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.16	0.26	0.28	0.4	29
1090-006-0354-01	NV1-367-LQ-TLO-040-N-FIX-IUST-SY	0.16(#4)	0.93	0.09	0.09	0.4	24
1090-006-0355-01	NV1-367-LH-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.06	0.16	0.17	0.4	25
1090-006-0356-01	NV1-367-LT-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.15	0.21	0.23	0.4	26
1090-006-0357-01	NV1-367-LF-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.27	0.28	0.30	0.4	28
1090-006-0358-01	NV1-367-LQ-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.91	0.08	0.08	0.4	24
1090-006-0359-01	NV1-367-LH-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.02	0.15	0.16	0.4	26
1090-006-0360-01	NV1-367-LT-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.09	0.20	0.21	0.4	27
1090-006-0361-01	NV1-367-LF-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.19	0.27	0.28	0.4	29
1090-006-0362-01	NV1-367-LQ-TLO-005-N-FIX-ITIN-SY	0.16(#5)	0.94	0.09	0.09	0.4	24
1090-006-0363-01	NV1-367-LH-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.08	0.17	0.17	0.4	25
1090-006-0364-01	NV1-367-LT-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.17	0.23	0.23	0.4	27
1090-006-0365-01	NV1-367-LF-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.30	0.30	0.30	0.4	28
1090-006-0366-01	NV1-367-LQ-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	0.91	0.08	0.08	0.4	24
1090-006-0367-01	NV1-367-LH-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.02	0.15	0.16	0.4	26
1090-006-0368-01	NV1-367-LT-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.09	0.20	0.21	0.4	27
1090-006-0369-01	NV1-367-LF-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.19	0.26	0.28	0.4	28
1090-006-0370-01	NV1-367-LQ-TLO-040-N-FIX-ITIN-SY	0.16(#4)	0.94	0.09	0.09	0.4	24
1090-006-0371-01	NV1-367-LH-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.08	0.16	0.17	0.4	25
1090-006-0372-01	NV1-367-LT-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.17	0.21	0.23	0.4	26
1090-006-0373-01	NV1-367-LF-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.30	0.28	0.30	0.4	27
1090-006-0374-01	NV1-367-LH-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.24	0.17	0.16	0.4	22
1090-006-0375-01	NV1-367-LT-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.37	0.23	0.22	0.4	22
1090-006-0376-01	NV1-367-LF-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.55	0.30	0.30	0.4	23
1090-006-0377-01	NV1-367-LH-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.23	0.18	0.17	0.4	23
1090-006-0378-01	NV1-367-LT-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.35	0.24	0.23	0.4	24
1090-006-0379-01	NV1-367-LF-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.52	0.32	0.32	0.4	24
1090-006-0380-01	NV1-367-LH-DCL-0NA-G-VEL-ITIN-EL		1.48	0.18	0.18	0.4	17
1090-006-0381-01	NV1-367-LT-DCL-0NA-G-VEL-ITIN-EL		1.70	0.24	0.24	0.4	16
1090-006-0382-01	NV1-367-LF-DCL-0NA-G-VEL-ITIN-EL		1.98	0.32	0.32	0.4	14
1090-006-0383-01	NV1-367-LH-DCL-0NA-N-VEL-ITIN-EL		1.47	0.19	0.18	0.4	18
1090-006-0384-01	NV1-367-LT-DCL-0NA-N-VEL-ITIN-EL		1.68	0.25	0.25	0.4	17
1090-006-0385-01	NV1-367-LF-DCL-0NA-N-VEL-ITIN-EL		1.97	0.34	0.34	0.4	16

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0386-01	NV1-367-LH-DLO-ON3-G-VEL-ITIN-EL	0.16(#3)	1.26	0.17	0.16	0.4	21
1090-006-0387-01	NV1-367-LT-DLO-ON3-G-VEL-ITIN-EL	0.16(#3)	1.39	0.23	0.22	0.4	22
1090-006-0388-01	NV1-367-LF-DLO-ON3-G-VEL-ITIN-EL	0.16(#3)	1.57	0.30	0.30	0.4	22
1090-006-0389-01	NV1-367-LH-DLO-ON3-N-VEL-ITIN-EL	0.16(#3)	1.25	0.18	0.17	0.4	22
1090-006-0390-01	NV1-367-LT-DLO-ON3-N-VEL-ITIN-EL	0.16(#3)	1.38	0.24	0.23	0.4	23
1090-006-0391-01	NV1-367-LF-DLO-ON3-N-VEL-ITIN-EL	0.16(#3)	1.55	0.32	0.32	0.4	24
1090-006-0392-01	NV1-367-LH-DLO-ON3-G-V47-IUST-47	0.16(#3)	1.28	0.17	0.16	0.4	21
1090-006-0393-01	NV1-367-LT-DLO-ON3-G-V47-IUST-47	0.16(#3)	1.42	0.23	0.22	0.4	21
1090-006-0394-01	NV1-367-LF-DLO-ON3-G-V47-IUST-47	0.16(#3)	1.60	0.30	0.30	0.4	22
1090-006-0395-01	NV1-367-LH-DLO-ON3-N-V47-IUST-47	0.16(#3)	1.27	0.18	0.17	0.4	22
1090-006-0396-01	NV1-367-LT-DLO-ON3-N-V47-IUST-47	0.16(#3)	1.40	0.24	0.23	0.4	22
1090-006-0397-01	NV1-367-LF-DLO-ON3-N-V47-IUST-47	0.16(#3)	1.58	0.32	0.32	0.4	23
1090-006-0398-01	NV1-367-LH-DCL-ONA-G-V47-ITIN-47		1.52	0.18	0.18	0.4	16
1090-006-0399-01	NV1-367-LT-DCL-ONA-G-V47-ITIN-47		1.74	0.24	0.24	0.4	15
1090-006-0400-01	NV1-367-LF-DCL-ONA-G-V47-ITIN-47		2.04	0.32	0.32	0.4	13
1090-006-0401-01	NV1-367-LH-DCL-ONA-N-V47-ITIN-47		1.52	0.19	0.18	0.4	17
1090-006-0402-01	NV1-367-LT-DCL-ONA-N-V47-ITIN-47		1.74	0.25	0.25	0.4	16
1090-006-0403-01	NV1-367-LF-DCL-ONA-N-V47-ITIN-47		2.03	0.34	0.34	0.4	14
1090-006-0404-01	NV1-367-LH-DLO-ON3-G-V47-ITIN-47	0.16(#3)	1.30	0.17	0.16	0.4	21
1090-006-0405-01	NV1-367-LT-DLO-ON3-G-V47-ITIN-47	0.16(#3)	1.44	0.23	0.22	0.4	21
1090-006-0406-01	NV1-367-LF-DLO-ON3-G-V47-ITIN-47	0.16(#3)	1.63	0.30	0.30	0.4	21
1090-006-0407-01	NV1-367-LH-DLO-ON3-N-V47-ITIN-47	0.16(#3)	1.29	0.18	0.17	0.4	21
1090-006-0408-01	NV1-367-LT-DLO-ON3-N-V47-ITIN-47	0.16(#3)	1.43	0.24	0.23	0.4	22
1090-006-0409-01	NV1-367-LF-DLO-ON3-N-V47-ITIN-47	0.16(#3)	1.61	0.32	0.32	0.4	22
1090-006-0410-01	NV1-367-LH-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.22	0.17	0.16	0.4	22
1090-006-0411-01	NV1-367-LT-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.35	0.23	0.22	0.4	23
1090-006-0412-01	NV1-367-LF-DLO-ON3-G-V55-IUST-55	0.16(#3)	1.53	0.30	0.30	0.4	23
1090-006-0413-01	NV1-367-LH-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.21	0.18	0.17	0.4	23
1090-006-0414-01	NV1-367-LT-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.34	0.24	0.23	0.4	24
1090-006-0415-01	NV1-367-LF-DLO-ON3-N-V55-IUST-55	0.16(#3)	1.50	0.32	0.32	0.4	25
1090-006-0416-01	NV1-367-LH-DCL-ONA-G-V55-ITIN-55		1.47	0.18	0.18	0.4	17
1090-006-0417-01	NV1-367-LT-DCL-ONA-G-V55-ITIN-55		1.69	0.24	0.24	0.4	16
1090-006-0418-01	NV1-367-LF-DCL-ONA-G-V55-ITIN-55		1.97	0.32	0.32	0.4	15
1090-006-0419-01	NV1-367-LH-DCL-ONA-N-V55-ITIN-55		1.46	0.19	0.18	0.4	18
1090-006-0420-01	NV1-367-LT-DCL-ONA-N-V55-ITIN-55		1.67	0.25	0.25	0.4	17
1090-006-0421-01	NV1-367-LF-DCL-ONA-N-V55-ITIN-55		1.96	0.34	0.34	0.4	16
1090-006-0422-01	NV1-367-LH-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.24	0.17	0.16	0.4	22
1090-006-0423-01	NV1-367-LT-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.38	0.23	0.22	0.4	22
1090-006-0424-01	NV1-367-LF-DLO-ON3-G-V55-ITIN-55	0.16(#3)	1.56	0.30	0.30	0.4	22
1090-006-0425-01	NV1-367-LH-DLO-ON3-N-V55-ITIN-55	0.16(#3)	1.23	0.18	0.17	0.4	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0426-01	NV1-367-LT-DLO-0N3-N-V55-ITIN-55	0.16(#3)	1.36	0.24	0.23	0.4	23
1090-006-0427-01	NV1-367-LF-DLO-0N3-N-V55-ITIN-55	0.16(#3)	1.53	0.32	0.32	0.4	24
1090-006-0428-01	NV1-367-LH-D84-2N0-N-FBL-ASAB-AL	0.12(#2)	1.32	0.12	0.15	0.4	17
1090-006-0429-01	NV1-367-LT-D84-2N0-N-FBL-ASAB-AL	0.12(#2)	1.48	0.16	0.20	0.4	16
1090-006-0430-01	NV1-367-LF-D84-2N0-N-FBL-ASAB-AL	0.12(#2)	1.69	0.21	0.27	0.4	14
1090-006-0431-01	NV1-367-LH-D71-0N3-N-FBL-ITIN-AL	0.08(#3)	1.24	0.15	0.16	0.4	21
1090-006-0432-01	NV1-367-LT-D71-0N3-N-FBL-ITIN-AL	0.08(#3)	1.39	0.20	0.21	0.4	20
1090-006-0433-01	NV1-367-LF-D71-0N3-N-FBL-ITIN-AL	0.08(#3)	1.57	0.26	0.28	0.4	20
1090-006-0434-01	NV1-367-LH-D71-2N0-N-FBL-ITIN-AL	0.08(#2)	1.24	0.14	0.16	0.4	20
1090-006-0435-01	NV1-367-LT-D71-2N0-N-FBL-ITIN-AL	0.08(#2)	1.38	0.18	0.21	0.4	19
1090-006-0436-01	NV1-367-LF-D71-2N0-N-FBL-ITIN-AL	0.08(#2)	1.57	0.24	0.28	0.4	19
1090-006-0437-01	NV1-367-LH-D84-2N0-N-FBL-ASAB-CN	0.12(#2)	1.26	0.12	0.15	0.4	19
1090-006-0438-01	NV1-367-LT-D84-2N0-N-FBL-ASAB-CN	0.12(#2)	1.40	0.16	0.20	0.4	18
1090-006-0439-01	NV1-367-LF-D84-2N0-N-FBL-ASAB-CN	0.12(#2)	1.60	0.21	0.27	0.4	16
1090-006-0440-01	NV1-367-LH-D71-0N3-N-FBL-ITIN-CN	0.08(#3)	1.19	0.15	0.16	0.4	22
1090-006-0441-01	NV1-367-LT-D71-0N3-N-FBL-ITIN-CN	0.08(#3)	1.33	0.20	0.21	0.4	22
1090-006-0442-01	NV1-367-LF-D71-0N3-N-FBL-ITIN-CN	0.08(#3)	1.50	0.26	0.28	0.4	21
1090-006-0443-01	NV1-367-LH-D71-2N0-N-FBL-ITIN-CN	0.08(#2)	1.19	0.14	0.16	0.4	21
1090-006-0444-01	NV1-367-LT-D71-2N0-N-FBL-ITIN-CN	0.08(#2)	1.33	0.18	0.21	0.4	20
1090-006-0445-01	NV1-367-LF-D71-2N0-N-FBL-ITIN-CN	0.08(#2)	1.50	0.24	0.28	0.4	20
1090-006-0446-01	NV1-367-LH-D84-2N0-N-FBL-ASAB-SY	0.12(#2)	1.31	0.12	0.15	0.4	17
1090-006-0447-01	NV1-367-LT-D84-2N0-N-FBL-ASAB-SY	0.12(#2)	1.46	0.16	0.20	0.4	16
1090-006-0448-01	NV1-367-LF-D84-2N0-N-FBL-ASAB-SY	0.12(#2)	1.67	0.21	0.27	0.4	15
1090-006-0449-01	NV1-367-LH-D71-0N3-N-FBL-ITIN-SY	0.08(#3)	1.23	0.15	0.16	0.4	21
1090-006-0450-01	NV1-367-LT-D71-0N3-N-FBL-ITIN-SY	0.08(#3)	1.37	0.20	0.21	0.4	21
1090-006-0451-01	NV1-367-LF-D71-0N3-N-FBL-ITIN-SY	0.08(#3)	1.56	0.26	0.28	0.4	20
1090-006-0452-01	NV1-367-LH-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.23	0.14	0.16	0.4	20
1090-006-0453-01	NV1-367-LT-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.37	0.18	0.21	0.4	20
1090-006-0454-01	NV1-367-LF-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.56	0.24	0.28	0.4	19
1090-006-0455-01	NV1-900-OP-000-000-N-FIX-0000-00		0.79	0.01	0.00	0.4	22
1090-006-0456-01	NV1-900-LQ-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.06	0.10	0.09	0.4	22
1090-006-0457-01	NV1-900-LH-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.26	0.19	0.18	0.4	23
1090-006-0458-01	NV1-900-LT-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.39	0.25	0.24	0.4	23
1090-006-0459-01	NV1-900-LF-DLO-0N3-N-FIX-ASAB-AL	0.16(#3)	1.58	0.33	0.33	0.4	24
1090-006-0460-01	NV1-900-LQ-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.06	0.10	0.09	0.4	22
1090-006-0461-01	NV1-900-LH-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.26	0.18	0.17	0.4	22
1090-006-0462-01	NV1-900-LT-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.39	0.24	0.23	0.4	23
1090-006-0463-01	NV1-900-LF-DLO-0N3-G-FIX-ASAB-AL	0.16(#3)	1.58	0.31	0.31	0.4	23
1090-006-0464-01	NV1-900-LQ-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.06	0.09	0.09	0.4	21
1090-006-0465-01	NV1-900-LH-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.26	0.17	0.18	0.4	21

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0466-01	NV1-900-LT-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.39	0.23	0.24	0.4	22
1090-006-0467-01	NV1-900-LF-DLO-2N0-N-FIX-ASAB-AL	0.16(#2)	1.58	0.30	0.33	0.4	22
1090-006-0468-01	NV1-900-LQ-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.06	0.09	0.09	0.4	21
1090-006-0469-01	NV1-900-LH-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.26	0.16	0.17	0.4	21
1090-006-0470-01	NV1-900-LT-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.39	0.22	0.23	0.4	21
1090-006-0471-01	NV1-900-LF-DLO-2N0-G-FIX-ASAB-AL	0.16(#2)	1.58	0.28	0.31	0.4	21
1090-006-0472-01	NV1-900-LQ-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	0.98	0.06	0.07	0.4	21
1090-006-0473-01	NV1-900-LH-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.11	0.12	0.14	0.4	22
1090-006-0474-01	NV1-900-LT-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.20	0.15	0.19	0.4	22
1090-006-0475-01	NV1-900-LF-T84-205-C-FIX-ASAB-AL	0.12(#2) 0.12(#5)	1.32	0.20	0.26	0.4	22
1090-006-0476-01	NV1-900-LQ-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.01	0.08	0.08	0.4	22
1090-006-0477-01	NV1-900-LH-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.16	0.14	0.16	0.4	22
1090-006-0478-01	NV1-900-LT-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.26	0.18	0.21	0.4	22
1090-006-0479-01	NV1-900-LF-T84-005-C-FIX-ASAB-AL	0.12(#5)	1.40	0.24	0.28	0.4	22
1090-006-0480-01	NV1-900-LQ-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.02	0.08	0.08	0.4	21
1090-006-0481-01	NV1-900-LH-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.18	0.15	0.16	0.4	22
1090-006-0482-01	NV1-900-LT-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.29	0.20	0.21	0.4	23
1090-006-0483-01	NV1-900-LF-TLO-005-C-FIX-ASAB-AL	0.16(#5)	1.43	0.27	0.28	0.4	23
1090-006-0484-01	NV1-900-LQ-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.00	0.08	0.08	0.4	22
1090-006-0485-01	NV1-900-LH-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.13	0.14	0.15	0.4	23
1090-006-0486-01	NV1-900-LT-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.23	0.18	0.20	0.4	23
1090-006-0487-01	NV1-900-LF-TLO-205-C-FIX-ASAB-AL	0.16(#2) 0.16(#5)	1.35	0.24	0.26	0.4	24
1090-006-0488-01	NV1-900-LQ-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	0.99	0.06	0.08	0.4	21
1090-006-0489-01	NV1-900-LH-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.11	0.12	0.15	0.4	22
1090-006-0490-01	NV1-900-LT-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.20	0.15	0.20	0.4	22
1090-006-0491-01	NV1-900-LF-T83-205-C-FIX-ASAB-AL	0.1(#2) 0.1(#5)	1.31	0.20	0.26	0.4	22
1090-006-0492-01	NV1-900-LQ-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.02	0.10	0.09	0.4	23
1090-006-0493-01	NV1-900-LH-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.20	0.19	0.18	0.4	24
1090-006-0494-01	NV1-900-LT-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.32	0.25	0.24	0.4	25
1090-006-0495-01	NV1-900-LF-DLO-0N3-N-FIX-IUST-AL	0.16(#3)	1.49	0.33	0.33	0.4	26
1090-006-0496-01	NV1-900-LQ-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.02	0.10	0.09	0.4	23
1090-006-0497-01	NV1-900-LH-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.20	0.18	0.17	0.4	23
1090-006-0498-01	NV1-900-LT-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.32	0.24	0.23	0.4	24
1090-006-0499-01	NV1-900-LF-DLO-0N3-G-FIX-IUST-AL	0.16(#3)	1.49	0.31	0.31	0.4	24
1090-006-0500-01	NV1-900-LQ-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.02	0.09	0.09	0.4	22
1090-006-0501-01	NV1-900-LH-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.20	0.17	0.18	0.4	23
1090-006-0502-01	NV1-900-LT-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.32	0.23	0.24	0.4	24
1090-006-0503-01	NV1-900-LF-DLO-2N0-N-FIX-IUST-AL	0.16(#2)	1.49	0.30	0.33	0.4	24
1090-006-0504-01	NV1-900-LQ-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.02	0.09	0.09	0.4	22
1090-006-0505-01	NV1-900-LH-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.20	0.16	0.17	0.4	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0506-01	NV1-900-LT-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.32	0.22	0.23	0.4	23
1090-006-0507-01	NV1-900-LF-DLO-2N0-G-FIX-IUST-AL	0.16(#2)	1.49	0.28	0.31	0.4	23
1090-006-0508-01	NV1-900-LQ-DCL-ONA-N-FIX-ITIN-AL		1.15	0.11	0.10	0.4	20
1090-006-0509-01	NV1-900-LH-DCL-ONA-N-FIX-ITIN-AL		1.45	0.20	0.20	0.4	19
1090-006-0510-01	NV1-900-LT-DCL-ONA-N-FIX-ITIN-AL		1.66	0.26	0.26	0.4	18
1090-006-0511-01	NV1-900-LF-DCL-ONA-N-FIX-ITIN-AL		1.94	0.35	0.35	0.4	17
1090-006-0512-01	NV1-900-LQ-DCL-ONA-G-FIX-ITIN-AL		1.15	0.10	0.10	0.4	20
1090-006-0513-01	NV1-900-LH-DCL-ONA-G-FIX-ITIN-AL		1.45	0.19	0.19	0.4	18
1090-006-0514-01	NV1-900-LT-DCL-ONA-G-FIX-ITIN-AL		1.66	0.25	0.25	0.4	17
1090-006-0515-01	NV1-900-LF-DCL-ONA-G-FIX-ITIN-AL		1.94	0.33	0.33	0.4	16
1090-006-0516-01	NV1-900-LQ-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.03	0.10	0.09	0.4	22
1090-006-0517-01	NV1-900-LH-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.22	0.19	0.18	0.4	23
1090-006-0518-01	NV1-900-LT-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.35	0.25	0.24	0.4	24
1090-006-0519-01	NV1-900-LF-DLO-ON3-N-FIX-ITIN-AL	0.16(#3)	1.53	0.33	0.33	0.4	25
1090-006-0520-01	NV1-900-LQ-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.03	0.10	0.09	0.4	22
1090-006-0521-01	NV1-900-LH-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.22	0.18	0.17	0.4	23
1090-006-0522-01	NV1-900-LT-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.35	0.24	0.23	0.4	24
1090-006-0523-01	NV1-900-LF-DLO-ON3-G-FIX-ITIN-AL	0.16(#3)	1.53	0.31	0.31	0.4	24
1090-006-0524-01	NV1-900-LQ-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.03	0.09	0.09	0.4	22
1090-006-0525-01	NV1-900-LH-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.22	0.17	0.18	0.4	22
1090-006-0526-01	NV1-900-LT-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.35	0.23	0.24	0.4	23
1090-006-0527-01	NV1-900-LF-DLO-2N0-N-FIX-ITIN-AL	0.16(#2)	1.53	0.30	0.33	0.4	23
1090-006-0528-01	NV1-900-LQ-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.03	0.09	0.09	0.4	22
1090-006-0529-01	NV1-900-LH-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.22	0.16	0.17	0.4	22
1090-006-0530-01	NV1-900-LT-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.35	0.22	0.23	0.4	22
1090-006-0531-01	NV1-900-LF-DLO-2N0-G-FIX-ITIN-AL	0.16(#2)	1.53	0.28	0.31	0.4	22
1090-006-0532-01	NV1-900-LQ-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.4	23
1090-006-0533-01	NV1-900-LH-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.06	0.15	0.15	0.4	25
1090-006-0534-01	NV1-900-LT-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.15	0.19	0.20	0.4	25
1090-006-0535-01	NV1-900-LF-TLO-205-G-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.25	0.25	0.27	0.4	26
1090-006-0536-01	NV1-900-LQ-TLO-005-G-FIX-IUST-AL	0.16(#5)	0.98	0.09	0.08	0.4	23
1090-006-0537-01	NV1-900-LH-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.13	0.16	0.16	0.4	24
1090-006-0538-01	NV1-900-LT-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.23	0.22	0.21	0.4	25
1090-006-0539-01	NV1-900-LF-TLO-005-G-FIX-IUST-AL	0.16(#5)	1.37	0.28	0.28	0.4	25
1090-006-0540-01	NV1-900-LQ-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.4	23
1090-006-0541-01	NV1-900-LH-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.08	0.15	0.15	0.4	24
1090-006-0542-01	NV1-900-LT-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.16	0.19	0.20	0.4	25
1090-006-0543-01	NV1-900-LF-TLO-205-G-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.27	0.25	0.27	0.4	26
1090-006-0544-01	NV1-900-LQ-TLO-005-G-FIX-ITIN-AL	0.16(#5)	0.99	0.09	0.08	0.4	23
1090-006-0545-01	NV1-900-LH-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.14	0.16	0.16	0.4	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0546-01	NV1-900-LT-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.24	0.22	0.21	0.4	25
1090-006-0547-01	NV1-900-LF-TLO-005-G-FIX-ITIN-AL	0.16(#5)	1.38	0.28	0.28	0.4	25
1090-006-0548-01	NV1-900-LQ-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.4	23
1090-006-0549-01	NV1-900-LH-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.05	0.15	0.16	0.4	25
1090-006-0550-01	NV1-900-LT-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.13	0.20	0.21	0.4	26
1090-006-0551-01	NV1-900-LF-TLO-205-N-FIX-IUST-AL	0.16(#2) 0.16(#5)	1.23	0.27	0.28	0.4	28
1090-006-0552-01	NV1-900-LQ-TLO-005-N-FIX-IUST-AL	0.16(#5)	0.97	0.09	0.09	0.4	23
1090-006-0553-01	NV1-900-LH-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.11	0.17	0.17	0.4	25
1090-006-0554-01	NV1-900-LT-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.20	0.23	0.23	0.4	26
1090-006-0555-01	NV1-900-LF-TLO-005-N-FIX-IUST-AL	0.16(#5)	1.33	0.30	0.30	0.4	27
1090-006-0556-01	NV1-900-LQ-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	0.95	0.08	0.08	0.4	23
1090-006-0557-01	NV1-900-LH-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.05	0.15	0.16	0.4	25
1090-006-0558-01	NV1-900-LT-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.13	0.20	0.21	0.4	26
1090-006-0559-01	NV1-900-LF-TLO-240-N-FIX-IUST-AL	0.16(#2) 0.16(#4)	1.23	0.26	0.28	0.4	27
1090-006-0560-01	NV1-900-LQ-TLO-040-N-FIX-IUST-AL	0.16(#4)	0.97	0.09	0.09	0.4	23
1090-006-0561-01	NV1-900-LH-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.11	0.16	0.17	0.4	24
1090-006-0562-01	NV1-900-LT-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.20	0.21	0.23	0.4	25
1090-006-0563-01	NV1-900-LF-TLO-040-N-FIX-IUST-AL	0.16(#4)	1.33	0.28	0.30	0.4	26
1090-006-0564-01	NV1-900-LQ-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.4	23
1090-006-0565-01	NV1-900-LH-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.07	0.15	0.16	0.4	24
1090-006-0566-01	NV1-900-LT-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.15	0.20	0.21	0.4	26
1090-006-0567-01	NV1-900-LF-TLO-205-N-FIX-ITIN-AL	0.16(#2) 0.16(#5)	1.26	0.27	0.28	0.4	27
1090-006-0568-01	NV1-900-LQ-TLO-005-N-FIX-ITIN-AL	0.16(#5)	0.98	0.09	0.09	0.4	23
1090-006-0569-01	NV1-900-LH-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.13	0.17	0.17	0.4	24
1090-006-0570-01	NV1-900-LT-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.23	0.23	0.23	0.4	26
1090-006-0571-01	NV1-900-LF-TLO-005-N-FIX-ITIN-AL	0.16(#5)	1.36	0.30	0.30	0.4	27
1090-006-0572-01	NV1-900-LQ-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	0.96	0.08	0.08	0.4	23
1090-006-0573-01	NV1-900-LH-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.07	0.15	0.16	0.4	24
1090-006-0574-01	NV1-900-LT-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.15	0.20	0.21	0.4	26
1090-006-0575-01	NV1-900-LF-TLO-240-N-FIX-ITIN-AL	0.16(#2) 0.16(#4)	1.26	0.26	0.28	0.4	27
1090-006-0576-01	NV1-900-LQ-TLO-040-N-FIX-ITIN-AL	0.16(#4)	0.98	0.09	0.09	0.4	23
1090-006-0577-01	NV1-900-LH-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.13	0.16	0.17	0.4	24
1090-006-0578-01	NV1-900-LT-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.23	0.21	0.23	0.4	24
1090-006-0579-01	NV1-900-LF-TLO-040-N-FIX-ITIN-AL	0.16(#4)	1.36	0.28	0.30	0.4	26
1090-006-0580-01	NV1-900-LQ-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.03	0.10	0.09	0.4	22
1090-006-0581-01	NV1-900-LH-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.21	0.19	0.18	0.4	24
1090-006-0582-01	NV1-900-LT-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.34	0.25	0.24	0.4	24
1090-006-0583-01	NV1-900-LF-DLO-0N3-N-FIX-ASAB-CN	0.16(#3)	1.51	0.33	0.33	0.4	25
1090-006-0584-01	NV1-900-LQ-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.03	0.10	0.09	0.4	22
1090-006-0585-01	NV1-900-LH-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.21	0.18	0.17	0.4	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0586-01	NV1-900-LT-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.34	0.24	0.23	0.4	24
1090-006-0587-01	NV1-900-LF-DLO-0N3-G-FIX-ASAB-CN	0.16(#3)	1.51	0.31	0.31	0.4	24
1090-006-0588-01	NV1-900-LQ-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.03	0.09	0.09	0.4	22
1090-006-0589-01	NV1-900-LH-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.21	0.17	0.18	0.4	23
1090-006-0590-01	NV1-900-LT-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.34	0.23	0.24	0.4	23
1090-006-0591-01	NV1-900-LF-DLO-2N0-N-FIX-ASAB-CN	0.16(#2)	1.51	0.30	0.33	0.4	23
1090-006-0592-01	NV1-900-LQ-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.03	0.09	0.09	0.4	22
1090-006-0593-01	NV1-900-LH-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.21	0.16	0.17	0.4	22
1090-006-0594-01	NV1-900-LT-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.34	0.22	0.23	0.4	23
1090-006-0595-01	NV1-900-LF-DLO-2N0-G-FIX-ASAB-CN	0.16(#2)	1.51	0.28	0.31	0.4	22
1090-006-0596-01	NV1-900-LQ-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	0.95	0.06	0.07	0.4	22
1090-006-0597-01	NV1-900-LH-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.06	0.12	0.14	0.4	23
1090-006-0598-01	NV1-900-LT-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.14	0.15	0.19	0.4	23
1090-006-0599-01	NV1-900-LF-T84-205-C-FIX-ASAB-CN	0.12(#2) 0.12(#5)	1.24	0.20	0.26	0.4	24
1090-006-0600-01	NV1-900-LQ-T84-005-C-FIX-ASAB-CN	0.12(#5)	0.97	0.08	0.08	0.4	23
1090-006-0601-01	NV1-900-LH-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.11	0.14	0.16	0.4	23
1090-006-0602-01	NV1-900-LT-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.20	0.18	0.21	0.4	23
1090-006-0603-01	NV1-900-LF-T84-005-C-FIX-ASAB-CN	0.12(#5)	1.33	0.24	0.28	0.4	24
1090-006-0604-01	NV1-900-LQ-TLO-005-C-FIX-ASAB-CN	0.16(#5)	0.99	0.08	0.08	0.4	22
1090-006-0605-01	NV1-900-LH-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.13	0.15	0.16	0.4	23
1090-006-0606-01	NV1-900-LT-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.23	0.20	0.21	0.4	24
1090-006-0607-01	NV1-900-LF-TLO-005-C-FIX-ASAB-CN	0.16(#5)	1.36	0.27	0.28	0.4	25
1090-006-0608-01	NV1-900-LQ-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	0.96	0.08	0.08	0.4	23
1090-006-0609-01	NV1-900-LH-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.08	0.14	0.15	0.4	24
1090-006-0610-01	NV1-900-LT-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.16	0.18	0.20	0.4	24
1090-006-0611-01	NV1-900-LF-TLO-205-C-FIX-ASAB-CN	0.16(#2) 0.16(#5)	1.27	0.24	0.26	0.4	25
1090-006-0612-01	NV1-900-LQ-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	0.95	0.06	0.08	0.4	22
1090-006-0613-01	NV1-900-LH-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.06	0.12	0.15	0.4	23
1090-006-0614-01	NV1-900-LT-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.14	0.15	0.20	0.4	23
1090-006-0615-01	NV1-900-LF-T83-205-C-FIX-ASAB-CN	0.1(#2) 0.1(#5)	1.24	0.20	0.26	0.4	24
1090-006-0616-01	NV1-900-LQ-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	0.99	0.10	0.09	0.4	23
1090-006-0617-01	NV1-900-LH-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.16	0.19	0.18	0.4	25
1090-006-0618-01	NV1-900-LT-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.28	0.25	0.24	0.4	26
1090-006-0619-01	NV1-900-LF-DLO-0N3-N-FIX-IUST-CN	0.16(#3)	1.43	0.33	0.33	0.4	27
1090-006-0620-01	NV1-900-LQ-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	0.99	0.10	0.09	0.4	23
1090-006-0621-01	NV1-900-LH-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.16	0.18	0.17	0.4	24
1090-006-0622-01	NV1-900-LT-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.28	0.24	0.23	0.4	25
1090-006-0623-01	NV1-900-LF-DLO-0N3-G-FIX-IUST-CN	0.16(#3)	1.43	0.31	0.31	0.4	26
1090-006-0624-01	NV1-900-LQ-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	0.99	0.09	0.09	0.4	23
1090-006-0625-01	NV1-900-LH-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.16	0.17	0.18	0.4	24



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0626-01	NV1-900-LT-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.28	0.23	0.24	0.4	24
1090-006-0627-01	NV1-900-LF-DLO-2N0-N-FIX-IUST-CN	0.16(#2)	1.43	0.30	0.33	0.4	25
1090-006-0628-01	NV1-900-LQ-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	0.99	0.09	0.09	0.4	23
1090-006-0629-01	NV1-900-LH-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.16	0.16	0.17	0.4	23
1090-006-0630-01	NV1-900-LT-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.28	0.22	0.23	0.4	24
1090-006-0631-01	NV1-900-LF-DLO-2N0-G-FIX-IUST-CN	0.16(#2)	1.43	0.28	0.31	0.4	24
1090-006-0632-01	NV1-900-LQ-DCL-ONA-N-FIX-ITIN-CN		1.12	0.11	0.10	0.4	21
1090-006-0633-01	NV1-900-LH-DCL-ONA-N-FIX-ITIN-CN		1.41	0.20	0.20	0.4	20
1090-006-0634-01	NV1-900-LT-DCL-ONA-N-FIX-ITIN-CN		1.61	0.26	0.26	0.4	19
1090-006-0635-01	NV1-900-LF-DCL-ONA-N-FIX-ITIN-CN		1.88	0.35	0.35	0.4	18
1090-006-0636-01	NV1-900-LQ-DCL-ONA-G-FIX-ITIN-CN		1.12	0.10	0.10	0.4	20
1090-006-0637-01	NV1-900-LH-DCL-ONA-G-FIX-ITIN-CN		1.41	0.19	0.19	0.4	19
1090-006-0638-01	NV1-900-LT-DCL-ONA-G-FIX-ITIN-CN		1.61	0.25	0.25	0.4	18
1090-006-0639-01	NV1-900-LF-DCL-ONA-G-FIX-ITIN-CN		1.88	0.33	0.33	0.4	17
1090-006-0640-01	NV1-900-LQ-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.00	0.10	0.09	0.4	23
1090-006-0641-01	NV1-900-LH-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.18	0.19	0.18	0.4	24
1090-006-0642-01	NV1-900-LT-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.30	0.25	0.24	0.4	25
1090-006-0643-01	NV1-900-LF-DLO-ON3-N-FIX-ITIN-CN	0.16(#3)	1.46	0.33	0.33	0.4	26
1090-006-0644-01	NV1-900-LQ-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.00	0.10	0.09	0.4	23
1090-006-0645-01	NV1-900-LH-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.18	0.18	0.17	0.4	24
1090-006-0646-01	NV1-900-LT-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.30	0.24	0.23	0.4	25
1090-006-0647-01	NV1-900-LF-DLO-ON3-G-FIX-ITIN-CN	0.16(#3)	1.46	0.31	0.31	0.4	25
1090-006-0648-01	NV1-900-LQ-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.00	0.09	0.09	0.4	23
1090-006-0649-01	NV1-900-LH-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.18	0.17	0.18	0.4	23
1090-006-0650-01	NV1-900-LT-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.30	0.23	0.24	0.4	24
1090-006-0651-01	NV1-900-LF-DLO-2N0-N-FIX-ITIN-CN	0.16(#2)	1.46	0.30	0.33	0.4	25
1090-006-0652-01	NV1-900-LQ-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.00	0.09	0.09	0.4	23
1090-006-0653-01	NV1-900-LH-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.18	0.16	0.17	0.4	23
1090-006-0654-01	NV1-900-LT-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.30	0.22	0.23	0.4	23
1090-006-0655-01	NV1-900-LF-DLO-2N0-G-FIX-ITIN-CN	0.16(#2)	1.46	0.28	0.31	0.4	23
1090-006-0656-01	NV1-900-LQ-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.4	24
1090-006-0657-01	NV1-900-LH-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.02	0.15	0.15	0.4	26
1090-006-0658-01	NV1-900-LT-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.09	0.19	0.20	0.4	26
1090-006-0659-01	NV1-900-LF-TLO-205-G-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.19	0.25	0.27	0.4	28
1090-006-0660-01	NV1-900-LQ-TLO-005-G-FIX-IUST-CN	0.16(#5)	0.96	0.09	0.08	0.4	23
1090-006-0661-01	NV1-900-LH-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.09	0.16	0.16	0.4	25
1090-006-0662-01	NV1-900-LT-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.18	0.22	0.21	0.4	26
1090-006-0663-01	NV1-900-LF-TLO-005-G-FIX-IUST-CN	0.16(#5)	1.31	0.28	0.28	0.4	27
1090-006-0664-01	NV1-900-LQ-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.93	0.08	0.08	0.4	23
1090-006-0665-01	NV1-900-LH-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.03	0.15	0.15	0.4	25

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0666-01	NV1-900-LT-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.10	0.19	0.20	0.4	26
1090-006-0667-01	NV1-900-LF-TLO-205-G-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.20	0.25	0.27	0.4	27
1090-006-0668-01	NV1-900-LQ-TLO-005-G-FIX-ITIN-CN	0.16(#5)	0.96	0.09	0.08	0.4	23
1090-006-0669-01	NV1-900-LH-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.09	0.16	0.16	0.4	25
1090-006-0670-01	NV1-900-LT-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.19	0.22	0.21	0.4	26
1090-006-0671-01	NV1-900-LF-TLO-005-G-FIX-ITIN-CN	0.16(#5)	1.32	0.28	0.28	0.4	26
1090-006-0672-01	NV1-900-LQ-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	0.92	0.08	0.08	0.4	24
1090-006-0673-01	NV1-900-LH-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.01	0.15	0.16	0.4	26
1090-006-0674-01	NV1-900-LT-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.07	0.20	0.21	0.4	27
1090-006-0675-01	NV1-900-LF-TLO-205-N-FIX-IUST-CN	0.16(#2) 0.16(#5)	1.16	0.27	0.28	0.4	29
1090-006-0676-01	NV1-900-LQ-TLO-005-N-FIX-IUST-CN	0.16(#5)	0.95	0.09	0.09	0.4	24
1090-006-0677-01	NV1-900-LH-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.07	0.17	0.17	0.4	26
1090-006-0678-01	NV1-900-LT-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.15	0.23	0.23	0.4	27
1090-006-0679-01	NV1-900-LF-TLO-005-N-FIX-IUST-CN	0.16(#5)	1.27	0.30	0.30	0.4	29
1090-006-0680-01	NV1-900-LQ-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	0.92	0.08	0.08	0.4	24
1090-006-0681-01	NV1-900-LH-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.01	0.15	0.16	0.4	26
1090-006-0682-01	NV1-900-LT-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.07	0.20	0.21	0.4	27
1090-006-0683-01	NV1-900-LF-TLO-240-N-FIX-IUST-CN	0.16(#2) 0.16(#4)	1.16	0.26	0.28	0.4	29
1090-006-0684-01	NV1-900-LQ-TLO-040-N-FIX-IUST-CN	0.16(#4)	0.95	0.09	0.09	0.4	24
1090-006-0685-01	NV1-900-LH-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.07	0.16	0.17	0.4	25
1090-006-0686-01	NV1-900-LT-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.15	0.21	0.23	0.4	26
1090-006-0687-01	NV1-900-LF-TLO-040-N-FIX-IUST-CN	0.16(#4)	1.27	0.28	0.30	0.4	28
1090-006-0688-01	NV1-900-LQ-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	0.93	0.08	0.08	0.4	23
1090-006-0689-01	NV1-900-LH-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.03	0.15	0.16	0.4	25
1090-006-0690-01	NV1-900-LT-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.10	0.20	0.21	0.4	27
1090-006-0691-01	NV1-900-LF-TLO-205-N-FIX-ITIN-CN	0.16(#2) 0.16(#5)	1.19	0.27	0.28	0.4	29
1090-006-0692-01	NV1-900-LQ-TLO-005-N-FIX-ITIN-CN	0.16(#5)	0.96	0.09	0.09	0.4	23
1090-006-0693-01	NV1-900-LH-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.08	0.17	0.17	0.4	25
1090-006-0694-01	NV1-900-LT-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.18	0.23	0.23	0.4	27
1090-006-0695-01	NV1-900-LF-TLO-005-N-FIX-ITIN-CN	0.16(#5)	1.29	0.30	0.30	0.4	28
1090-006-0696-01	NV1-900-LQ-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	0.93	0.08	0.08	0.4	23
1090-006-0697-01	NV1-900-LH-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.03	0.15	0.16	0.4	25
1090-006-0698-01	NV1-900-LT-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.10	0.20	0.21	0.4	27
1090-006-0699-01	NV1-900-LF-TLO-240-N-FIX-ITIN-CN	0.16(#2) 0.16(#4)	1.19	0.26	0.28	0.4	28
1090-006-0700-01	NV1-900-LQ-TLO-040-N-FIX-ITIN-CN	0.16(#4)	0.96	0.09	0.09	0.4	23
1090-006-0701-01	NV1-900-LH-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.08	0.16	0.17	0.4	25
1090-006-0702-01	NV1-900-LT-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.18	0.21	0.23	0.4	25
1090-006-0703-01	NV1-900-LF-TLO-040-N-FIX-ITIN-CN	0.16(#4)	1.29	0.28	0.30	0.4	27
1090-006-0704-01	NV1-900-LQ-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.06	0.10	0.09	0.4	22
1090-006-0705-01	NV1-900-LH-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.25	0.19	0.18	0.4	23

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0706-01	NV1-900-LT-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.39	0.25	0.24	0.4	23
1090-006-0707-01	NV1-900-LF-DLO-0N3-N-FIX-ASAB-SY	0.16(#3)	1.57	0.33	0.33	0.4	24
1090-006-0708-01	NV1-900-LQ-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.06	0.10	0.09	0.4	22
1090-006-0709-01	NV1-900-LH-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.25	0.18	0.17	0.4	22
1090-006-0710-01	NV1-900-LT-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.39	0.24	0.23	0.4	23
1090-006-0711-01	NV1-900-LF-DLO-0N3-G-FIX-ASAB-SY	0.16(#3)	1.57	0.31	0.31	0.4	23
1090-006-0712-01	NV1-900-LQ-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.06	0.09	0.09	0.4	21
1090-006-0713-01	NV1-900-LH-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.25	0.17	0.18	0.4	22
1090-006-0714-01	NV1-900-LT-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.39	0.23	0.24	0.4	22
1090-006-0715-01	NV1-900-LF-DLO-2N0-N-FIX-ASAB-SY	0.16(#2)	1.57	0.30	0.33	0.4	22
1090-006-0716-01	NV1-900-LQ-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.06	0.09	0.09	0.4	21
1090-006-0717-01	NV1-900-LH-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.25	0.16	0.17	0.4	21
1090-006-0718-01	NV1-900-LT-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.39	0.22	0.23	0.4	21
1090-006-0719-01	NV1-900-LF-DLO-2N0-G-FIX-ASAB-SY	0.16(#2)	1.57	0.28	0.31	0.4	21
1090-006-0720-01	NV1-900-LQ-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	0.98	0.06	0.07	0.4	21
1090-006-0721-01	NV1-900-LH-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.10	0.12	0.14	0.4	22
1090-006-0722-01	NV1-900-LT-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.19	0.15	0.19	0.4	22
1090-006-0723-01	NV1-900-LF-T84-205-C-FIX-ASAB-SY	0.12(#2) 0.12(#5)	1.30	0.20	0.26	0.4	22
1090-006-0724-01	NV1-900-LQ-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.00	0.08	0.08	0.4	22
1090-006-0725-01	NV1-900-LH-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.15	0.14	0.16	0.4	22
1090-006-0726-01	NV1-900-LT-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.26	0.18	0.21	0.4	22
1090-006-0727-01	NV1-900-LF-T84-005-C-FIX-ASAB-SY	0.12(#5)	1.39	0.24	0.28	0.4	23
1090-006-0728-01	NV1-900-LQ-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.01	0.08	0.08	0.4	22
1090-006-0729-01	NV1-900-LH-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.17	0.15	0.16	0.4	22
1090-006-0730-01	NV1-900-LT-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.28	0.20	0.21	0.4	23
1090-006-0731-01	NV1-900-LF-TLO-005-C-FIX-ASAB-SY	0.16(#5)	1.42	0.27	0.28	0.4	24
1090-006-0732-01	NV1-900-LQ-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	0.99	0.08	0.08	0.4	22
1090-006-0733-01	NV1-900-LH-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.12	0.14	0.15	0.4	23
1090-006-0734-01	NV1-900-LT-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.21	0.18	0.20	0.4	23
1090-006-0735-01	NV1-900-LF-TLO-205-C-FIX-ASAB-SY	0.16(#2) 0.16(#5)	1.33	0.24	0.26	0.4	24
1090-006-0736-01	NV1-900-LQ-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	0.98	0.06	0.08	0.4	21
1090-006-0737-01	NV1-900-LH-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.10	0.12	0.15	0.4	22
1090-006-0738-01	NV1-900-LT-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.18	0.15	0.20	0.4	22
1090-006-0739-01	NV1-900-LF-T83-205-C-FIX-ASAB-SY	0.1(#2) 0.1(#5)	1.30	0.20	0.26	0.4	22
1090-006-0740-01	NV1-900-LQ-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.01	0.10	0.09	0.4	23
1090-006-0741-01	NV1-900-LH-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.19	0.19	0.18	0.4	24
1090-006-0742-01	NV1-900-LT-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.31	0.25	0.24	0.4	25
1090-006-0743-01	NV1-900-LF-DLO-0N3-N-FIX-IUST-SY	0.16(#3)	1.47	0.33	0.33	0.4	26
1090-006-0744-01	NV1-900-LQ-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.01	0.10	0.09	0.4	23
1090-006-0745-01	NV1-900-LH-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.19	0.18	0.17	0.4	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0746-01	NV1-900-LT-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.31	0.24	0.23	0.4	24
1090-006-0747-01	NV1-900-LF-DLO-0N3-G-FIX-IUST-SY	0.16(#3)	1.47	0.31	0.31	0.4	25
1090-006-0748-01	NV1-900-LQ-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.01	0.09	0.09	0.4	22
1090-006-0749-01	NV1-900-LH-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.19	0.17	0.18	0.4	23
1090-006-0750-01	NV1-900-LT-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.31	0.23	0.24	0.4	24
1090-006-0751-01	NV1-900-LF-DLO-2N0-N-FIX-IUST-SY	0.16(#2)	1.47	0.30	0.33	0.4	24
1090-006-0752-01	NV1-900-LQ-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.01	0.09	0.09	0.4	22
1090-006-0753-01	NV1-900-LH-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.19	0.16	0.17	0.4	22
1090-006-0754-01	NV1-900-LT-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.31	0.22	0.23	0.4	23
1090-006-0755-01	NV1-900-LF-DLO-2N0-G-FIX-IUST-SY	0.16(#2)	1.47	0.28	0.31	0.4	23
1090-006-0756-01	NV1-900-LQ-DCL-0NA-N-FIX-ITIN-SY		1.15	0.11	0.10	0.4	20
1090-006-0757-01	NV1-900-LH-DCL-0NA-N-FIX-ITIN-SY		1.44	0.20	0.20	0.4	19
1090-006-0758-01	NV1-900-LT-DCL-0NA-N-FIX-ITIN-SY		1.65	0.26	0.26	0.4	18
1090-006-0759-01	NV1-900-LF-DCL-0NA-N-FIX-ITIN-SY		1.93	0.35	0.35	0.4	17
1090-006-0760-01	NV1-900-LQ-DCL-0NA-G-FIX-ITIN-SY		1.15	0.10	0.10	0.4	20
1090-006-0761-01	NV1-900-LH-DCL-0NA-G-FIX-ITIN-SY		1.44	0.19	0.19	0.4	19
1090-006-0762-01	NV1-900-LT-DCL-0NA-G-FIX-ITIN-SY		1.65	0.25	0.25	0.4	18
1090-006-0763-01	NV1-900-LF-DCL-0NA-G-FIX-ITIN-SY		1.93	0.33	0.33	0.4	16
1090-006-0764-01	NV1-900-LQ-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.03	0.10	0.09	0.4	22
1090-006-0765-01	NV1-900-LH-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.21	0.19	0.18	0.4	24
1090-006-0766-01	NV1-900-LT-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.34	0.25	0.24	0.4	24
1090-006-0767-01	NV1-900-LF-DLO-0N3-N-FIX-ITIN-SY	0.16(#3)	1.51	0.33	0.33	0.4	25
1090-006-0768-01	NV1-900-LQ-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.03	0.10	0.09	0.4	22
1090-006-0769-01	NV1-900-LH-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.21	0.18	0.17	0.4	23
1090-006-0770-01	NV1-900-LT-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.34	0.24	0.23	0.4	24
1090-006-0771-01	NV1-900-LF-DLO-0N3-G-FIX-ITIN-SY	0.16(#3)	1.51	0.31	0.31	0.4	24
1090-006-0772-01	NV1-900-LQ-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.03	0.09	0.09	0.4	22
1090-006-0773-01	NV1-900-LH-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.21	0.17	0.18	0.4	23
1090-006-0774-01	NV1-900-LT-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.34	0.23	0.24	0.4	23
1090-006-0775-01	NV1-900-LF-DLO-2N0-N-FIX-ITIN-SY	0.16(#2)	1.51	0.30	0.33	0.4	23
1090-006-0776-01	NV1-900-LQ-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.03	0.09	0.09	0.4	22
1090-006-0777-01	NV1-900-LH-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.21	0.16	0.17	0.4	22
1090-006-0778-01	NV1-900-LT-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.34	0.22	0.23	0.4	23
1090-006-0779-01	NV1-900-LF-DLO-2N0-G-FIX-ITIN-SY	0.16(#2)	1.51	0.28	0.31	0.4	22
1090-006-0780-01	NV1-900-LQ-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.94	0.08	0.08	0.4	23
1090-006-0781-01	NV1-900-LH-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.05	0.15	0.15	0.4	25
1090-006-0782-01	NV1-900-LT-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.13	0.19	0.20	0.4	25
1090-006-0783-01	NV1-900-LF-TLO-205-G-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.23	0.25	0.27	0.4	27
1090-006-0784-01	NV1-900-LQ-TLO-005-G-FIX-IUST-SY	0.16(#5)	0.98	0.09	0.08	0.4	23
1090-006-0785-01	NV1-900-LH-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.12	0.16	0.16	0.4	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0786-01	NV1-900-LT-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.22	0.22	0.21	0.4	25
1090-006-0787-01	NV1-900-LF-TLO-005-G-FIX-IUST-SY	0.16(#5)	1.35	0.28	0.28	0.4	26
1090-006-0788-01	NV1-900-LQ-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.4	23
1090-006-0789-01	NV1-900-LH-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.06	0.15	0.15	0.4	25
1090-006-0790-01	NV1-900-LT-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.14	0.19	0.20	0.4	25
1090-006-0791-01	NV1-900-LF-TLO-205-G-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.25	0.25	0.27	0.4	26
1090-006-0792-01	NV1-900-LQ-TLO-005-G-FIX-ITIN-SY	0.16(#5)	0.98	0.09	0.08	0.4	23
1090-006-0793-01	NV1-900-LH-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.13	0.16	0.16	0.4	24
1090-006-0794-01	NV1-900-LT-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.23	0.22	0.21	0.4	25
1090-006-0795-01	NV1-900-LF-TLO-005-G-FIX-ITIN-SY	0.16(#5)	1.36	0.28	0.28	0.4	26
1090-006-0796-01	NV1-900-LQ-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	0.94	0.08	0.08	0.4	23
1090-006-0797-01	NV1-900-LH-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.04	0.15	0.16	0.4	25
1090-006-0798-01	NV1-900-LT-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.11	0.20	0.21	0.4	26
1090-006-0799-01	NV1-900-LF-TLO-205-N-FIX-IUST-SY	0.16(#2) 0.16(#5)	1.20	0.27	0.28	0.4	29
1090-006-0800-01	NV1-900-LQ-TLO-005-N-FIX-IUST-SY	0.16(#5)	0.97	0.09	0.09	0.4	23
1090-006-0801-01	NV1-900-LH-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.10	0.17	0.17	0.4	25
1090-006-0802-01	NV1-900-LT-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.19	0.23	0.23	0.4	26
1090-006-0803-01	NV1-900-LF-TLO-005-N-FIX-IUST-SY	0.16(#5)	1.31	0.30	0.30	0.4	28
1090-006-0804-01	NV1-900-LQ-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	0.94	0.08	0.08	0.4	23
1090-006-0805-01	NV1-900-LH-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.04	0.15	0.16	0.4	25
1090-006-0806-01	NV1-900-LT-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.11	0.20	0.21	0.4	26
1090-006-0807-01	NV1-900-LF-TLO-240-N-FIX-IUST-SY	0.16(#2) 0.16(#4)	1.20	0.26	0.28	0.4	28
1090-006-0808-01	NV1-900-LQ-TLO-040-N-FIX-IUST-SY	0.16(#4)	0.97	0.09	0.09	0.4	23
1090-006-0809-01	NV1-900-LH-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.10	0.16	0.17	0.4	24
1090-006-0810-01	NV1-900-LT-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.19	0.21	0.23	0.4	25
1090-006-0811-01	NV1-900-LF-TLO-040-N-FIX-IUST-SY	0.16(#4)	1.31	0.28	0.30	0.4	27
1090-006-0812-01	NV1-900-LQ-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	0.95	0.08	0.08	0.4	23
1090-006-0813-01	NV1-900-LH-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.06	0.15	0.16	0.4	25
1090-006-0814-01	NV1-900-LT-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.13	0.20	0.21	0.4	26
1090-006-0815-01	NV1-900-LF-TLO-205-N-FIX-ITIN-SY	0.16(#2) 0.16(#5)	1.23	0.27	0.28	0.4	28
1090-006-0816-01	NV1-900-LQ-TLO-005-N-FIX-ITIN-SY	0.16(#5)	0.98	0.09	0.09	0.4	23
1090-006-0817-01	NV1-900-LH-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.12	0.17	0.17	0.4	25
1090-006-0818-01	NV1-900-LT-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.21	0.23	0.23	0.4	26
1090-006-0819-01	NV1-900-LF-TLO-005-N-FIX-ITIN-SY	0.16(#5)	1.34	0.30	0.30	0.4	27
1090-006-0820-01	NV1-900-LQ-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	0.95	0.08	0.08	0.4	23
1090-006-0821-01	NV1-900-LH-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.06	0.15	0.16	0.4	25
1090-006-0822-01	NV1-900-LT-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.13	0.20	0.21	0.4	26
1090-006-0823-01	NV1-900-LF-TLO-240-N-FIX-ITIN-SY	0.16(#2) 0.16(#4)	1.23	0.26	0.28	0.4	27
1090-006-0824-01	NV1-900-LQ-TLO-040-N-FIX-ITIN-SY	0.16(#4)	0.98	0.09	0.09	0.4	23
1090-006-0825-01	NV1-900-LH-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.12	0.16	0.17	0.4	24

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0826-01	NV1-900-LT-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.21	0.21	0.23	0.4	25
1090-006-0827-01	NV1-900-LF-TLO-040-N-FIX-ITIN-SY	0.16(#4)	1.34	0.28	0.30	0.4	26
1090-006-0828-01	NV1-900-LH-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.28	0.17	0.16	0.4	21
1090-006-0829-01	NV1-900-LT-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.41	0.23	0.22	0.4	22
1090-006-0830-01	NV1-900-LF-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.59	0.30	0.30	0.4	22
1090-006-0831-01	NV1-900-LH-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.27	0.18	0.17	0.4	22
1090-006-0832-01	NV1-900-LT-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.39	0.24	0.23	0.4	23
1090-006-0833-01	NV1-900-LF-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.56	0.32	0.32	0.4	24
1090-006-0834-01	NV1-900-LH-DCL-0NA-G-VEL-ITIN-EL		1.52	0.18	0.18	0.4	16
1090-006-0835-01	NV1-900-LT-DCL-0NA-G-VEL-ITIN-EL		1.74	0.24	0.24	0.4	15
1090-006-0836-01	NV1-900-LF-DCL-0NA-G-VEL-ITIN-EL		2.02	0.32	0.32	0.4	13
1090-006-0837-01	NV1-900-LH-DCL-0NA-N-VEL-ITIN-EL		1.51	0.19	0.18	0.4	17
1090-006-0838-01	NV1-900-LT-DCL-0NA-N-VEL-ITIN-EL		1.72	0.25	0.25	0.4	16
1090-006-0839-01	NV1-900-LF-DCL-0NA-N-VEL-ITIN-EL		2.00	0.34	0.34	0.4	15
1090-006-0840-01	NV1-900-LH-DLO-0N3-G-VEL-ITIN-EL	0.16(#3)	1.30	0.17	0.16	0.4	21
1090-006-0841-01	NV1-900-LT-DLO-0N3-G-VEL-ITIN-EL	0.16(#3)	1.43	0.23	0.22	0.4	21
1090-006-0842-01	NV1-900-LF-DLO-0N3-G-VEL-ITIN-EL	0.16(#3)	1.61	0.30	0.30	0.4	21
1090-006-0843-01	NV1-900-LH-DLO-0N3-N-VEL-ITIN-EL	0.16(#3)	1.29	0.18	0.17	0.4	21
1090-006-0844-01	NV1-900-LT-DLO-0N3-N-VEL-ITIN-EL	0.16(#3)	1.41	0.24	0.23	0.4	22
1090-006-0845-01	NV1-900-LF-DLO-0N3-N-VEL-ITIN-EL	0.16(#3)	1.58	0.32	0.32	0.4	23
1090-006-0846-01	NV1-900-LH-DLO-0N3-G-V47-IUST-47	0.16(#3)	1.32	0.17	0.16	0.4	20
1090-006-0847-01	NV1-900-LT-DLO-0N3-G-V47-IUST-47	0.16(#3)	1.46	0.23	0.22	0.4	21
1090-006-0848-01	NV1-900-LF-DLO-0N3-G-V47-IUST-47	0.16(#3)	1.64	0.30	0.30	0.4	21
1090-006-0849-01	NV1-900-LH-DLO-0N3-N-V47-IUST-47	0.16(#3)	1.31	0.18	0.17	0.4	21
1090-006-0850-01	NV1-900-LT-DLO-0N3-N-V47-IUST-47	0.16(#3)	1.44	0.24	0.23	0.4	22
1090-006-0851-01	NV1-900-LF-DLO-0N3-N-V47-IUST-47	0.16(#3)	1.62	0.32	0.32	0.4	22
1090-006-0852-01	NV1-900-LH-DCL-0NA-G-V47-ITIN-47		1.56	0.18	0.18	0.4	15
1090-006-0853-01	NV1-900-LT-DCL-0NA-G-V47-ITIN-47		1.78	0.24	0.24	0.4	14
1090-006-0854-01	NV1-900-LF-DCL-0NA-G-V47-ITIN-47		2.08	0.32	0.32	0.4	12
1090-006-0855-01	NV1-900-LH-DCL-0NA-N-V47-ITIN-47		1.56	0.19	0.18	0.4	16
1090-006-0856-01	NV1-900-LT-DCL-0NA-N-V47-ITIN-47		1.78	0.25	0.25	0.4	15
1090-006-0857-01	NV1-900-LF-DCL-0NA-N-V47-ITIN-47		2.07	0.34	0.34	0.4	14
1090-006-0858-01	NV1-900-LH-DLO-0N3-G-V47-ITIN-47	0.16(#3)	1.34	0.17	0.16	0.4	20
1090-006-0859-01	NV1-900-LT-DLO-0N3-G-V47-ITIN-47	0.16(#3)	1.48	0.23	0.22	0.4	20
1090-006-0860-01	NV1-900-LF-DLO-0N3-G-V47-ITIN-47	0.16(#3)	1.67	0.30	0.30	0.4	20
1090-006-0861-01	NV1-900-LH-DLO-0N3-N-V47-ITIN-47	0.16(#3)	1.33	0.18	0.17	0.4	20
1090-006-0862-01	NV1-900-LT-DLO-0N3-N-V47-ITIN-47	0.16(#3)	1.47	0.24	0.23	0.4	21
1090-006-0863-01	NV1-900-LF-DLO-0N3-N-V47-ITIN-47	0.16(#3)	1.65	0.32	0.32	0.4	22
1090-006-0864-01	NV1-900-LH-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.26	0.17	0.16	0.4	21
1090-006-0865-01	NV1-900-LT-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.39	0.23	0.22	0.4	22

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0866-01	NV1-900-LF-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.57	0.30	0.30	0.4	22
1090-006-0867-01	NV1-900-LH-DLO-0N3-N-V55-IUST-55	0.16(#3)	1.25	0.18	0.17	0.4	22
1090-006-0868-01	NV1-900-LT-DLO-0N3-N-V55-IUST-55	0.16(#3)	1.38	0.24	0.23	0.4	23
1090-006-0869-01	NV1-900-LF-DLO-0N3-N-V55-IUST-55	0.16(#3)	1.54	0.32	0.32	0.4	24
1090-006-0870-01	NV1-900-LH-DCL-0NA-G-V55-ITIN-55		1.51	0.18	0.18	0.4	17
1090-006-0871-01	NV1-900-LT-DCL-0NA-G-V55-ITIN-55		1.73	0.24	0.24	0.4	15
1090-006-0872-01	NV1-900-LF-DCL-0NA-G-V55-ITIN-55		2.01	0.32	0.32	0.4	14
1090-006-0873-01	NV1-900-LH-DCL-0NA-N-V55-ITIN-55		1.50	0.19	0.18	0.4	17
1090-006-0874-01	NV1-900-LT-DCL-0NA-N-V55-ITIN-55		1.71	0.25	0.25	0.4	16
1090-006-0875-01	NV1-900-LF-DCL-0NA-N-V55-ITIN-55		2.00	0.34	0.34	0.4	15
1090-006-0876-01	NV1-900-LH-DLO-0N3-G-V55-ITIN-55	0.16(#3)	1.28	0.17	0.16	0.4	21
1090-006-0877-01	NV1-900-LT-DLO-0N3-G-V55-ITIN-55	0.16(#3)	1.42	0.23	0.22	0.4	21
1090-006-0878-01	NV1-900-LF-DLO-0N3-G-V55-ITIN-55	0.16(#3)	1.60	0.30	0.30	0.4	22
1090-006-0879-01	NV1-900-LH-DLO-0N3-N-V55-ITIN-55	0.16(#3)	1.27	0.18	0.17	0.4	22
1090-006-0880-01	NV1-900-LT-DLO-0N3-N-V55-ITIN-55	0.16(#3)	1.40	0.24	0.23	0.4	22
1090-006-0881-01	NV1-900-LF-DLO-0N3-N-V55-ITIN-55	0.16(#3)	1.57	0.32	0.32	0.4	23
1090-006-0882-01	NV1-900-LH-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.36	0.12	0.15	0.4	16
1090-006-0883-01	NV1-900-LT-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.52	0.16	0.20	0.4	15
1090-006-0884-01	NV1-900-LF-D84-2NO-N-FBL-ASAB-AL	0.12(#2)	1.73	0.21	0.27	0.4	13
1090-006-0885-01	NV1-900-LH-D71-0N3-N-FBL-ITIN-AL	0.08(#3)	1.28	0.15	0.16	0.4	20
1090-006-0886-01	NV1-900-LT-D71-0N3-N-FBL-ITIN-AL	0.08(#3)	1.42	0.20	0.21	0.4	20
1090-006-0887-01	NV1-900-LF-D71-0N3-N-FBL-ITIN-AL	0.08(#3)	1.61	0.26	0.28	0.4	19
1090-006-0888-01	NV1-900-LH-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.28	0.14	0.16	0.4	19
1090-006-0889-01	NV1-900-LT-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.42	0.18	0.21	0.4	19
1090-006-0890-01	NV1-900-LF-D71-2NO-N-FBL-ITIN-AL	0.08(#2)	1.61	0.24	0.28	0.4	18
1090-006-0891-01	NV1-900-LH-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.30	0.12	0.15	0.4	18
1090-006-0892-01	NV1-900-LT-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.44	0.16	0.20	0.4	17
1090-006-0893-01	NV1-900-LF-D84-2NO-N-FBL-ASAB-CN	0.12(#2)	1.64	0.21	0.27	0.4	15
1090-006-0894-01	NV1-900-LH-D71-0N3-N-FBL-ITIN-CN	0.08(#3)	1.23	0.15	0.16	0.4	21
1090-006-0895-01	NV1-900-LT-D71-0N3-N-FBL-ITIN-CN	0.08(#3)	1.36	0.20	0.21	0.4	21
1090-006-0896-01	NV1-900-LF-D71-0N3-N-FBL-ITIN-CN	0.08(#3)	1.54	0.26	0.28	0.4	21
1090-006-0897-01	NV1-900-LH-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.23	0.14	0.16	0.4	20
1090-006-0898-01	NV1-900-LT-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.36	0.18	0.21	0.4	20
1090-006-0899-01	NV1-900-LF-D71-2NO-N-FBL-ITIN-CN	0.08(#2)	1.54	0.24	0.28	0.4	19
1090-006-0900-01	NV1-900-LH-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.35	0.12	0.15	0.4	17
1090-006-0901-01	NV1-900-LT-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.50	0.16	0.20	0.4	16
1090-006-0902-01	NV1-900-LF-D84-2NO-N-FBL-ASAB-SY	0.12(#2)	1.71	0.21	0.27	0.4	14
1090-006-0903-01	NV1-900-LH-D71-0N3-N-FBL-ITIN-SY	0.08(#3)	1.27	0.15	0.16	0.4	20
1090-006-0904-01	NV1-900-LT-D71-0N3-N-FBL-ITIN-SY	0.08(#3)	1.41	0.20	0.21	0.4	20
1090-006-0905-01	NV1-900-LF-D71-0N3-N-FBL-ITIN-SY	0.08(#3)	1.60	0.26	0.28	0.4	19

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0906-01	NV1-900-LH-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.27	0.14	0.16	0.4	19
1090-006-0907-01	NV1-900-LT-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.41	0.18	0.21	0.4	19
1090-006-0908-01	NV1-900-LF-D71-2N0-N-FBL-ITIN-SY	0.08(#2)	1.60	0.24	0.28	0.4	18
1090-006-0909-01	NV1-367-LH-D70-0N3-G-V55-IUST-55	0.02(#3)	1.15	0.10	0.15	0.4	20
1090-006-0910-01	NV1-367-LT-D70-0N3-G-V55-IUST-55	0.02(#3)	1.26	0.13	0.20	0.4	19
1090-006-0911-01	NV1-367-LF-D70-0N3-G-V55-IUST-55	0.02(#3)	1.40	0.17	0.27	0.4	18
1090-006-0912-01	NV1-367-LH-D70-0N3-N-V55-IUST-55	0.02(#3)	1.14	0.10	0.15	0.4	20
1090-006-0913-01	NV1-367-LT-D70-0N3-N-V55-IUST-55	0.02(#3)	1.24	0.14	0.21	0.4	20
1090-006-0914-01	NV1-367-LF-D70-0N3-N-V55-IUST-55	0.02(#3)	1.37	0.18	0.28	0.4	20
1090-006-0915-01	NV1-367-LH-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.17	0.10	0.15	0.4	19
1090-006-0916-01	NV1-367-LT-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.28	0.13	0.20	0.4	19
1090-006-0917-01	NV1-367-LF-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.42	0.17	0.27	0.4	18
1090-006-0918-01	NV1-367-LH-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.16	0.10	0.15	0.4	20
1090-006-0919-01	NV1-367-LT-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.26	0.14	0.21	0.4	20
1090-006-0920-01	NV1-367-LF-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.39	0.18	0.28	0.4	19
1090-006-0921-01	NV1-900-LH-D70-0N3-G-V55-IUST-55	0.02(#3)	1.19	0.10	0.15	0.4	19
1090-006-0922-01	NV1-900-LT-D70-0N3-G-V55-IUST-55	0.02(#3)	1.30	0.13	0.20	0.4	18
1090-006-0923-01	NV1-900-LF-D70-0N3-G-V55-IUST-55	0.02(#3)	1.44	0.17	0.27	0.4	17
1090-006-0924-01	NV1-900-LH-D70-0N3-N-V55-IUST-55	0.02(#3)	1.18	0.10	0.15	0.4	19
1090-006-0925-01	NV1-900-LT-D70-0N3-N-V55-IUST-55	0.02(#3)	1.28	0.14	0.21	0.4	19
1090-006-0926-01	NV1-900-LF-D70-0N3-N-V55-IUST-55	0.02(#3)	1.41	0.18	0.28	0.4	19
1090-006-0927-01	NV1-900-LH-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.21	0.10	0.15	0.4	18
1090-006-0928-01	NV1-900-LT-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.32	0.13	0.20	0.4	18
1090-006-0929-01	NV1-900-LF-D70-0N3-G-VEL-IUST-EL	0.02(#3)	1.46	0.17	0.27	0.4	17
1090-006-0930-01	NV1-900-LH-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.20	0.10	0.15	0.4	19
1090-006-0931-01	NV1-900-LT-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.30	0.14	0.21	0.4	19
1090-006-0932-01	NV1-900-LF-D70-0N3-N-VEL-IUST-EL	0.02(#3)	1.43	0.18	0.28	0.4	18
1090-006-0933-01	NV1-367-LH-D70-0N3-G-V47-IUST-47	0.02(#3)	1.21	0.10	0.15	0.4	18
1090-006-0934-01	NV1-367-LH-D70-0N3-N-V47-IUST-47	0.02(#3)	1.20	0.10	0.15	0.4	19
1090-006-0935-01	NV1-367-LH-D36-0N3-G-V47-IUST-47	0.04(#3)	1.22	0.11	0.15	0.4	19
1090-006-0936-01	NV1-367-LH-D36-0N3-N-V47-IUST-47	0.04(#3)	1.21	0.12	0.16	0.4	20
1090-006-0937-01	NV1-900-LH-D70-0N3-G-V47-IUST-47	0.02(#3)	1.25	0.10	0.15	0.4	18
1090-006-0938-01	NV1-900-LH-D70-0N3-N-V47-IUST-47	0.02(#3)	1.24	0.10	0.15	0.4	18
1090-006-0939-01	NV1-900-LH-D36-0N3-G-V47-IUST-47	0.04(#3)	1.26	0.11	0.15	0.4	18
1090-006-0940-01	NV1-900-LH-D36-0N3-N-V47-IUST-47	0.04(#3)	1.24	0.12	0.16	0.4	19
1090-006-0941-01	NV1-367-LT-D70-0N3-N-FIX-ITIN-AL	0.02(#3)	1.23	0.14	0.22	0.4	20
1090-006-0942-01	NV1-367-LT-D70-0N3-G-FIX-ITIN-AL	0.02(#3)	1.23	0.14	0.21	0.4	20
1090-006-0943-01	NV1-367-LT-D70-2N0-N-FIX-ITIN-AL	0.02(#2)	1.23	0.12	0.22	0.4	19
1090-006-0944-01	NV1-367-LT-D70-2N0-G-FIX-ITIN-AL	0.02(#2)	1.23	0.11	0.21	0.4	19
1090-006-0945-01	NV1-367-LT-D70-0N3-N-FIX-IUST-AL	0.02(#3)	1.20	0.14	0.22	0.4	21



Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1090-006-0946-01	NV1-367-LT-D70-0N3-G-FIX-IUST-AL	0.02(#3)	1.20	0.14	0.21	0.4	21
1090-006-0947-01	NV1-367-LT-D70-2N0-N-FIX-IUST-AL	0.02(#2)	1.20	0.12	0.22	0.4	20
1090-006-0948-01	NV1-367-LT-D70-2N0-G-FIX-IUST-AL	0.02(#2)	1.20	0.11	0.21	0.4	19
1090-006-0949-01	NV1-367-LT-D70-0N3-N-FIX-ITIN-CN	0.02(#3)	1.17	0.14	0.22	0.4	22
1090-006-0950-01	NV1-367-LT-D70-0N3-G-FIX-ITIN-CN	0.02(#3)	1.17	0.14	0.21	0.4	22
1090-006-0951-01	NV1-367-LT-D70-2N0-N-FIX-ITIN-CN	0.02(#2)	1.17	0.12	0.22	0.4	21
1090-006-0952-01	NV1-367-LT-D70-2N0-G-FIX-ITIN-CN	0.02(#2)	1.17	0.11	0.21	0.4	20
1090-006-0953-01	NV1-367-LT-D70-0N3-N-FIX-IUST-CN	0.02(#3)	1.15	0.14	0.22	0.4	22
1090-006-0954-01	NV1-367-LT-D70-0N3-G-FIX-IUST-CN	0.02(#3)	1.15	0.14	0.21	0.4	22
1090-006-0955-01	NV1-367-LT-D70-2N0-N-FIX-IUST-CN	0.02(#2)	1.15	0.12	0.22	0.4	21
1090-006-0956-01	NV1-367-LT-D70-2N0-G-FIX-IUST-CN	0.02(#2)	1.15	0.11	0.21	0.4	20
1090-006-0957-01	NV1-367-LT-D70-0N3-N-FIX-ITIN-SY	0.02(#3)	1.21	0.14	0.22	0.4	21
1090-006-0958-01	NV1-367-LT-D70-0N3-G-FIX-ITIN-SY	0.02(#3)	1.21	0.14	0.21	0.4	21
1090-006-0959-01	NV1-367-LT-D70-2N0-N-FIX-ITIN-SY	0.02(#2)	1.21	0.12	0.22	0.4	20
1090-006-0960-01	NV1-367-LT-D70-2N0-G-FIX-ITIN-SY	0.02(#2)	1.21	0.11	0.21	0.4	19
1090-006-0961-01	NV1-367-LT-D70-0N3-N-FIX-IUST-SY	0.02(#3)	1.18	0.14	0.22	0.4	21
1090-006-0962-01	NV1-367-LT-D70-0N3-G-FIX-IUST-SY	0.02(#3)	1.18	0.14	0.21	0.4	21
1090-006-0963-01	NV1-367-LT-D70-2N0-N-FIX-IUST-SY	0.02(#2)	1.18	0.12	0.22	0.4	20
1090-006-0964-01	NV1-367-LT-D70-2N0-G-FIX-IUST-SY	0.02(#2)	1.18	0.11	0.21	0.4	20
1090-006-0965-01	NV1-367-LH-DLO-0N3-G-VEL-IUST-EL	0.16(#3)	1.23	0.17	0.16	0.4	22
1090-006-0966-01	NV1-367-LH-DLO-0N3-N-VEL-IUST-EL	0.16(#3)	1.22	0.18	0.17	0.4	23
1090-006-0967-01	NV1-367-LH-DLO-0N3-G-V55-IUST-55	0.16(#3)	1.22	0.17	0.16	0.4	22

NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.  
 4794 George Washington Memorial Hwy.  
 Hayes, VA 23072  
 Tel.: (804) 684-5124  
 nami@namiinc.com  
 namicertification.com