

Notice of Product Certification

CERTIFICATION NO.: 1122-009
INITIAL CERTIFICATION DATE: August 17, 2023
REVISION DATE: N/A
REPORT NUMBER: SPL22001-25-C_VSSH-H_r1
SPECIFICATION: CSA A440.2-19

COMPANY: Fenetres St. Paul, Inc.
CODE: 1122-1
EXPIRATION DATE: August 30, 2027
PRODUCT SIMULATED BY: Veridis Solutions
AIR LEAKAGE REPORT NO.: AI-04137-A1 Rev.1

PRODUCT/SERIES NAME: Guillotine Simple Hybride - 9020D **OPERATOR TYPE:** VSSH

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
1122-009-0001-01	GL 3mm_7/8_PLUX-arg90-PTLX su	0.082(#3)	1.65	0.54	0.58	0.5	34
1122-009-0002-01	GL 3mm_7/8_PLUX-arg90-PTLX su Grids<1"	0.082(#3)	1.65	0.48	0.51	0.5	31
1122-009-0003-01	GL 3mm_7/8_PLUX-arg90-PTLX su Grids>1"	0.082(#3)	1.65	0.43	0.45	0.5	28
1122-009-0004-01	BF 3mm_7/8_PLUX-arg90-PTLX su	0.082(#3)	1.63	0.54	0.58	0.5	35
1122-009-0005-01	BF 3mm_7/8_PLUX-arg90-PTLX su Grids<1"	0.082(#3)	1.63	0.48	0.51	0.5	31
1122-009-0006-01	BF 3mm_7/8_PLUX-arg90-PTLX su Grids>1"	0.082(#3)	1.63	0.43	0.45	0.5	28

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be 'S. D.', written over a horizontal line.

National Accreditation & Management Institute, Inc.
4794 George Washington Memorial Hwy.
Hayes, VA 23072
Tel.: (804) 684-5124
nami@namiinc.com
namicertification.com