

# Notice of Product Certification

CERTIFICATION NO.: 2957-002  
INITIAL CERTIFICATION DATE: August 3, 2023  
REVISION DATE: N/A  
REPORT NUMBER: SPL20004-12-C\_CSSV-H  
SPECIFICATION: CSA A440.2-22

COMPANY: San Fenestration Inc.  
CODE: 2957-1  
EXPIRATION DATE: May 7, 2026  
PRODUCT SIMULATED BY: Veridis Solutions  
AIR LEAKAGE REPORT NO.: AI-05459-A1

PRODUCT/SERIES NAME: 5 5/8" Hybrid Casement - 9100 OPERATOR TYPE: CSSV

Product Number	Manufacturer Product Code	Emissivity (Surface #)	U-Factor (Metric)	SHGC(w)	Visible Transmittance (VT)	Air Leakage Average (L75)	Energy Rating
2957-002-0001-01	GL   3mm_1 1/4_GCl-arg95-GCl-arg95-8071   ms	0.082(#5)	1.26	0.42	0.48	0.1	36
2957-002-0002-01	GL   3mm_1 1/4_GCl-arg95-GCl-arg95-8071   ms   Grids<1"	0.082(#5)	1.26	0.38	0.43	0.1	34
2957-002-0003-01	GL   3mm_7/8_STCl-arg95-8071   sp	0.082(#3)	1.54	0.49	0.53	0.1	34
2957-002-0004-01	GL   3mm_7/8_STCl-arg95-8071   sp   Grids<1"	0.082(#3)	1.54	0.45	0.48	0.1	32

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).



Administrator's Signature:

A handwritten signature in black ink, appearing to be "S. D.", written over a horizontal line.

National Accreditation & Management Institute, Inc.  
4794 George Washington Memorial Hwy.  
Hayes, VA 23072  
Tel.: (804) 684-5124  
nami@namiinc.com  
namicertification.com