NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015840

DATE: 08/09/2023

CERTIFICATION PROGRAM: Fire

COMPANY: <u>Trimco Millwork</u>

CODE: 868-1

EXPIRATION DATE: 08/31/2027

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit www.namicertification.com. NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

| COMPANY NAME AND ADDRESS | PRODUCT DESCRIPTION |
|--------------------------|--|
| Trimco Millwork | Taylor 90 Minute Steel |
| 1835 Commerce Avenue | Single Swing Side-Hinged Door |
| Boise, ID 83715 | w/Bayer Baytherm 3003 Core |
| | 22 Guage Steel Skin Door w/Bayer Baytherm 3003 Core for single swing installation in 90 Minute locations |
| | 1/2" Minimum Latch Throw Single Swing Only |
| | Maximum Size: 3'0" x 6'8" |
| | 914mm x 2032mm |

| SPECIFICATION | PRODUCT RATING | |
|---|--|--|
| NFPA 252 (2008) UL 10C (2009) CAN4 S104(1985) | 90 Minute-Positive Pressure With Hose Stream Category B Door-Additional Edge Seal Required For Use in Category C Frame | |
| TEST REPORT | | |
| Intertek Test Report No: 3193924MID-007 | | |

Administrator's Signature: _

NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway Hayes, VA 23072 Tel: (804) 684-5124

nami@namiinc.com