

# NOTICE OF PRODUCT CERTIFICATION



CERTIFICATION NO: NI015847  
DATE: 08/15/2023  
CERTIFICATION PROGRAM: Structural  
COMPANY: Ventanas  
CODE: 2966-1

This certification represents product conformity to the applicable specification and that certification criteria has been satisfied. A NAMI approved certification label must be applied to the product to claim certification status. To affirm the certification status, please visit [www.namicertification.com](http://www.namicertification.com). NAMI is accredited to the ISO/IEC 17065 by the ANSI National Accreditation Board (ANAB) and the Standards Council of Canada (SCC).

COMPANY NAME AND ADDRESS	PRODUCT DESCRIPTION
<b>Ventanas Totales, S.A.</b> <b>Calzada Atanasio Tzul 16-25 Zona 12</b> <b>Guatamala City, Guatamala 01012</b>	<b>Series "Fixed Window 48 x 48"</b> <b>Vinyl Fixed Window</b>  Configuration: O Glazing: Insulating Glass (Annealed)  Frame: W-1220mm(48") H-1220mm(48") DLO: W-1074mm(42.28") H-1074mm(42.28")

SPECIFICATION	PRODUCT RATING
<b>AAMA/WDMA/CSA 101/I.S.2/A440-17</b>	<b>Class R-PG15 1220 x 1220 (48 x 48)-FW</b> <b>Design Pressure: ±720 Pa (±15 psf)</b> Water Penetration Resistance Test Pressure: 140 Pa (2.92 psf)

Product Tested By: Intertek, LLC  
Report No: P4278.01-330-44  
Expiration Date: May 31, 2027

Administrator's Signature: \_\_\_\_\_

A handwritten signature in black ink, appearing to be "S.M.", written over a horizontal line.

## NATIONAL ACCREDITATION AND MANAGEMENT INSTITUTE, INC.

4794 George Washington Memorial Highway

Hayes, VA 23072

Tel: (804) 684-5124

Email: [nami@namiinc.com](mailto:nami@namiinc.com)